


DRAFT

COMPLETE STREETS SURVEY
& PLANNING PROGRAM
ASSET INVENTORY
CLINTON, MASSACHUSETTS



Prepared for:

Town of Clinton Community and
Economic Development Office

Prepared By:



PART 2 OF 2

January 2015

Town of Clinton, Massachusetts



Complete Streets Asset Inventory

Table of Contents

1. Pavement Management

- Backlog Summary Accepted Streets
- Backlog Summary By Functional Classification
- Segment-Based RSR and Repair Method, Sorted By Street
- Average RSR and Repair Method, Sorted By Street
- Average RSR and Repair Method, Sorted By RSR
- Average RSR and Repair Method, Sorted By Functional Class

2. Sidewalks

- Location and Length Summary
- Sidewalk Backlog and Condition Summary
- Condition Summary With Detailed Description

3. Sidewalk Ramp Inventory

- Ramp Totals by Street – Total Number of Ramps Sorted By Street
- Ramp Location by Street – Ramp Totals By Street With Inspection Data
- Ramp Field Review with Photos

4. MUTCD Sign Inventory

- Sign Totals by Street – Total Number of Signs Sorted By Street
- Sign Description By Street- Sign Totals By Street With Description
- Sign Quantity Analysis – Sign Totals By Number of Signs and MUTCD Type
- MUTCD Retroreflectivity Compliance – Signs That Meet MUTCD Compliance, Size, Condition, and Retroreflectivity
- MUTCD Retroreflectivity Compliance – Signs That Do Not Meet MUTCD Compliance, Size, Condition, and Retroreflectivity

Town of Clinton, Massachusetts

Pavement Management Program

Backlog Summary

Repair Method	Rank	Length (Miles)	Square Yards	Percent Repair	Estimated Cost
Reconstruction	1	3.36	47,839.05	13.38%	\$1,817,883.94
Reclamation	1	8.20	127,916.84	32.66%	\$3,070,004.15
Mill and Overlay	2	6.40	114,165.85	25.49%	\$1,826,653.68
Surface Treatment	2	3.23	52,741.29	12.86%	\$421,930.32
Crack Seal	3	2.47	40,597.03	9.83%	\$16,238.81
Defer Maintenance	3	1.45	26,074.56	5.78%	\$0.00
Total:		25.11	409,334.63	100.00%	\$7,152,710.91

Average RSR By Segment: 51.47

Town of Clinton, Massachusetts

Pavement Management Program

Backlog Summary By Functional Classification

Rank	Length (Miles)	Estimated Cost	
Minor Arterial			
1	0.28	\$151,086.66	
2	1.95	\$531,245.22	
3	0.75	\$3,480.43	
Totals for Class:	2.99	\$685,812.31	Average RSR By Segment: 69.64
Major Collector			
1	1.28	\$660,718.26	
2	2.36	\$690,319.33	
3	0.97	\$3,494.70	
Totals for Class:	4.60	\$1,354,532.29	Average RSR By Segment: 68.32
Minor Collector			
1	1.83	\$964,990.06	
2	1.46	\$306,263.39	
3	0.79	\$3,774.32	
Totals for Class:	4.08	\$1,275,027.77	Average RSR By Segment: 50.01
Local			
1	6.78	\$2,646,092.44	
2	3.03	\$604,818.96	
3	0.99	\$3,507.29	
Totals for Class:	10.79	\$3,254,418.68	Average RSR By Segment: 45.31
Local/CulDeSac/Dead End			
1	1.39	\$465,000.67	
2	0.83	\$115,937.10	
3	0.42	\$1,982.08	
Totals for Class:	2.65	\$582,919.85	Average RSR By Segment: 38.07
Class Totals:	25.11	\$7,152,710.91	Average RSR By Segment 51.47

Town of Clinton, Massachusetts

Pavement Management Program

Accepted Streets Sorted By Name and Segmentation With Average Ratings

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
ALEXANDER AVENUE			0.10 Miles						
ALEXANDER AVE-01	STONE ST	ALEXANDER AVE-02	28	351.68	1,094.13	3	3.55	Reconstruction	\$41,576.95
ALEXANDER AVE-02	ALEXANDER AVE-02	PLAIN ST	28	150.61	468.57	3	1.55	Reconstruction	\$17,805.71
			28 Avg.	502.30	1,562.70	3	2.95	Reconstruction	\$59,382.66
ALLEN STREET			0.32 Miles						
ALLEN ST-01	HIGH ST	PARKING LOT	25	506.98	1,408.27	3	98.55	Defer Maintenance	\$0.00
ALLEN ST-02	PARKING LOT	STONE ST	25	485.24	1,347.90	3	98.55	Defer Maintenance	\$0.00
ALLEN ST-03	STONE ST	MAIN ST	36	710.59	2,842.35	3	98.54	Defer Maintenance	\$0.00
			29 Avg.	1,702.80	5,598.51	3	98.54	Defer Maintenance	\$0.00
ASH STREET			0.07 Miles						
ASH ST	MAIN ST	DEAD END	14	393.49	612.10	0	8.53	Reconstruction	\$23,259.68
			14 Avg.	393.49	612.10	0	8.53	Reconstruction	\$23,259.68
BATTISTA COURT			0.05 Miles						
BATTISTA CT	HIGH ST	DEAD END	12	248.53	331.38	0	16.53	Reconstruction	\$12,592.32
			12 Avg.	248.53	331.38	0	16.53	Reconstruction	\$12,592.32
BEACON STREET			0.46 Miles						
BEACON ST-01	MAIN ST	CLINTON ST	26	654.13	1,889.72	2	51.53	Mill and Overlay	\$30,235.50
BEACON ST-03	PARK ST	RICHMAN ST	28	585.58	1,821.80	2	78.55	Surface Treatment	\$14,574.39
BEACON ST-04	RICHMAN ST	GROVE ST	29	638.30	2,056.73	2	73.55	Surface Treatment	\$16,453.84
BEACON ST-05	GROVE ST	DERVIN PL	23	127.28	325.27	2	50.55	Mill and Overlay	\$5,204.26
BEACON ST-06	DERVIN PL	BEACON CT	23	165.60	423.19	2	43.55	Reclamation	\$10,156.55
BEACON ST-07	BEACON CT	CALIFORNIA CT	23	243.75	622.92	2	37.55	Reclamation	\$14,950.14
			25 Avg.	2,414.63	7,139.62	2	61.89	Mill and Overlay	\$108,747.92
BELMONT AVENUE			0.14 Miles						
BELMONT AVE	LAWRENCE ST	HIGHLAND ST	24	713.75	1,903.32	0	35.54	Reclamation	\$45,679.68
			24 Avg.	713.75	1,903.32	0	35.54	Reclamation	\$45,679.68
BOYNTON STREET			0.13 Miles						
BOYNTON ST	HAMILTON ST	HIGH ST	18	669.03	1,338.06	0	47.55	Reclamation	\$32,113.53
			18 Avg.	669.03	1,338.06	0	47.55	Reclamation	\$32,113.53
BRISTOL AVENUE			0.14 Miles						
BRISTOL AVE	HIGHLAND ST	DEWEY ST	24	712.88	1,901.00	0	66.54	Mill and Overlay	\$30,416.08
			24 Avg.	712.88	1,901.00	0	66.54	Mill and Overlay	\$30,416.08

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
BROADWAY			0.12 Miles						
BROADWAY	HOSPITAL PARKING LOT	LONGEDGE RD	18	613.62	1,227.24	0	32.54	Reclamation	\$29,453.71
			18 Avg.	613.62	1,227.24	0	32.54	Reclamation	\$29,453.71
BROOK STREET			0.66 Miles						
BROOK ST-01	FOREST ST	EAST ST	21	240.32	560.74	2	43.55	Reclamation	\$13,457.79
BROOK ST-02	EAST ST	HIGH ST	21	256.78	599.14	2	43.55	Reclamation	\$14,379.40
BROOK ST-03	HIGH ST	WEST ST	21	253.41	591.28	2	84.55	Crack Seal	\$236.51
BROOK ST-04	WEST ST	MYRTLE ST	26	200.38	578.87	2	77.55	Surface Treatment	\$4,630.98
BROOK ST-05	MYRTLE ST	FULLER CT	26	238.33	688.50	2	70.55	Surface Treatment	\$5,508.02
BROOK ST-06	FULLER CT	CLARK ST	26	112.62	325.34	2	84.55	Crack Seal	\$130.14
BROOK ST-07	CLARK ST	MAIN ST	22	243.90	596.20	2	64.54	Mill and Overlay	\$9,539.27
BROOK ST-08	MAIN ST	PARKER ST	36	506.09	2,024.36	2	77.54	Surface Treatment	\$16,194.84
BROOK ST-09	PARKER ST	MARSHALL ST	36	240.30	961.21	2	84.54	Crack Seal	\$384.49
BROOK ST-10	MARSHALL ST	GREELEY ST	36	715.40	2,861.58	2	56.54	Mill and Overlay	\$45,785.32
BROOK ST-111	GREELEY ST	STERLING ST	36	474.17	1,896.68	2	69.54	Mill and Overlay	\$30,346.92
			28 Avg.	3,481.69	11,683.9	2	67.11	Mill and Overlay	\$172,747.85
BURDETT STREET			0.05 Miles						
BURDETT ST-02	NORMAN ST	PLEASANT ST	18	275.43	550.87	0	1.53	Reconstruction	\$20,932.92
			18 Avg.	275.43	550.87	0	1.53	Reconstruction	\$20,932.92
CALIFORNIA COURT			0.08 Miles						
CALIFORNIA CT	BEACON ST	GROVE ST	12	398.81	531.75	0	35.55	Reclamation	\$12,761.98
			12 Avg.	398.81	531.75	0	35.55	Reclamation	\$12,761.98
CATHERINE STREET			0.07 Miles						
CATHERINE ST	GREELEY ST	DEAD END	20	389.93	866.51	4	55.54	Mill and Overlay	\$13,864.18
			20 Avg.	389.93	866.51	4	55.54	Mill and Overlay	\$13,864.18
CHESTNUT STREET			0.83 Miles						
CHESTNUT ST-03	GREEN ST	MECHANIC ST	26	1,019.65	2,945.66	3	79.55	Surface Treatment	\$23,565.28
CHESTNUT ST-04	MECHANIC ST	PARKING LOT	26	352.65	1,018.78	3	65.53	Mill and Overlay	\$16,300.43
CHESTNUT ST-05	PARKING LOT	UNION ST	26	328.80	949.86	3	73.53	Surface Treatment	\$7,598.92
CHESTNUT ST-06	UNION ST	CHURCH ST	26	503.98	1,455.95	3	64.53	Mill and Overlay	\$23,295.26
CHESTNUT ST-07	CHURCH ST	PROSPECT ST	26	793.84	2,293.31	3	57.53	Mill and Overlay	\$36,692.94
CHESTNUT ST-08	PROSPECT ST	WATER ST	26	583.79	1,686.49	3	54.53	Mill and Overlay	\$26,983.89
CHESTNUT ST-09	WATER ST	LEIGHTON AVE	26	268.43	775.46	3	49.53	Reclamation	\$18,611.03
CHESTNUT ST-10	LEIGHTON AVE	PEARL ST	31	245.59	845.92	3	58.55	Mill and Overlay	\$13,534.70
CHESTNUT ST-11	PEARL ST	HENRY ST	31	265.04	912.92	3	68.55	Mill and Overlay	\$14,606.69
			27 Avg.	4,361.77	12,884.3	3	65.17	Mill and Overlay	\$210,226.58
CHURCH STREET			0.47 Miles						
CHURCH ST-02	PRESCOTT ST	CHESTNUT ST	40	566.52	2,517.88	5	64.53	Mill and Overlay	\$40,286.13

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
CHURCH ST-03	CHESTNUT ST	WALNUT ST	40	432.22	1,920.99	5	71.53	Surface Treatment	\$15,367.94
CHURCH ST-04	WALNUT ST	HIGH ST	40	439.39	1,952.85	5	65.53	Mill and Overlay	\$31,245.57
CHURCH ST-05	HIGH ST	COOLIDGE PL	40	264.07	1,173.64	5	80.53	Crack Seal	\$469.45
CHURCH ST-06	COOLIDGE PL	SCHOOL ST	40	123.06	546.95	5	75.53	Surface Treatment	\$4,375.59
CHURCH ST-07	SCHOOL ST	NELSON ST	32	463.69	1,648.69	5	82.53	Crack Seal	\$659.47
CHURCH ST-08	NELSON ST	MAIN ST	32	177.22	630.11	5	82.53	Crack Seal	\$252.04
			38 Avg.	2,466.18	10,391.1	5	72.88	Surface Treatment	\$82,675.75

CLARK STREET **0.33** Miles

CLARK ST-01	MAIN ST	UNKNOWN	22	172.90	422.65	0	24.54	Reclamation	\$10,143.71
CLARK ST-02	UNKNOWN	BROOK ST	22	717.02	1,752.73	0	5.55	Reconstruction	\$66,603.58
CLARK ST-03	BROOK ST	MAIN ST	22	828.43	2,025.04	0	1.54	Reconstruction	\$76,951.63
			22 Avg.	1,718.35	4,200.42	0	5.52	Reconstruction	\$159,616.09

COACHLACE STREET **0.09** Miles

COACHLACE ST-01	MAIN ST	COACHLACE ST-02	22	322.35	787.97	4	31.53	Reclamation	\$18,911.29
COACHLACE ST-02	COACHLACE ST-01	NEW HARBOR RD	22	174.63	426.87	4	55.53	Mill and Overlay	\$6,829.89
			22 Avg.	496.98	1,214.84	4	39.96	Reclamation	\$29,156.12

DEWEY STREET **0.13** Miles

DEWEY ST-01	GREELEY ST	BELMONT AVE	24	265.33	707.56	0	69.54	Mill and Overlay	\$11,320.93
DEWEY ST-02	BRISTOL AVE	LANCASTER TL	24	146.55	390.80	0	46.54	Reclamation	\$9,379.25
DEWEY ST-02	BELMONT AVE	BRISTOL AVE	24	254.72	679.25	0	52.54	Mill and Overlay	\$10,867.96
			24 Avg.	666.60	1,777.61	0	57.98	Mill and Overlay	\$28,441.72

EAST STREET **0.33** Miles

EAST ST-01	HAMILTON ST	PLAIN ST	18	425.74	851.47	0	31.55	Reclamation	\$20,435.31
EAST ST-02	PLAIN ST	BROOK ST	18	1,027.04	2,054.08	0	26.55	Reclamation	\$49,297.90
EAST ST-03	BROOK ST	DEAD END	26	271.89	785.46	0	25.55	Reclamation	\$18,850.95
			21 Avg.	1,724.66	3,691.01	0	27.62	Reclamation	\$95,048.15

FAIRMOUNT STREET **0.14** Miles

FAIRMOUNT ST-01	PARK ST	RICHMAN ST	20	583.29	1,296.20	2	45.55	Reclamation	\$31,108.89
FAIRMOUNT ST-02	RICHMAN ST	DEAD END	20	139.24	309.42	2	61.55	Mill and Overlay	\$4,950.65
			20 Avg.	722.53	1,605.62	2	48.63	Reclamation	\$38,534.86

FITCH ROAD **0.63** Miles

FITCH RD-01	WOODLAWN ST	LAKESIDE AVE	32	703.09	2,499.87	4	87.55	Crack Seal	\$999.95
FITCH RD-02	LAKESIDE AVE	WILKATE PL	28	1,425.94	4,436.27	4	82.55	Crack Seal	\$1,774.51
FITCH RD-03	WILKATE PL	STONEBRIDGE CIR	24	1,135.92	3,029.13	4	77.55	Surface Treatment	\$24,233.02
FITCH RD-04	STONEBRIDGE CIR	LANCASTER TL	24	49.45	131.86	4	98.55	Defer Maintenance	\$0.00
			27 Avg.	3,314.40	10,097.1	4	82.13	Crack Seal	\$3,977.28

FLAGG STREET **0.27** Miles

FLAGG ST-01	GREELEY ST	FOREST AVE	22	937.32	2,291.22	1	16.54	Reconstruction	\$87,066.34
-------------	------------	------------	----	--------	----------	---	-------	----------------	-------------

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
FLAGG ST-02	FOREST AVE	ADAMS ST	22	82.76	202.31	1	27.54	Reclamation	\$4,855.46
FLAGG ST-03	ADAMS ST	LEWIS ST	22	257.18	628.67	1	10.54	Reconstruction	\$23,889.62
FLAGG ST-04	LEWIS ST	DEAD END	22	141.27	345.34	1	51.54	Mill and Overlay	\$5,525.38
			22 Avg.	1,418.54	3,467.54	1	19.58	Reconstruction	\$131,766.55
FOREST AVENUE			0.07 Miles						
FOREST AVE	LAWRENCE ST	FLAGG ST	12	362.28	483.04	6	38.54	Reclamation	\$11,592.88
			12 Avg.	362.28	483.04	6	38.54	Reclamation	\$11,592.88
FOREST STREET			0.19 Miles						
FOREST ST-01	PLAIN ST	LOWE ST	18	515.81	1,031.63	2	42.55	Reclamation	\$24,759.02
FOREST ST-02	LOWE ST	BROOK ST	20	488.13	1,084.73	2	25.55	Reclamation	\$26,033.42
			19 Avg.	1,003.94	2,116.35	2	34.28	Reclamation	\$50,866.27
FRANKLIN STREET			0.33 Miles						
FRANKLIN ST-01	MAIN ST	BURDETT ST	26	393.03	1,135.43	1	36.53	Reclamation	\$27,250.35
FRANKLIN ST-04	SCHOOL ST	PARK ST	31	129.09	444.65	1	18.55	Reconstruction	\$16,896.77
FRANKLIN ST-05	PARK ST	UNKNOWN	28	466.50	1,451.34	1	1.55	Reconstruction	\$55,150.98
FRANKLIN ST-06	UNKNOWN	GROVE ST	28	757.68	2,357.23	1	21.55	Reclamation	\$56,573.63
			28 Avg.	1,746.31	5,388.66	1	19.36	Reconstruction	\$208,296.16
FRENCH TERRACE			0.05 Miles						
FRENCH TER	HIGH ST	DEAD END	14	258.64	402.32	0	38.53	Reclamation	\$9,655.79
			14 Avg.	258.64	402.32	0	38.53	Reclamation	\$9,655.79
GOSS STREET			0.09 Miles						
GOSS ST	ROMA ST	LAUREL ST	22	470.04	1,148.99	0	64.55	Mill and Overlay	\$18,383.80
			22 Avg.	470.04	1,148.99	0	64.55	Mill and Overlay	\$18,383.80
GREELEY STREET			0.66 Miles						
GREELEY ST-01	RIGBY ST	STERLING ST	40	524.00	2,328.87	0	21.54	Reclamation	\$55,892.84
GREELEY ST-02	STERLING ST	BROOK ST	40	428.17	1,902.97	0	14.54	Reconstruction	\$72,312.94
GREELEY ST-03	BROOK ST	LAWRENCE ST	40	471.08	2,093.71	0	3.54	Reconstruction	\$79,560.88
GREELEY ST-04	LAWRENCE ST	FLAGG ST	40	325.72	1,447.63	0	24.54	Reclamation	\$34,743.24
GREELEY ST-05	FLAGG ST	VIEW ST	40	260.53	1,157.92	0	50.54	Mill and Overlay	\$18,526.72
GREELEY ST-06	VIEW ST	HIGHLAND ST	40	276.53	1,229.04	0	47.54	Reclamation	\$29,496.94
GREELEY ST-07	HIGHLAND ST	UNKNOWN	40	210.01	933.39	0	42.54	Reclamation	\$22,401.36
GREELEY ST-08	UNKNOWN	DEWEY ST	40	514.76	2,287.83	0	42.54	Reclamation	\$54,907.84
GREELEY ST-09	DEWEY ST	LANCASTER TL	40	478.14	2,125.05	0	25.54	Reclamation	\$51,001.19
			40 Avg.	3,488.94	15,506.4	0	27.66	Reclamation	\$372,153.79
GROVE STREET			0.57 Miles						
GROVE ST-01	MECHANIC ST	PLEASANT ST	22	169.75	414.94	3	68.53	Mill and Overlay	\$6,639.07
GROVE ST-02	PLEASANT ST	FRANKLIN ST	26	505.14	1,459.29	3	73.55	Surface Treatment	\$11,674.28
GROVE ST-03	FRANKLIN ST	BEACON ST	26	94.65	273.44	3	78.55	Surface Treatment	\$2,187.55

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
GROVE ST-04	BEACON ST	HASTING CT	26	333.06	962.16	3	79.55	Surface Treatment	\$7,697.29
GROVE ST-05	HASTING CT	LEDGE CT	22	143.98	351.96	3	78.55	Surface Treatment	\$2,815.68
GROVE ST-06	LEDGE CT	NASHUA ST	22	443.22	1,083.42	3	76.55	Surface Treatment	\$8,667.37
GROVE ST-07	NASHUA ST	DEAD END	18	1,307.08	2,614.17	3	88.55	Crack Seal	\$1,045.67
			23 Avg.	2,996.88	7,159.38	3	81.31	Crack Seal	\$3,082.51
HAMILTON STREET			0.05 Miles						
HAMILTON ST-01	HIGH ST	BOYNTON ST	20	146.18	324.85	0	46.55	Reclamation	\$7,796.41
HAMILTON ST-02	BOYNTON ST	EAST ST	20	103.85	230.79	0	74.55	Surface Treatment	\$1,846.28
			20 Avg.	250.04	555.64	0	58.18	Mill and Overlay	\$8,890.17
HARBOR STREET			0.17 Miles						
HARBOR ST-01	PINE ST	RIVERSIDE DR	16	413.80	735.64	0	47.55	Reclamation	\$17,655.41
HARBOR ST-02	RIVERSIDE DR	WOODLAWN ST	16	78.00	138.67	0	23.55	Reclamation	\$3,328.05
HARBOR ST-03	WOODLAWN ST	DEAD END	16	400.45	711.91	0	20.55	Reclamation	\$17,085.84
			16 Avg.	892.25	1,586.22	0	33.33	Reclamation	\$38,069.30
HARKINS STREET			0.14 Miles						
HARKINS ST	LANCASTER TL	HIGHLAND ST	22	743.20	1,816.71	0	73.54	Surface Treatment	\$14,533.72
			22 Avg.	743.20	1,816.71	0	73.54	Surface Treatment	\$14,533.72
HASTING COURT			0.05 Miles						
HASTING CT	GROVE ST	DEAD END	13	242.81	350.73	4	87.55	Crack Seal	\$140.29
			13 Avg.	242.81	350.73	4	87.55	Crack Seal	\$140.29
HENRY STREET			0.08 Miles						
HENRY ST-01	CHESTNUT ST	RUSSEL PL	19	147.24	310.85	5	32.55	Reclamation	\$7,460.31
HENRY ST-02	RUSSEL PL	WALNUT ST	19	257.57	543.75	5	24.55	Reclamation	\$13,050.01
			19 Avg.	404.81	854.60	5	27.46	Reclamation	\$20,510.32
HIGH STREET			1.33 Miles						
HIGH ST-01	UNION ST	CHURCH ST	36	507.57	2,030.26	3	46.53	Reclamation	\$48,726.32
HIGH ST-02	CHURCH ST	PIERCE PL	36	399.78	1,599.13	3	55.53	Mill and Overlay	\$25,586.03
HIGH ST-03	PIERCE PL	PROSPECT ST	36	333.95	1,335.80	3	31.53	Reclamation	\$32,059.21
HIGH ST-04	PROSPECT ST	BATTISTA CT	36	348.90	1,395.59	3	26.53	Reclamation	\$33,494.13
HIGH ST-05	BATTISTA CT	WATER ST	36	260.05	1,040.20	3	32.53	Reclamation	\$24,964.90
HIGH ST-06	WATER ST	BROOK ST	36	807.07	3,228.26	3	36.53	Reclamation	\$77,478.24
HIGH ST-07	BROOK ST	PLAIN ST	24	1,026.93	2,738.48	3	64.55	Mill and Overlay	\$43,815.68
HIGH ST-08	PLAIN ST	WORCESTER ST	24	459.15	1,224.40	3	60.55	Mill and Overlay	\$19,590.42
HIGH ST-09	WORCESTER ST	BOYNTON ST	24	542.29	1,446.11	3	60.55	Mill and Overlay	\$23,137.75
HIGH ST-10	BOYNTON ST	WORCESTER ST	24	112.66	300.42	3	72.55	Surface Treatment	\$2,403.34
HIGH ST-11	WORCESTER ST	ALLEN ST	24	258.32	688.87	3	70.55	Surface Treatment	\$5,510.92
HIGH ST-12	ALLEN ST	TREATMENT PLANT	24	509.32	1,358.20	3	96.55	Defer Maintenance	\$0.00
HIGH ST-13	TREATMENT PLANT 1st ENTRANCE	TREATMENT PLANT 2nd	24	204.95	546.54	3	95.55	Defer Maintenance	\$0.00

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
HIGH ST-14	TREATMENT PLANT 2nd	BRIDGE	24	353.85	943.61	3	80.55	Crack Seal	\$377.45
HIGH ST-16	BRIDGE	LANCASTER TL	24	894.21	2,384.57	3	87.55	Crack Seal	\$953.83
			29 Avg.	7,019.01	22,260.4	3	61.61	Mill and Overlay	\$359,373.22
HIGHLAND AVENUE			0.09 Miles						
HIGHLAND AVE	HIGHLAND ST	DEAD END	22	465.05	1,136.79	0	5.54	Reconstruction	\$43,197.91
			22 Avg.	465.05	1,136.79	0	5.54	Reconstruction	\$43,197.91
HIGHLAND STREET			0.33 Miles						
HIGHLAND ST-01	STERLING ST	HIGHLAND AVE	24	62.79	167.44	2	29.54	Reclamation	\$4,018.67
HIGHLAND ST-02	HIGHLAND AVE	HARKINS ST	24	413.05	1,101.47	2	0.54	Reconstruction	\$41,855.84
HIGHLAND ST-03	HARKINS ST	BRISTOL AVE	24	323.45	862.54	2	5.54	Reconstruction	\$32,776.60
HIGHLAND ST-04	BRISTOL AVE	BELMONT AVE	24	258.22	688.59	2	19.54	Reconstruction	\$26,166.49
HIGHLAND ST-05	BELMONT AVE	GREELEY ST	24	278.22	741.92	2	18.54	Reconstruction	\$28,193.14
HIGHLAND ST-06	GREELEY ST	BROADWAY	22	261.26	638.64	2	20.54	Reclamation	\$15,327.42
HIGHLAND ST-07	BROADWAY	DEAD END	22	163.55	399.78	2	12.54	Reconstruction	\$15,191.62
			23 Avg.	1,760.55	4,600.39	2	12.20	Reconstruction	\$174,154.60
KITTREDGE PLACE			0.07 Miles						
KITTREDGE PL	WOODLAWN ST	DEAD END	12	347.11	462.81	0	35.54	Reclamation	\$11,107.45
			12 Avg.	347.11	462.81	0	35.54	Reclamation	\$11,107.45
LAKESIDE AVENUE			0.16 Miles						
LAKESIDE AVE-01	FITCH RD	ISLAND	22	498.19	1,217.80	6	25.55	Reclamation	\$29,227.23
LAKESIDE AVE-02	ISLAND	CUL DE SAC	22	343.30	839.18	6	28.55	Reclamation	\$20,140.31
			22 Avg.	841.49	2,056.98	6	26.77	Reclamation	\$49,367.54
LAUREL STREET			0.13 Miles						
LAUREL ST-01	STONE ST	GOSS ST	22	303.86	742.77	0	17.55	Reconstruction	\$28,225.13
LAUREL ST-02	GOSS ST	MAIN ST	22	376.22	919.65	0	7.54	Reconstruction	\$34,946.76
			22 Avg.	680.08	1,662.42	0	12.01	Reconstruction	\$63,171.90
LAWRENCE STREET			0.33 Miles						
LAWRENCE ST-01	LEWIS ST	PARKER ST	28	64.11	199.45	0	74.54	Surface Treatment	\$1,595.63
LAWRENCE ST-02	PARKER ST	FOREST AVE	28	273.85	851.97	0	12.54	Reconstruction	\$32,374.80
LAWRENCE ST-03	FOREST AVE	MARSHALL ST	28	190.52	592.73	0	26.54	Reclamation	\$14,225.56
LAWRENCE ST-04	MARSHALL ST	GREELEY ST	28	709.90	2,208.57	0	3.54	Reconstruction	\$83,925.76
LAWRENCE ST-05	GREELEY ST	STERLING ST	28	491.02	1,527.62	0	27.54	Reclamation	\$36,662.81
			28 Avg.	1,729.40	5,380.34	0	16.94	Reconstruction	\$204,453.05
LEDGE COURT			0.04 Miles						
LEDGE CT	GROVE ST	DEAD END	23	225.27	575.70	4	3.55	Reconstruction	\$21,876.51
			23 Avg.	225.27	575.70	4	3.55	Reconstruction	\$21,876.51
LEWIS STREET			0.07 Miles						
LEWIS ST	FLAGG ST	LAWRENCE ST	22	385.28	941.79	0	44.54	Reclamation	\$22,602.85

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
			22 Avg.	385.28	941.79	0	44.54	Reclamation	\$22,602.85
LIBERTY STREET			0.03 Miles						
LIBERTY ST	LOWE ST	DEAD END	16	143.64	255.36	4	8.55	Reconstruction	\$9,703.87
			16 Avg.	143.64	255.36	4	8.55	Reconstruction	\$9,703.87
LONGEDGE ROAD			0.25 Miles						
LONGEDGE RD	BROADWAY	DEAD END	18	1,319.97	2,639.94	5	32.54	Reclamation	\$63,358.45
			18 Avg.	1,319.97	2,639.94	5	32.54	Reclamation	\$63,358.45
LOWE STREET			0.08 Miles						
LOWE ST-01	FOREST ST	NORTH WALNUT ST	20	198.13	440.30	0	63.55	Mill and Overlay	\$7,044.80
LOWE ST-02	NORTH WALNUT ST	LIBERTY ST	20	204.80	455.11	0	65.55	Mill and Overlay	\$7,281.77
			20 Avg.	402.93	895.41	0	64.56	Mill and Overlay	\$14,326.57
MAIN STREET			2.00 Miles						
MAIN ST-01	LANCASTER TL	JEWETT CT	40	852.02	3,786.75	5	67.54	Mill and Overlay	\$60,588.00
MAIN ST-02	JEWETT CT	ALLEN ST	40	913.26	4,058.91	5	67.54	Mill and Overlay	\$64,942.59
MAIN ST-03	ALLEN ST	FULLER ST	40	149.29	663.52	5	87.54	Crack Seal	\$265.41
MAIN ST-04	FULLER ST	OLIVE ST	40	826.75	3,674.45	5	72.54	Surface Treatment	\$29,395.59
MAIN ST-05	OLIVE ST	ROMA ST	40	247.18	1,098.56	5	87.54	Crack Seal	\$439.42
MAIN ST-06	ROMA ST	LAUREL ST	40	418.17	1,858.54	5	77.54	Surface Treatment	\$14,868.36
MAIN ST-07	LAUREL ST	PLAIN ST	40	430.41	1,912.95	5	82.54	Crack Seal	\$765.18
MAIN ST-08	PLAIN ST	CLARK ST	40	416.96	1,853.17	5	67.54	Mill and Overlay	\$29,650.76
MAIN ST-09	CLARK ST	BROOK ST	40	609.64	2,709.49	5	73.54	Surface Treatment	\$21,675.95
MAIN ST-10	BROOK ST	CLARK ST	40	690.08	3,067.02	5	40.54	Reclamation	\$73,608.42
MAIN ST-11	CLARK ST	WATER ST	40	156.44	695.29	5	56.54	Mill and Overlay	\$11,124.62
MAIN ST-12	WATER ST	DEPOT SQUARE	40	190.05	844.68	5	78.54	Surface Treatment	\$6,757.47
MAIN ST-13	DEPOT SQUARE	ASH ST	40	380.73	1,692.15	5	69.54	Mill and Overlay	\$27,074.48
MAIN ST-14	ASH ST	CHURCH ST	40	467.86	2,079.40	5	59.54	Mill and Overlay	\$33,270.37
MAIN ST-15	CHURCH ST	UNION ST	40	602.88	2,679.46	5	73.54	Surface Treatment	\$21,435.65
MAIN ST-16	UNION ST	PLEASANT ST	40	479.98	2,133.26	5	52.54	Mill and Overlay	\$34,132.08
MAIN ST-17	PLEASANT ST	NEW HARBOR RD	40	544.53	2,420.13	5	62.54	Mill and Overlay	\$38,722.12
MAIN ST-18	NEW HARBOR RD	COACHLACE ST	40	168.60	749.33	5	94.54	Defer Maintenance	\$0.00
MAIN ST-19	COACHLACE ST	BEACON ST	40	115.51	513.38	5	86.54	Crack Seal	\$205.35
MAIN ST-20	BEACON ST	SUMMIT ST	40	319.53	1,420.13	5	80.54	Crack Seal	\$568.05
MAIN ST-21	SUMMIT ST	FRONT ST	40	254.80	1,132.45	5	85.54	Crack Seal	\$452.98
MAIN ST-22	FRONT ST	ARTHUR ST	40	258.90	1,150.69	5	94.54	Defer Maintenance	\$0.00
MAIN ST-23	ARTHUR ST	WINTER ST	40	259.26	1,152.27	5	94.54	Defer Maintenance	\$0.00
MAIN ST-24	WINTER ST	WINTHROP ST	40	583.82	2,594.73	5	92.54	Defer Maintenance	\$0.00
MAIN ST-25	WINTHROP ST	MAIN ST SOUTH	40	242.81	1,079.13	5	89.54	Crack Seal	\$431.65
			40 Avg.	10,579.47	47,019.8	5	72.10	Surface Treatment	\$376,158.91
MAPLE STREET			0.11 Miles						

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
MAPLE ST	WASHINGTON ST	STERLING ST	20	593.86	1,319.68	4	48.54	Reclamation	\$31,672.28
			20 Avg.	593.86	1,319.68	4	48.54	Reclamation	\$31,672.28
MARSHALL STREET			0.13 Miles						
MARSHALL ST	BROOK ST	LAWRENCE ST	32	706.26	2,511.16	4	50.54	Mill and Overlay	\$40,178.56
			32 Avg.	706.26	2,511.16	4	50.54	Mill and Overlay	\$40,178.56
MARTIN STREET			0.11 Miles						
MARTIN ST	FULLER ST	OLIVE ST	24	566.52	1,510.73	3	61.55	Mill and Overlay	\$24,171.62
			24 Avg.	566.52	1,510.73	3	61.55	Mill and Overlay	\$24,171.62
MAYFLOWER DRIVE			0.06 Miles						
MAYFLOWER DR	LANCASTER TL	MYLES STANDISH RD	24	302.89	807.69	0	51.54	Mill and Overlay	\$12,923.11
			24 Avg.	302.89	807.69	0	51.54	Mill and Overlay	\$12,923.11
MECHANIC STREET			0.21 Miles						
MECHANIC ST	CHESTNUT ST	UNION ST	32	1,126.64	4,005.83	5	85.53	Crack Seal	\$1,602.33
			32 Avg.	1,126.64	4,005.83	5	85.53	Crack Seal	\$1,602.33
MYRTLE STREET			0.04 Miles						
MYRTLE ST	BROOK ST	DEAD END	16	226.00	401.79	4	35.55	Reclamation	\$9,642.86
			16 Avg.	226.00	401.79	4	35.55	Reclamation	\$9,642.86
NASHUA STREET			0.19 Miles						
NASHUA ST-01	GROVE ST	UNKNOWN	26	598.28	1,728.35	1	47.55	Reclamation	\$41,480.48
NASHUA ST-02	UNKNOWN	CHESTNUT ST	20	428.02	951.17	1	60.55	Mill and Overlay	\$15,218.65
			23 Avg.	1,026.30	2,679.52	1	52.97	Mill and Overlay	\$41,964.29
NELSON STREET			0.11 Miles						
NELSON ST	CHURCH ST	UNION ST	28	588.44	1,830.70	5	3.53	Reconstruction	\$69,566.43
			28 Avg.	588.44	1,830.70	5	3.53	Reconstruction	\$69,566.43
NEW HARBOR ROAD			0.19 Miles						
NEW HARBOR RD-01	HARBOR ST	RIVERSIDE DR	22	237.78	581.25	5	63.55	Mill and Overlay	\$9,299.99
NEW HARBOR RD-02	RIVERSIDE DR	BRIDGE	22	43.37	106.02	5	66.55	Mill and Overlay	\$1,696.29
NEW HARBOR RD-03	BRIDGE	COACHLACE ST	22	335.49	820.09	5	46.55	Reclamation	\$19,682.18
NEW HARBOR RD-04	COACHLACE ST	MAIN ST	22	362.85	886.97	5	38.55	Reclamation	\$21,287.27
			22 Avg.	979.50	2,394.33	5	48.60	Reclamation	\$57,463.86
NORMAN STREET			0.11 Miles						
NORMAN ST-02	SCHOOL ST	UNKNOWN	24	604.09	1,610.91	3	36.55	Reclamation	\$38,661.86
			24 Avg.	604.09	1,610.91	3	36.55	Reclamation	\$38,661.86
NORTH WALNUT STREET			0.07 Miles						
NORTH WALNUT ST	LOWE ST	DEAD END	17	346.05	653.65	0	28.55	Reclamation	\$15,687.54
			17 Avg.	346.05	653.65	0	28.55	Reclamation	\$15,687.54

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
OLIVE STREET			0.15 Miles						
OLIVE ST-01	STONE ST	MARTIN ST	18	436.33	872.66	2	45.55	Reclamation	\$20,943.90
OLIVE ST-02	MARTIN ST	MAIN ST	27	358.17	1,074.50	2	30.55	Reclamation	\$25,787.99
			23 Avg.	794.50	1,947.16	2	38.79	Reclamation	\$47,669.87
PALMER COURT			0.07 Miles						
PALMER CT	WATER ST	DEAD END	18	346.54	693.08	0	46.55	Reclamation	\$16,633.91
			18 Avg.	346.54	693.08	0	46.55	Reclamation	\$16,633.91
PARK STREET			0.21 Miles						
PARK ST-01	FRANKLIN ST	BEACON ST	26	272.50	787.22	3	98.55	Defer Maintenance	\$0.00
PARK ST-02	BEACON ST	SUMMIT ST	26	304.30	879.09	3	98.55	Defer Maintenance	\$0.00
PARK ST-03	SUMMIT ST	FRONT ST	26	419.51	1,211.92	3	95.55	Defer Maintenance	\$0.00
PARK ST-04	FRONT ST	FAIRMOUNT ST	26	138.44	399.93	3	98.55	Defer Maintenance	\$0.00
			26 Avg.	1,134.75	3,278.16	3	97.44	Defer Maintenance	\$0.00
PARKER STREET			0.30 Miles						
PARKER ST-01	LAWRENCE ST	GRADY ST	30	331.34	1,104.47	0	47.54	Reclamation	\$26,507.30
PARKER ST-02	GRADY ST	BROOK ST	30	494.18	1,647.27	0	45.54	Reclamation	\$39,534.49
PARKER ST-03	BROOK ST	STERLING ST	30	740.05	2,466.82	0	30.54	Reclamation	\$59,203.76
			30 Avg.	1,565.57	5,218.56	0	38.87	Reclamation	\$125,245.56
PEARL STREET			0.25 Miles						
PEARL ST-03	CHESTNUT ST	WALNUT ST	23	430.52	1,100.21	0	21.55	Reclamation	\$26,405.00
PEARL ST-04	WALNUT ST	WATER ST	23	874.83	2,235.69	0	70.55	Surface Treatment	\$17,885.49
			23 Avg.	1,305.35	3,335.89	0	54.39	Mill and Overlay	\$53,374.32
PIERCE PLACE			0.07 Miles						
PIERCE PL	HIGH ST	DEAD END	16	362.14	643.81	0	44.53	Reclamation	\$15,451.39
			16 Avg.	362.14	643.81	0	44.53	Reclamation	\$15,451.39
PINE STREET			0.30 Miles						
PINE ST-01	HARBOR ST	WOODLAWN ST	30	505.25	1,684.17	0	57.55	Mill and Overlay	\$26,946.76
PINE ST-02	WOODLAWN ST	PINE ST EXT	18	383.66	767.32	0	45.55	Reclamation	\$18,415.77
PINE ST-03	PINE ST EXT	DEAD END	18	701.64	1,403.28	0	51.55	Mill and Overlay	\$22,452.41
			22 Avg.	1,590.55	3,854.77	0	52.01	Mill and Overlay	\$62,208.23
PINE STREET EXTENSION			0.12 Miles						
PINE ST EXT	PINE ST	DEAD END	12	658.15	877.53	0	72.55	Surface Treatment	\$7,020.24
			12 Avg.	658.15	877.53	0	72.55	Surface Treatment	\$7,020.24
PLAIN STREET			0.35 Miles						
PLAIN ST-01	MAIN ST	ALEXANDER AVE	24	288.36	768.97	2	21.54	Reclamation	\$18,455.23
PLAIN ST-02	ALEXANDER AVE	STONE ST	28	332.53	1,034.53	2	13.55	Reconstruction	\$39,312.04
PLAIN ST-03	STONE ST	WEST ST	28	506.67	1,576.30	2	38.55	Reclamation	\$37,831.11

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
PLAIN ST-04	WEST ST	HIGH ST	28	248.71	773.76	2	45.55	Reclamation	\$18,570.25
PLAIN ST-05	HIGH ST	EAST ST	18	258.93	517.86	2	32.55	Reclamation	\$12,428.64
PLAIN ST-06	EAST ST	FOREST ST	18	233.76	467.52	2	50.55	Mill and Overlay	\$7,480.35
			24 Avg.	1,868.96	5,138.93	2	33.08	Reclamation	\$119,613.18
PLEASANT STREET			0.41 Miles						
PLEASANT ST-01	GROVE ST	PARKING LOT ENTRANCE	26	687.05	1,984.80	4	59.53	Mill and Overlay	\$31,756.88
PLEASANT ST-02	PARKING LOT ENTRANCE	SCHOOL ST	26	809.40	2,338.26	4	59.53	Mill and Overlay	\$37,412.18
PLEASANT ST-03	SCHOOL ST	BURDETT ST	26	351.51	1,015.46	4	50.53	Mill and Overlay	\$16,247.38
PLEASANT ST-04	BURDETT ST	MAIN ST	26	328.58	949.22	4	51.53	Mill and Overlay	\$15,187.53
			26 Avg.	2,176.53	6,287.75	4	56.87	Mill and Overlay	\$100,603.97
POND COURT			0.10 Miles						
POND CT	HIGH ST	HIGH ST	14	524.68	816.16	0	22.53	Reclamation	\$19,587.88
			14 Avg.	524.68	816.16	0	22.53	Reclamation	\$19,587.88
PROSPECT STREET			0.19 Miles						
PROSPECT ST-01	CHESTNUT ST	WALNUT ST	32	413.38	1,469.81	6	98.53	Defer Maintenance	\$0.00
PROSPECT ST-02	WALNUT ST	WHITE CT	32	281.70	1,001.60	6	98.53	Defer Maintenance	\$0.00
PROSPECT ST-03	WHITE CT	HIGH ST	32	307.01	1,091.60	6	92.53	Defer Maintenance	\$0.00
			32 Avg.	1,002.10	3,563.01	6	96.69	Defer Maintenance	\$0.00
RICHARDSON PLACE			0.05 Miles						
RICHARDSON PL	HIGH ST	DEAD END	18	264.25	528.49	0	73.53	Surface Treatment	\$4,227.93
			18 Avg.	264.25	528.49	0	73.53	Surface Treatment	\$4,227.93
RICHMAN STREET			0.17 Miles						
RICHMAN ST-01	BEACON ST	SUMMIT ST	26	306.92	886.66	0	5.55	Reconstruction	\$33,693.10
RICHMAN ST-02	SUMMIT ST	FAIRMOUNT ST	24	575.37	1,534.33	0	47.55	Reclamation	\$36,823.98
			25 Avg.	882.30	2,420.99	0	32.94	Reclamation	\$58,819.71
RIGBY LANE			0.09 Miles						
RIGBY LN-02	RIGBY ST	LANCASTER TL	10	461.65	512.94	0	11.55	Reconstruction	\$19,491.82
			10 Avg.	461.65	512.94	0	11.55	Reconstruction	\$19,491.82
RIGBY PLACE			0.04 Miles						
RIGBY PL	RIGBY PL	DEAD END	12	209.78	279.71	0	10.55	Reconstruction	\$10,628.95
			12 Avg.	209.78	279.71	0	10.55	Reconstruction	\$10,628.95
RIGBY STREET			0.57 Miles						
RIGBY ST-01	WOODLAWN ST	GREELEY ST	36	330.75	1,323.00	1	42.55	Reclamation	\$31,751.98
RIGBY ST-02	GREELEY ST	RIGBY LN	30	261.32	871.06	1	38.55	Reclamation	\$20,905.51
RIGBY ST-03	RIGBY LN	RIGBY LN	30	2,242.66	7,475.53	1	31.55	Reclamation	\$179,412.83
RIGBY ST-04	RIGBY LN	LANCASTER TL	18	197.18	394.37	1	62.55	Mill and Overlay	\$6,309.88
			29 Avg.	3,031.91	10,063.9	1	35.37	Reclamation	\$230,425.37

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
RING STREET			0.04 Miles						
RING ST	HIGH ST	DEAD END	14	210.52	327.47	0	54.53	Mill and Overlay	\$5,239.54
			14 Avg.	210.52	327.47	0	54.53	Mill and Overlay	\$5,239.54
RIVERSIDE DRIVE			0.10 Miles						
RIVERSIDE DR-01	NEW HARBOR RD	RIVERSIDE DR-02	10	338.20	375.78	0	1.55	Reconstruction	\$14,279.56
RIVERSIDE DR-02	RIVERSIDE DR-01	HARBOR ST	22	195.46	477.80	0	8.55	Reconstruction	\$18,156.39
			16 Avg.	533.66	853.58	0	4.11	Reconstruction	\$36,051.94
ROGERS FIELD WAY			0.18 Miles						
ROGERS FIELD WAY	PINE ST EXT	DEAD END	16	965.39	1,716.25	0	74.55	Surface Treatment	\$13,730.00
			16 Avg.	965.39	1,716.25	0	74.55	Surface Treatment	\$13,730.00
ROMA STREET			0.07 Miles						
ROMA ST	MAIN ST	GOSS ST	22	353.66	864.50	4	48.55	Reclamation	\$20,747.98
			22 Avg.	353.66	864.50	4	48.55	Reclamation	\$20,747.98
RUSSELL PLACE			0.03 Miles						
RUSSELL PL	HENRY ST	DEAD END	18	179.52	359.04	0	17.55	Reconstruction	\$13,643.40
			18 Avg.	179.52	359.04	0	17.55	Reconstruction	\$13,643.40
SAND COURT			0.04 Miles						
SAND CT-01	LAWRENCE ST	SAND CT-02	8	222.06	197.39	0	98.54	Defer Maintenance	\$0.00
			8 Avg.	222.06	197.39	0	98.54	Defer Maintenance	\$0.00
SCHOOL STREET			0.31 Miles						
SCHOOL ST-01	CHURCH ST	UNION ST	24	576.81	1,538.16	4	90.53	Crack Seal	\$615.27
SCHOOL ST-02	UNION ST	PLEASANT ST	24	508.48	1,355.96	4	66.53	Mill and Overlay	\$21,695.29
SCHOOL ST-03	PLEASANT ST	NORMAN ST	24	279.93	746.48	4	73.53	Surface Treatment	\$5,971.81
SCHOOL ST-04	NORMAN ST	FRANKLIN ST	30	262.66	875.54	4	72.55	Surface Treatment	\$7,004.30
			26 Avg.	1,627.88	4,516.13	4	77.21	Surface Treatment	\$36,898.71
SIMON COURT			0.06 Miles						
SIMON CT	SUMMIT ST	DEAD END	18	308.22	616.44	0	5.55	Reconstruction	\$23,424.71
			18 Avg.	308.22	616.44	0	5.55	Reconstruction	\$23,424.71
SOUTH MEADOW ROAD			0.57 Miles						
SOUTH MEADOW RD-01	MAIN ST	MORGAN AVE	24	484.60	1,292.26	2	88.53	Crack Seal	\$516.90
SOUTH MEADOW RD-02	MORGAN AVE	PONDVIEW DR	24	338.92	903.78	2	76.53	Surface Treatment	\$7,230.26
SOUTH MEADOW RD-03	PONDVIEW DR	UNKNOWN	24	408.06	1,088.17	2	76.53	Surface Treatment	\$8,705.34
SOUTH MEADOW RD-04	UNKNOWN	SPRAGUE RD	24	1,355.70	3,615.21	2	87.53	Crack Seal	\$1,446.08
SOUTH MEADOW RD-05	SPRAGUE RD	LANCASTER TL	24	403.47	1,075.91	2	91.53	Crack Seal	\$430.36
			24 Avg.	2,990.75	7,975.33	2	85.49	Crack Seal	\$3,190.13
STERLING STREET			0.74 Miles						
STERLING ST-01	LANCASTER TL	HIGHLAND ST	38	291.69	1,231.59	4	56.54	Mill and Overlay	\$19,705.46

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
STERLING ST-02	HIGHLAND ST	WILLOW ST	38	1,266.28	5,346.53	4	53.54	Mill and Overlay	\$85,544.55
STERLING ST-03	WILLOW ST	BROOK ST	38	327.47	1,382.65	4	51.54	Mill and Overlay	\$22,122.36
STERLING ST-04	BROOK ST	GREELEY ST	38	715.09	3,019.29	4	29.54	Reclamation	\$72,462.86
STERLING ST-05	GREELEY ST	WASHINGTON ST	38	181.34	765.66	4	47.54	Reclamation	\$18,375.88
STERLING ST-06	WASHINGTON ST	MAPLE ST	38	598.80	2,528.26	4	29.54	Reclamation	\$60,678.20
STERLING ST-07	MAPLE ST	PARKER ST	38	218.86	924.07	4	64.54	Mill and Overlay	\$14,785.08
STERLING ST-08	PARKER ST	RAILROAD TRACKS	38	315.12	1,330.50	4	56.54	Mill and Overlay	\$21,287.96
			38 Avg.	3,914.66	16,528.5	4	46.12	Reclamation	\$396,685.06
STONE STREET			0.32 Miles						
STONE ST-01	PLAIN ST	ALEXANDER AVE	24	139.96	373.21	0	71.55	Surface Treatment	\$2,985.71
STONE ST-02	ALEXANDER AVE	LAUREL ST	24	268.11	714.96	0	70.55	Surface Treatment	\$5,719.70
STONE ST-03	LAUREL ST	OLIVE ST	24	751.93	2,005.16	0	48.55	Reclamation	\$48,123.76
STONE ST-04	OLIVE ST	FULLER ST	24	110.22	293.92	0	86.55	Crack Seal	\$117.57
STONE ST-05	FULLER ST	ALLEN ST	24	404.53	1,078.74	0	71.55	Surface Treatment	\$8,629.94
			24 Avg.	1,674.75	4,466.00	0	62.05	Mill and Overlay	\$71,455.95
STONEBRIDGE CIRCLE			0.13 Miles						
STONEBRIDGE CIR	FITCH RD	CUL DE SAC	26	688.95	1,990.29	5	83.55	Crack Seal	\$796.12
			26 Avg.	688.95	1,990.29	5	83.55	Crack Seal	\$796.12
SUMMIT STREET			0.18 Miles						
SUMMIT ST-01	MAIN ST	GAGE ST	24	383.72	1,023.25	0	45.53	Reclamation	\$24,557.88
SUMMIT ST-04	PARK ST	SIMON CT	26	236.63	683.60	0	8.55	Reconstruction	\$25,976.97
SUMMIT ST-05	SIMON CT	RICHMAN ST	26	343.51	992.35	0	8.55	Reconstruction	\$37,709.29
			25 Avg.	963.85	2,699.20	0	23.27	Reclamation	\$65,113.76
UNION STREET			0.47 Miles						
UNION ST-01	MAIN ST	NELSON ST	40	273.36	1,214.91	4	69.53	Mill and Overlay	\$19,438.64
UNION ST-02	NELSON ST	SCHOOL ST	40	407.56	1,811.40	4	76.53	Surface Treatment	\$14,491.18
UNION ST-03	SCHOOL ST	HIGH ST	40	538.50	2,393.33	4	94.53	Defer Maintenance	\$0.00
UNION ST-04	HIGH ST	MECHANIC ST	40	91.31	405.83	4	88.53	Crack Seal	\$162.33
UNION ST-05	MECHANIC ST	WALNUT ST	40	259.36	1,152.69	4	98.53	Defer Maintenance	\$0.00
UNION ST-06	WALNUT ST	CHESTNUT ST	36	417.77	1,671.08	4	50.53	Mill and Overlay	\$26,737.22
UNION ST-07	CHESTNUT ST	DEAD END	36	474.94	1,899.76	4	12.53	Reconstruction	\$72,190.70
			39 Avg.	2,462.80	10,549.0	4	65.70	Mill and Overlay	\$170,128.39
VIEW STREET			0.09 Miles						
VIEW ST	GREELEY ST	DEAD END	22	454.36	1,110.65	0	36.54	Reclamation	\$26,655.66
			22 Avg.	454.36	1,110.65	0	36.54	Reclamation	\$26,655.66
WALNUT STREET			0.50 Miles						
WALNUT ST-01	HENRY ST	PEARL ST	30	265.60	885.35	2	65.55	Mill and Overlay	\$14,165.54
WALNUT ST-02	PEARL ST	LEIGTON AVE	30	243.64	812.13	2	47.55	Reclamation	\$19,491.21

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
WALNUT ST-03	LEIGTON AVE	WATER ST	30	260.51	868.36	2	50.55	Mill and Overlay	\$13,893.69
WALNUT ST-04	WATER ST	PROSPECT ST	26	555.00	1,603.34	2	70.53	Surface Treatment	\$12,826.69
WALNUT ST-05	PROSPECT ST	CHURCH ST	26	797.61	2,304.22	2	54.53	Mill and Overlay	\$36,867.51
WALNUT ST-06	CHURCH ST	UNION ST	28	495.66	1,542.06	2	62.53	Mill and Overlay	\$24,672.89
			28 Avg.	2,618.03	8,015.45	2	59.51	Mill and Overlay	\$131,870.97
WASHINGTON STREET			0.15 Miles						
WASHINGTON ST-01	BROOK ST	MAPLE ST	22	316.69	774.14	2	6.54	Reconstruction	\$29,417.24
WASHINGTON ST-02	MAPLE ST	STERLING ST	22	475.72	1,162.88	2	34.54	Reclamation	\$27,909.09
			22 Avg.	792.42	1,937.02	2	23.35	Reclamation	\$46,488.40
WATER STREET			0.42 Miles						
WATER ST-01	MAIN ST	WEST ST	40	681.78	3,030.11	4	55.55	Mill and Overlay	\$48,481.83
WATER ST-02	WEST ST	HIGH ST	40	160.99	715.51	4	55.55	Mill and Overlay	\$11,448.13
WATER ST-03	HIGH ST	PEARL ST	27	221.97	665.91	4	50.55	Mill and Overlay	\$10,654.57
WATER ST-04	PEARL ST	PALMER CT	27	210.97	632.90	4	48.55	Reclamation	\$15,189.60
WATER ST-05	PALMER CT	WALNUT ST	27	250.65	751.96	4	36.55	Reclamation	\$18,047.05
WATER ST-06	WALNUT ST	CHESTNUT ST	27	427.83	1,283.49	4	38.55	Reclamation	\$30,803.76
WATER ST-07	CHESTNUT ST	HAMMOND ST	24	272.90	727.74	4	36.55	Reclamation	\$17,465.80
			30 Avg.	2,227.09	7,807.63	4	46.65	Reclamation	\$179,863.91
WATSON PLACE			0.04 Miles						
WATSON PL	PINE ST	DEAD END	18	218.17	436.34	0	32.55	Reclamation	\$10,472.26
			18 Avg.	218.17	436.34	0	32.55	Reclamation	\$10,472.26
WEST BOLYSTON STREET			1.45 Miles						
WEST BOLYSTON ST-01	MAIN ST SOUTH	CURRAN ST	40	560.64	2,491.73	3	75.54	Surface Treatment	\$19,933.83
WEST BOLYSTON ST-02	CURRAN ST	FIELD PARKING LOT	40	1,338.60	5,949.35	3	58.54	Mill and Overlay	\$95,189.65
WEST BOLYSTON ST-03	FIELD PARKING LOT	SOUTH MEADOW RD	40	1,609.17	7,151.88	3	69.54	Mill and Overlay	\$114,430.09
WEST BOLYSTON ST-04	SOUTH MEADOW RD	STERLING TL	40	4,124.70	18,331.98	3	25.54	Reclamation	\$439,967.50
			40 Avg.	7,633.11	33,924.9	3	44.27	Reclamation	\$814,198.60
WEST STREET			0.35 Miles						
WEST ST-01	WATER ST	BROOK ST	20	817.12	1,815.81	2	7.55	Reconstruction	\$69,000.89
WEST ST-02	BROOK ST	PLAIN ST	20	1,032.48	2,294.41	2	26.55	Reclamation	\$55,065.75
			20 Avg.	1,849.60	4,110.22	2	18.15	Reconstruction	\$156,188.32
WHITE COURT			0.08 Miles						
WHITE CT	PROSPECT ST	DEAD END	16	406.44	722.57	0	56.53	Mill and Overlay	\$11,561.09
			16 Avg.	406.44	722.57	0	56.53	Mill and Overlay	\$11,561.09
WILLOW STREET			0.33 Miles						
WILLOW ST-01	STERLING ST	WILLOW ST EXT	24	227.49	606.64	0	18.54	Reconstruction	\$23,052.30
WILLOW ST-02	WILLOW ST EXT	WILLOW ST-03	28	986.45	3,068.97	0	6.54	Reconstruction	\$116,620.71
WILLOW ST-03	WILLOW ST-02	STERLING ST	32	540.21	1,920.76	0	9.54	Reconstruction	\$72,989.03

Name	From	To	Width	Length (Feet)	Square Yards	Av. Reveal	RSR	Suggested Repair	Estimated Cost
			28 Avg.	1,754.16	5,596.37	0	9.02	Reconstruction	\$207,380.46
WINTER STREET			0.05 Miles						
WINTER ST-01	MAIN ST	SPRING ST	28	290.06	902.42	5	4.55	Reconstruction	\$34,292.07
			28 Avg.	290.06	902.42	5	4.55	Reconstruction	\$34,292.07
WOODLAWN STREET			0.41 Miles						
WOODLAWN ST-01	RIGBY ST	FITCH RD	26	545.73	1,576.55	1	13.55	Reconstruction	\$59,908.82
WOODLAWN ST-02	FITCH RD	CEMETERY ENTRANCE	26	764.26	2,207.85	1	98.55	Defer Maintenance	\$0.00
WOODLAWN ST-03	CEMETERY ENTRANCE	PINE ST	26	418.15	1,207.98	1	39.55	Reclamation	\$28,991.48
WOODLAWN ST-04	PINE ST	KITTREDGE PL	22	270.50	661.22	1	7.55	Reconstruction	\$25,126.34
WOODLAWN ST-05	KITTREDGE PL	HARBOR ST	22	176.22	430.75	1	14.55	Reconstruction	\$16,368.43
			24 Avg.	2,174.84	6,084.34	1	47.75	Reclamation	\$141,509.87
WORCESTER STREET			0.31 Miles						
WORCESTER ST-01	HIGH ST	DEAD END	22	1,129.25	2,760.40	2	55.55	Mill and Overlay	\$44,166.32
WORCESTER ST-02	WORCESTER ST-01	HIGH ST	22	509.87	1,246.36	2	64.55	Mill and Overlay	\$19,941.68
			22 Avg.	1,639.13	4,006.75	2	58.35	Mill and Overlay	\$64,108.00

Town of Clinton, Massachusetts

Pavement Management Program

Streets and Averages Sorted Alphabetically

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
ALEXANDER AVENUE	0.10	502.30	28	1,094.13	2.95	1	Reconstruction	\$59,382.66	LO
ALLEN STREET	0.32	1,702.80	29	1,408.27	98.54	3	Defer Maintenance	\$0.00	CO
ASH STREET	0.07	393.49	14	612.10	8.53	1	Reconstruction	\$23,259.68	LO/CS/DE
BATTISTA COURT	0.05	248.53	12	331.38	16.53	1	Reconstruction	\$12,592.32	LO/CS/DE
BEACON STREET	0.46	2,414.63	25	1,889.72	61.89	2	Mill and Overlay	\$108,747.92	CO
BELMONT AVENUE	0.14	713.75	24	1,903.32	35.54	1	Reclamation	\$45,679.68	LO
BOYNTON STREET	0.13	669.03	18	1,338.06	47.55	1	Reclamation	\$32,113.53	LO
BRISTOL AVENUE	0.14	712.88	24	1,901.00	66.54	2	Mill and Overlay	\$30,416.08	LO
BROADWAY	0.12	613.62	18	1,227.24	32.54	1	Reclamation	\$29,453.71	LO
BROOK STREET	0.66	3,481.69	28	560.74	67.11	2	Mill and Overlay	\$172,747.85	LO
BURDETT STREET	0.05	275.43	18	550.87	1.53	1	Reconstruction	\$20,932.92	LO
CALIFORNIA COURT	0.08	398.81	12	531.75	35.55	1	Reclamation	\$12,761.98	LO
CATHERINE STREET	0.07	389.93	20	866.51	55.54	2	Mill and Overlay	\$13,864.18	LO/CS/DE
CHESTNUT STREET	0.83	4,361.77	27	2,945.66	65.17	2	Mill and Overlay	\$210,226.58	AR
CHURCH STREET	0.47	2,466.18	38	2,517.88	72.88	2	Surface Treatment	\$82,675.75	LO
CLARK STREET	0.33	1,718.35	22	422.65	5.52	1	Reconstruction	\$159,616.09	LO
COACHLACE STREET	0.09	496.98	22	787.97	39.96	1	Reclamation	\$29,156.12	LO
DEWEY STREET	0.13	666.60	24	707.56	57.98	2	Mill and Overlay	\$28,441.72	LO
EAST STREET	0.33	1,724.66	21	851.47	27.62	1	Reclamation	\$95,048.15	LO
FAIRMOUNT STREET	0.14	722.53	20	1,296.20	48.63	1	Reclamation	\$38,534.86	LO
FITCH ROAD	0.63	3,314.40	27	2,499.87	82.13	3	Crack Seal	\$3,977.28	LO
FLAGG STREET	0.27	1,418.54	22	2,291.22	19.58	1	Reconstruction	\$131,766.55	LO
FOREST AVENUE	0.07	362.28	12	483.04	38.54	1	Reclamation	\$11,592.88	LO
FOREST STREET	0.19	1,003.94	19	1,031.63	34.28	1	Reclamation	\$50,866.27	LO
FRANKLIN STREET	0.33	1,746.31	28	1,135.43	19.36	1	Reconstruction	\$208,296.16	CO
FRENCH TERRACE	0.05	258.64	14	402.32	38.53	1	Reclamation	\$9,655.79	LO/CS/DE
GOSS STREET	0.09	470.04	22	1,148.99	64.55	2	Mill and Overlay	\$18,383.80	LO
GREELEY STREET	0.66	3,488.94	40	2,328.87	27.66	1	Reclamation	\$372,153.79	CO
GROVE STREET	0.57	2,996.88	23	414.94	81.31	3	Crack Seal	\$3,082.51	CO
HAMILTON STREET	0.05	250.04	20	324.85	58.18	2	Mill and Overlay	\$8,890.17	LO
HARBOR STREET	0.17	892.25	16	735.64	33.33	1	Reclamation	\$38,069.30	LO
HARKINS STREET	0.14	743.20	22	1,816.71	73.54	2	Surface Treatment	\$14,533.72	LO
HASTING COURT	0.05	242.81	13	350.73	87.55	3	Crack Seal	\$140.29	LO/CS/DE
HENRY STREET	0.08	404.81	19	310.85	27.46	1	Reclamation	\$20,510.32	LO
HIGH STREET	1.33	7,019.01	29	2,030.26	61.61	2	Mill and Overlay	\$359,373.22	CO

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
HIGHLAND AVENUE	0.09	465.05	22	1,136.79	5.54	1	Reconstruction	\$43,197.91	LO/CS/DE
HIGHLAND STREET	0.33	1,760.55	23	167.44	12.20	1	Reconstruction	\$174,154.60	CO
KITTREDGE PLACE	0.07	347.11	12	462.81	35.54	1	Reclamation	\$11,107.45	LO/CS/DE
LAKESIDE AVENUE	0.16	841.49	22	1,217.80	26.77	1	Reclamation	\$49,367.54	LO
LAUREL STREET	0.13	680.08	22	742.77	12.01	1	Reconstruction	\$63,171.90	LO
LAWRENCE STREET	0.33	1,729.40	28	199.45	16.94	1	Reconstruction	\$204,453.05	LO
LEDGE COURT	0.04	225.27	23	575.70	3.55	1	Reconstruction	\$21,876.51	LO/CS/DE
LEWIS STREET	0.07	385.28	22	941.79	44.54	1	Reclamation	\$22,602.85	LO
LIBERTY STREET	0.03	143.64	16	255.36	8.55	1	Reconstruction	\$9,703.87	LO/CS/DE
LONGEDGE ROAD	0.25	1,319.97	18	2,639.94	32.54	1	Reclamation	\$63,358.45	LO/CS/DE
LOWE STREET	0.08	402.93	20	440.30	64.56	2	Mill and Overlay	\$14,326.57	LO
MAIN STREET	2.00	10,579.47	40	3,786.75	72.10	2	Surface Treatment	\$376,158.91	CO
MAPLE STREET	0.11	593.86	20	1,319.68	48.54	1	Reclamation	\$31,672.28	LO
MARSHALL STREET	0.13	706.26	32	2,511.16	50.54	2	Mill and Overlay	\$40,178.56	LO
MARTIN STREET	0.11	566.52	24	1,510.73	61.55	2	Mill and Overlay	\$24,171.62	LO
MAYFLOWER DRIVE	0.06	302.89	24	807.69	51.54	2	Mill and Overlay	\$12,923.11	LO
MECHANIC STREET	0.21	1,126.64	32	4,005.83	85.53	3	Crack Seal	\$1,602.33	AR
MYRTLE STREET	0.04	226.00	16	401.79	35.55	1	Reclamation	\$9,642.86	LO/CS/DE
NASHUA STREET	0.19	1,026.30	23	1,728.35	52.97	2	Mill and Overlay	\$41,964.29	LO
NELSON STREET	0.11	588.44	28	1,830.70	3.53	1	Reconstruction	\$69,566.43	LO
NEW HARBOR ROAD	0.19	979.50	22	581.25	48.60	1	Reclamation	\$57,463.86	CO
NORMAN STREET	0.11	604.09	24	1,610.91	36.55	1	Reclamation	\$38,661.86	LO
NORTH WALNUT STREET	0.07	346.05	17	653.65	28.55	1	Reclamation	\$15,687.54	LO/CS/DE
OLIVE STREET	0.15	794.50	23	872.66	38.79	1	Reclamation	\$47,669.87	LO
PALMER COURT	0.07	346.54	18	693.08	46.55	1	Reclamation	\$16,633.91	LO/CS/DE
PARK STREET	0.21	1,134.75	26	787.22	97.44	3	Defer Maintenance	\$0.00	LO
PARKER STREET	0.30	1,565.57	30	1,104.47	38.87	1	Reclamation	\$125,245.56	LO
PEARL STREET	0.25	1,305.35	23	1,100.21	54.39	2	Mill and Overlay	\$53,374.32	LO
PIERCE PLACE	0.07	362.14	16	643.81	44.53	1	Reclamation	\$15,451.39	LO
PINE STREET	0.30	1,590.55	22	1,684.17	52.01	2	Mill and Overlay	\$62,208.23	CO
PINE STREET EXTENSION	0.12	658.15	12	877.53	72.55	2	Surface Treatment	\$7,020.24	LO/CS/DE
PLAIN STREET	0.35	1,868.96	24	768.97	33.08	1	Reclamation	\$119,613.18	CO
PLEASANT STREET	0.41	2,176.53	26	1,984.80	56.87	2	Mill and Overlay	\$100,603.97	LO
POND COURT	0.10	524.68	14	816.16	22.53	1	Reclamation	\$19,587.88	LO
PROSPECT STREET	0.19	1,002.10	32	1,469.81	96.69	3	Defer Maintenance	\$0.00	LO
RICHARDSON PLACE	0.05	264.25	18	528.49	73.53	2	Surface Treatment	\$4,227.93	LO/CS/DE
RICHMAN STREET	0.17	882.30	25	886.66	32.94	1	Reclamation	\$58,819.71	LO
RIGBY LANE	0.09	461.65	10	512.94	11.55	1	Reconstruction	\$19,491.82	LO
RIGBY PLACE	0.04	209.78	12	279.71	10.55	1	Reconstruction	\$10,628.95	LO/CS/DE
RIGBY STREET	0.57	3,031.91	29	1,323.00	35.37	1	Reclamation	\$230,425.37	CO
RING STREET	0.04	210.52	14	327.47	54.53	2	Mill and Overlay	\$5,239.54	LO

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
RIVERSIDE DRIVE	0.10	533.66	16	375.78	4.11	1	Reconstruction	\$36,051.94	LO
ROGERS FIELD WAY	0.18	965.39	16	1,716.25	74.55	2	Surface Treatment	\$13,730.00	LO/CS/DE
ROMA STREET	0.07	353.66	22	864.50	48.55	1	Reclamation	\$20,747.98	LO
RUSSELL PLACE	0.03	179.52	18	359.04	17.55	1	Reconstruction	\$13,643.40	LO/CS/DE
SAND COURT	0.04	222.06	8	197.39	98.54	3	Defer Maintenance	\$0.00	LO
SCHOOL STREET	0.31	1,627.88	26	1,538.16	77.21	2	Surface Treatment	\$36,898.71	LO
SIMON COURT	0.06	308.22	18	616.44	5.55	1	Reconstruction	\$23,424.71	LO/CS/DE
SOUTH MEADOW ROAD	0.57	2,990.75	24	1,292.26	85.49	3	Crack Seal	\$3,190.13	CO
STERLING STREET	0.74	3,914.66	38	1,231.59	46.12	1	Reclamation	\$396,685.06	AR
STONE STREET	0.32	1,674.75	24	373.21	62.05	2	Mill and Overlay	\$71,455.95	LO
STONEBRIDGE CIRCLE	0.13	688.95	26	1,990.29	83.55	3	Crack Seal	\$796.12	LO/CS/DE
SUMMIT STREET	0.18	963.85	25	1,023.25	23.27	1	Reclamation	\$65,113.76	LO
UNION STREET	0.47	2,462.80	39	1,214.91	65.70	2	Mill and Overlay	\$170,128.39	AR
VIEW STREET	0.09	454.36	22	1,110.65	36.54	1	Reclamation	\$26,655.66	LO/CS/DE
WALNUT STREET	0.50	2,618.03	28	885.35	59.51	2	Mill and Overlay	\$131,870.97	LO
WASHINGTON STREET	0.15	792.42	22	774.14	23.35	1	Reclamation	\$46,488.40	LO
WATER STREET	0.42	2,227.09	30	3,030.11	46.65	1	Reclamation	\$179,863.91	AR
WATSON PLACE	0.04	218.17	18	436.34	32.55	1	Reclamation	\$10,472.26	LO/CS/DE
WEST BOLYSTON STREET	1.45	7,633.11	40	2,491.73	44.27	1	Reclamation	\$814,198.60	CO
WEST STREET	0.35	1,849.60	20	1,815.81	18.15	1	Reconstruction	\$156,188.32	LO
WHITE COURT	0.08	406.44	16	722.57	56.53	2	Mill and Overlay	\$11,561.09	LO
WILLOW STREET	0.33	1,754.16	28	606.64	9.02	1	Reconstruction	\$207,380.46	LO
WINTER STREET	0.05	290.06	28	902.42	4.55	1	Reconstruction	\$34,292.07	LO
WOODLAWN STREET	0.41	2,174.84	24	1,576.55	47.75	1	Reclamation	\$141,509.87	CO
WORCESTER STREET	0.31	1,639.13	22	2,760.40	58.35	2	Mill and Overlay	\$64,108.00	LO/CS/DE

Town of Clinton, Massachusetts

Pavement Management Program

Streets and Averages Sorted By RSR

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
BURDETT STREET	0.05	275.43	18	550.87	1.53	1	Reconstruction	\$20,932.92	LO
ALEXANDER AVENUE	0.10	502.30	28	1,094.13	2.95	1	Reconstruction	\$59,382.66	LO
NELSON STREET	0.11	588.44	28	1,830.70	3.53	1	Reconstruction	\$69,566.43	LO
LEDGE COURT	0.04	225.27	23	575.70	3.55	1	Reconstruction	\$21,876.51	LO/CS/DE
RIVERSIDE DRIVE	0.10	533.66	16	375.78	4.11	1	Reconstruction	\$36,051.94	LO
WINTER STREET	0.05	290.06	28	902.42	4.55	1	Reconstruction	\$34,292.07	LO
CLARK STREET	0.33	1,718.35	22	422.65	5.52	1	Reconstruction	\$159,616.09	LO
HIGHLAND AVENUE	0.09	465.05	22	1,136.79	5.54	1	Reconstruction	\$43,197.91	LO/CS/DE
SIMON COURT	0.06	308.22	18	616.44	5.55	1	Reconstruction	\$23,424.71	LO/CS/DE
ASH STREET	0.07	393.49	14	612.10	8.53	1	Reconstruction	\$23,259.68	LO/CS/DE
LIBERTY STREET	0.03	143.64	16	255.36	8.55	1	Reconstruction	\$9,703.87	LO/CS/DE
WILLOW STREET	0.33	1,754.16	28	606.64	9.02	1	Reconstruction	\$207,380.46	LO
RIGBY PLACE	0.04	209.78	12	279.71	10.55	1	Reconstruction	\$10,628.95	LO/CS/DE
RIGBY LANE	0.09	461.65	10	512.94	11.55	1	Reconstruction	\$19,491.82	LO
LAUREL STREET	0.13	680.08	22	742.77	12.01	1	Reconstruction	\$63,171.90	LO
HIGHLAND STREET	0.33	1,760.55	23	167.44	12.20	1	Reconstruction	\$174,154.60	CO
BATTISTA COURT	0.05	248.53	12	331.38	16.53	1	Reconstruction	\$12,592.32	LO/CS/DE
LAWRENCE STREET	0.33	1,729.40	28	199.45	16.94	1	Reconstruction	\$204,453.05	LO
RUSSELL PLACE	0.03	179.52	18	359.04	17.55	1	Reconstruction	\$13,643.40	LO/CS/DE
WEST STREET	0.35	1,849.60	20	1,815.81	18.15	1	Reconstruction	\$156,188.32	LO
FRANKLIN STREET	0.33	1,746.31	28	1,135.43	19.36	1	Reconstruction	\$208,296.16	CO
FLAGG STREET	0.27	1,418.54	22	2,291.22	19.58	1	Reconstruction	\$131,766.55	LO
POND COURT	0.10	524.68	14	816.16	22.53	1	Reclamation	\$19,587.88	LO
SUMMIT STREET	0.18	963.85	25	1,023.25	23.27	1	Reclamation	\$65,113.76	LO
WASHINGTON STREET	0.15	792.42	22	774.14	23.35	1	Reclamation	\$46,488.40	LO
LAKESIDE AVENUE	0.16	841.49	22	1,217.80	26.77	1	Reclamation	\$49,367.54	LO
HENRY STREET	0.08	404.81	19	310.85	27.46	1	Reclamation	\$20,510.32	LO
EAST STREET	0.33	1,724.66	21	851.47	27.62	1	Reclamation	\$95,048.15	LO
GREELEY STREET	0.66	3,488.94	40	2,328.87	27.66	1	Reclamation	\$372,153.79	CO
NORTH WALNUT STREET	0.07	346.05	17	653.65	28.55	1	Reclamation	\$15,687.54	LO/CS/DE
BROADWAY	0.12	613.62	18	1,227.24	32.54	1	Reclamation	\$29,453.71	LO
LONGEDGE ROAD	0.25	1,319.97	18	2,639.94	32.54	1	Reclamation	\$63,358.45	LO/CS/DE
WATSON PLACE	0.04	218.17	18	436.34	32.55	1	Reclamation	\$10,472.26	LO/CS/DE
RICHMAN STREET	0.17	882.30	25	886.66	32.94	1	Reclamation	\$58,819.71	LO
PLAIN STREET	0.35	1,868.96	24	768.97	33.08	1	Reclamation	\$119,613.18	CO

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
HARBOR STREET	0.17	892.25	16	735.64	33.33	1	Reclamation	\$38,069.30	LO
FOREST STREET	0.19	1,003.94	19	1,031.63	34.28	1	Reclamation	\$50,866.27	LO
RIGBY STREET	0.57	3,031.91	29	1,323.00	35.37	1	Reclamation	\$230,425.37	CO
BELMONT AVENUE	0.14	713.75	24	1,903.32	35.54	1	Reclamation	\$45,679.68	LO
KITTREDGE PLACE	0.07	347.11	12	462.81	35.54	1	Reclamation	\$11,107.45	LO/CS/DE
CALIFORNIA COURT	0.08	398.81	12	531.75	35.55	1	Reclamation	\$12,761.98	LO
MYRTLE STREET	0.04	226.00	16	401.79	35.55	1	Reclamation	\$9,642.86	LO/CS/DE
VIEW STREET	0.09	454.36	22	1,110.65	36.54	1	Reclamation	\$26,655.66	LO/CS/DE
NORMAN STREET	0.11	604.09	24	1,610.91	36.55	1	Reclamation	\$38,661.86	LO
FRENCH TERRACE	0.05	258.64	14	402.32	38.53	1	Reclamation	\$9,655.79	LO/CS/DE
FOREST AVENUE	0.07	362.28	12	483.04	38.54	1	Reclamation	\$11,592.88	LO
OLIVE STREET	0.15	794.50	23	872.66	38.79	1	Reclamation	\$47,669.87	LO
PARKER STREET	0.30	1,565.57	30	1,104.47	38.87	1	Reclamation	\$125,245.56	LO
COACHLACE STREET	0.09	496.98	22	787.97	39.96	1	Reclamation	\$29,156.12	LO
WEST BOLYSTON STREET	1.45	7,633.11	40	2,491.73	44.27	1	Reclamation	\$814,198.60	CO
PIERCE PLACE	0.07	362.14	16	643.81	44.53	1	Reclamation	\$15,451.39	LO
LEWIS STREET	0.07	385.28	22	941.79	44.54	1	Reclamation	\$22,602.85	LO
STERLING STREET	0.74	3,914.66	38	1,231.59	46.12	1	Reclamation	\$396,685.06	AR
PALMER COURT	0.07	346.54	18	693.08	46.55	1	Reclamation	\$16,633.91	LO/CS/DE
WATER STREET	0.42	2,227.09	30	3,030.11	46.65	1	Reclamation	\$179,863.91	AR
BOYNTON STREET	0.13	669.03	18	1,338.06	47.55	1	Reclamation	\$32,113.53	LO
WOODLAWN STREET	0.41	2,174.84	24	1,576.55	47.75	1	Reclamation	\$141,509.87	CO
MAPLE STREET	0.11	593.86	20	1,319.68	48.54	1	Reclamation	\$31,672.28	LO
ROMA STREET	0.07	353.66	22	864.50	48.55	1	Reclamation	\$20,747.98	LO
NEW HARBOR ROAD	0.19	979.50	22	581.25	48.60	1	Reclamation	\$57,463.86	CO
FAIRMOUNT STREET	0.14	722.53	20	1,296.20	48.63	1	Reclamation	\$38,534.86	LO
MARSHALL STREET	0.13	706.26	32	2,511.16	50.54	2	Mill and Overlay	\$40,178.56	LO
MAYFLOWER DRIVE	0.06	302.89	24	807.69	51.54	2	Mill and Overlay	\$12,923.11	LO
PINE STREET	0.30	1,590.55	22	1,684.17	52.01	2	Mill and Overlay	\$62,208.23	CO
NASHUA STREET	0.19	1,026.30	23	1,728.35	52.97	2	Mill and Overlay	\$41,964.29	LO
PEARL STREET	0.25	1,305.35	23	1,100.21	54.39	2	Mill and Overlay	\$53,374.32	LO
RING STREET	0.04	210.52	14	327.47	54.53	2	Mill and Overlay	\$5,239.54	LO
CATHERINE STREET	0.07	389.93	20	866.51	55.54	2	Mill and Overlay	\$13,864.18	LO/CS/DE
WHITE COURT	0.08	406.44	16	722.57	56.53	2	Mill and Overlay	\$11,561.09	LO
PLEASANT STREET	0.41	2,176.53	26	1,984.80	56.87	2	Mill and Overlay	\$100,603.97	LO
DEWEY STREET	0.13	666.60	24	707.56	57.98	2	Mill and Overlay	\$28,441.72	LO
HAMILTON STREET	0.05	250.04	20	324.85	58.18	2	Mill and Overlay	\$8,890.17	LO
WORCESTER STREET	0.31	1,639.13	22	2,760.40	58.35	2	Mill and Overlay	\$64,108.00	LO/CS/DE
WALNUT STREET	0.50	2,618.03	28	885.35	59.51	2	Mill and Overlay	\$131,870.97	LO
MARTIN STREET	0.11	566.52	24	1,510.73	61.55	2	Mill and Overlay	\$24,171.62	LO
HIGH STREET	1.33	7,019.01	29	2,030.26	61.61	2	Mill and Overlay	\$359,373.22	CO

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
BEACON STREET	0.46	2,414.63	25	1,889.72	61.89	2	Mill and Overlay	\$108,747.92	CO
STONE STREET	0.32	1,674.75	24	373.21	62.05	2	Mill and Overlay	\$71,455.95	LO
GOSS STREET	0.09	470.04	22	1,148.99	64.55	2	Mill and Overlay	\$18,383.80	LO
LOWE STREET	0.08	402.93	20	440.30	64.56	2	Mill and Overlay	\$14,326.57	LO
CHESTNUT STREET	0.83	4,361.77	27	2,945.66	65.17	2	Mill and Overlay	\$210,226.58	AR
UNION STREET	0.47	2,462.80	39	1,214.91	65.70	2	Mill and Overlay	\$170,128.39	AR
BRISTOL AVENUE	0.14	712.88	24	1,901.00	66.54	2	Mill and Overlay	\$30,416.08	LO
BROOK STREET	0.66	3,481.69	28	560.74	67.11	2	Mill and Overlay	\$172,747.85	LO
MAIN STREET	2.00	10,579.47	40	3,786.75	72.10	2	Surface Treatment	\$376,158.91	CO
PINE STREET EXTENSION	0.12	658.15	12	877.53	72.55	2	Surface Treatment	\$7,020.24	LO/CS/DE
CHURCH STREET	0.47	2,466.18	38	2,517.88	72.88	2	Surface Treatment	\$82,675.75	LO
RICHARDSON PLACE	0.05	264.25	18	528.49	73.53	2	Surface Treatment	\$4,227.93	LO/CS/DE
HARKINS STREET	0.14	743.20	22	1,816.71	73.54	2	Surface Treatment	\$14,533.72	LO
ROGERS FIELD WAY	0.18	965.39	16	1,716.25	74.55	2	Surface Treatment	\$13,730.00	LO/CS/DE
SCHOOL STREET	0.31	1,627.88	26	1,538.16	77.21	2	Surface Treatment	\$36,898.71	LO
GROVE STREET	0.57	2,996.88	23	414.94	81.31	3	Crack Seal	\$3,082.51	CO
FITCH ROAD	0.63	3,314.40	27	2,499.87	82.13	3	Crack Seal	\$3,977.28	LO
STONEBRIDGE CIRCLE	0.13	688.95	26	1,990.29	83.55	3	Crack Seal	\$796.12	LO/CS/DE
SOUTH MEADOW ROAD	0.57	2,990.75	24	1,292.26	85.49	3	Crack Seal	\$3,190.13	CO
MECHANIC STREET	0.21	1,126.64	32	4,005.83	85.53	3	Crack Seal	\$1,602.33	AR
HASTING COURT	0.05	242.81	13	350.73	87.55	3	Crack Seal	\$140.29	LO/CS/DE
PROSPECT STREET	0.19	1,002.10	32	1,469.81	96.69	3	Defer Maintenance	\$0.00	LO
PARK STREET	0.21	1,134.75	26	787.22	97.44	3	Defer Maintenance	\$0.00	LO
SAND COURT	0.04	222.06	8	197.39	98.54	3	Defer Maintenance	\$0.00	LO
ALLEN STREET	0.32	1,702.80	29	1,408.27	98.54	3	Defer Maintenance	\$0.00	CO

Town of Clinton, Massachusetts

Pavement Management Program

Streets and Averages Sorted By Functional Class and RSR

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
STERLING STREET	0.36	1,885.45	38	1,231.59	46.12	1	Reclamation	\$396,685.06	AR
WATER STREET	0.16	842.77	30	3,030.11	46.65	1	Reclamation	\$179,863.91	AR
HIGH STREET	0.98	5,168.76	29	3,228.26	61.61	2	Mill and Overlay	\$359,373.22	AR
CHESTNUT STREET	0.19	1,019.65	27	2,945.66	65.17	2	Mill and Overlay	\$210,226.58	AR
UNION STREET	0.25	1,310.73	39	1,214.91	65.70	2	Mill and Overlay	\$170,128.39	AR
BROOK STREET	0.37	1,935.96	28	2,024.36	67.11	2	Mill and Overlay	\$172,747.85	AR
MAIN STREET	0.47	2,488.05	40	3,067.02	72.10	2	Surface Treatment	\$376,158.91	AR
MECHANIC STREET	0.21	1,126.64	32	4,005.83	85.53	3	Crack Seal	\$1,602.33	AR
HIGHLAND STREET	0.25	1,335.74	23	167.44	12.20	1	Reconstruction	\$174,154.60	CO
FRANKLIN STREET	0.33	1,746.31	28	1,135.43	19.36	1	Reconstruction	\$208,296.16	CO
GREELEY STREET	0.66	3,488.94	40	2,328.87	27.66	1	Reclamation	\$372,153.79	CO
PLAIN STREET	0.26	1,376.26	24	768.97	33.08	1	Reclamation	\$119,613.18	CO
RIGBY STREET	0.06	330.75	29	1,323.00	35.37	1	Reclamation	\$230,425.37	CO
WEST BOLYSTON STREET	1.45	7,633.11	40	2,491.73	44.27	1	Reclamation	\$814,198.60	CO
WATER STREET	0.26	1,384.32	30	665.91	46.65	1	Reclamation	\$179,863.91	CO
WOODLAWN STREET	0.33	1,728.13	24	1,576.55	47.75	1	Reclamation	\$141,509.87	CO
NEW HARBOR ROAD	0.19	979.50	22	581.25	48.60	1	Reclamation	\$57,463.86	CO
PINE STREET	0.10	505.25	22	1,684.17	52.01	2	Mill and Overlay	\$62,208.23	CO
WALNUT STREET	0.35	1,848.28	28	1,603.34	59.51	2	Mill and Overlay	\$131,870.97	CO
HIGH STREET	0.35	1,850.25	29	2,030.26	61.61	2	Mill and Overlay	\$359,373.22	CO
BEACON STREET	0.36	1,878.01	25	1,889.72	61.89	2	Mill and Overlay	\$108,747.92	CO
CHESTNUT STREET	0.49	2,563.06	27	1,018.78	65.17	2	Mill and Overlay	\$210,226.58	CO
UNION STREET	0.13	677.13	39	1,152.69	65.70	2	Mill and Overlay	\$170,128.39	CO
BROOK STREET	0.20	1,048.63	28	591.28	67.11	2	Mill and Overlay	\$172,747.85	CO
MAIN STREET	1.53	8,091.42	40	3,786.75	72.10	2	Surface Treatment	\$376,158.91	CO
CHURCH STREET	0.36	1,899.66	38	1,920.99	72.88	2	Surface Treatment	\$82,675.75	CO
GROVE STREET	0.15	769.54	23	414.94	81.31	3	Crack Seal	\$3,082.51	CO
SOUTH MEADOW ROAD	0.57	2,990.75	24	1,292.26	85.49	3	Crack Seal	\$3,190.13	CO
ALLEN STREET	0.32	1,702.80	29	1,408.27	98.54	3	Defer Maintenance	\$0.00	CO
BURDETT STREET	0.05	275.43	18	550.87	1.53	1	Reconstruction	\$20,932.92	LO
ALEXANDER AVENUE	0.10	502.30	28	1,094.13	2.95	1	Reconstruction	\$59,382.66	LO
NELSON STREET	0.11	588.44	28	1,830.70	3.53	1	Reconstruction	\$69,566.43	LO
RIVERSIDE DRIVE	0.10	533.66	16	375.78	4.11	1	Reconstruction	\$36,051.94	LO
WINTER STREET	0.05	290.06	28	902.42	4.55	1	Reconstruction	\$34,292.07	LO
CLARK STREET	0.33	1,718.35	22	422.65	5.52	1	Reconstruction	\$159,616.09	LO

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
WILLOW STREET	0.33	1,754.16	28	606.64	9.02	1	Reconstruction	\$207,380.46	LO
RIGBY LANE	0.09	461.65	10	512.94	11.55	1	Reconstruction	\$19,491.82	LO
LAUREL STREET	0.13	680.08	22	742.77	12.01	1	Reconstruction	\$63,171.90	LO
HIGHLAND STREET	0.05	261.26	23	638.64	12.20	1	Reconstruction	\$174,154.60	LO
LAWRENCE STREET	0.33	1,729.40	28	199.45	16.94	1	Reconstruction	\$204,453.05	LO
WEST STREET	0.35	1,849.60	20	1,815.81	18.15	1	Reconstruction	\$156,188.32	LO
FLAGG STREET	0.24	1,277.27	22	2,291.22	19.58	1	Reconstruction	\$131,766.55	LO
POND COURT	0.10	524.68	14	816.16	22.53	1	Reclamation	\$19,587.88	LO
SUMMIT STREET	0.18	963.85	25	1,023.25	23.27	1	Reclamation	\$65,113.76	LO
WASHINGTON STREET	0.15	792.42	22	774.14	23.35	1	Reclamation	\$46,488.40	LO
LAKESIDE AVENUE	0.09	498.19	22	1,217.80	26.77	1	Reclamation	\$49,367.54	LO
HENRY STREET	0.08	404.81	19	310.85	27.46	1	Reclamation	\$20,510.32	LO
EAST STREET	0.28	1,452.78	21	851.47	27.62	1	Reclamation	\$95,048.15	LO
BROADWAY	0.12	613.62	18	1,227.24	32.54	1	Reclamation	\$29,453.71	LO
RICHMAN STREET	0.17	882.30	25	886.66	32.94	1	Reclamation	\$58,819.71	LO
PLAIN STREET	0.09	492.69	24	517.86	33.08	1	Reclamation	\$119,613.18	LO
HARBOR STREET	0.09	491.80	16	735.64	33.33	1	Reclamation	\$38,069.30	LO
FOREST STREET	0.19	1,003.94	19	1,031.63	34.28	1	Reclamation	\$50,866.27	LO
RIGBY STREET	0.51	2,701.16	29	871.06	35.37	1	Reclamation	\$230,425.37	LO
BELMONT AVENUE	0.14	713.75	24	1,903.32	35.54	1	Reclamation	\$45,679.68	LO
CALIFORNIA COURT	0.08	398.81	12	531.75	35.55	1	Reclamation	\$12,761.98	LO
NORMAN STREET	0.11	604.09	24	1,610.91	36.55	1	Reclamation	\$38,661.86	LO
FOREST AVENUE	0.07	362.28	12	483.04	38.54	1	Reclamation	\$11,592.88	LO
OLIVE STREET	0.15	794.50	23	872.66	38.79	1	Reclamation	\$47,669.87	LO
PARKER STREET	0.30	1,565.57	30	1,104.47	38.87	1	Reclamation	\$125,245.56	LO
COACHLACE STREET	0.09	496.98	22	787.97	39.96	1	Reclamation	\$29,156.12	LO
PIERCE PLACE	0.07	362.14	16	643.81	44.53	1	Reclamation	\$15,451.39	LO
LEWIS STREET	0.07	385.28	22	941.79	44.54	1	Reclamation	\$22,602.85	LO
STERLING STREET	0.38	2,029.21	38	3,019.29	46.12	1	Reclamation	\$396,685.06	LO
BOYNTON STREET	0.13	669.03	18	1,338.06	47.55	1	Reclamation	\$32,113.53	LO
WOODLAWN STREET	0.08	446.71	24	661.22	47.75	1	Reclamation	\$141,509.87	LO
MAPLE STREET	0.11	593.86	20	1,319.68	48.54	1	Reclamation	\$31,672.28	LO
ROMA STREET	0.07	353.66	22	864.50	48.55	1	Reclamation	\$20,747.98	LO
FAIRMOUNT STREET	0.11	583.29	20	1,296.20	48.63	1	Reclamation	\$38,534.86	LO
MARSHALL STREET	0.13	706.26	32	2,511.16	50.54	2	Mill and Overlay	\$40,178.56	LO
MAYFLOWER DRIVE	0.06	302.89	24	807.69	51.54	2	Mill and Overlay	\$12,923.11	LO
PINE STREET	0.07	383.66	22	767.32	52.01	2	Mill and Overlay	\$62,208.23	LO
NASHUA STREET	0.19	1,026.30	23	1,728.35	52.97	2	Mill and Overlay	\$41,964.29	LO
PEARL STREET	0.25	1,305.35	23	1,100.21	54.39	2	Mill and Overlay	\$53,374.32	LO
RING STREET	0.04	210.52	14	327.47	54.53	2	Mill and Overlay	\$5,239.54	LO
WHITE COURT	0.08	406.44	16	722.57	56.53	2	Mill and Overlay	\$11,561.09	LO

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
PLEASANT STREET	0.41	2,176.53	26	1,984.80	56.87	2	Mill and Overlay	\$100,603.97	LO
DEWEY STREET	0.13	666.60	24	707.56	57.98	2	Mill and Overlay	\$28,441.72	LO
HAMILTON STREET	0.05	250.04	20	324.85	58.18	2	Mill and Overlay	\$8,890.17	LO
WORCESTER STREET	0.10	509.87	22	1,246.36	58.35	2	Mill and Overlay	\$64,108.00	LO
WALNUT STREET	0.15	769.75	28	885.35	59.51	2	Mill and Overlay	\$131,870.97	LO
MARTIN STREET	0.11	566.52	24	1,510.73	61.55	2	Mill and Overlay	\$24,171.62	LO
BEACON STREET	0.10	536.63	25	325.27	61.89	2	Mill and Overlay	\$108,747.92	LO
STONE STREET	0.32	1,674.75	24	373.21	62.05	2	Mill and Overlay	\$71,455.95	LO
GOSS STREET	0.09	470.04	22	1,148.99	64.55	2	Mill and Overlay	\$18,383.80	LO
LOWE STREET	0.08	402.93	20	440.30	64.56	2	Mill and Overlay	\$14,326.57	LO
CHESTNUT STREET	0.15	779.06	27	775.46	65.17	2	Mill and Overlay	\$210,226.58	LO
BRISTOL AVENUE	0.14	712.88	24	1,901.00	66.54	2	Mill and Overlay	\$30,416.08	LO
BROOK STREET	0.09	497.09	28	560.74	67.11	2	Mill and Overlay	\$172,747.85	LO
CHURCH STREET	0.11	566.52	38	2,517.88	72.88	2	Surface Treatment	\$82,675.75	LO
HARKINS STREET	0.14	743.20	22	1,816.71	73.54	2	Surface Treatment	\$14,533.72	LO
SCHOOL STREET	0.31	1,627.88	26	1,538.16	77.21	2	Surface Treatment	\$36,898.71	LO
GROVE STREET	0.17	920.26	23	962.16	81.31	3	Crack Seal	\$3,082.51	LO
FITCH ROAD	0.63	3,314.40	27	2,499.87	82.13	3	Crack Seal	\$3,977.28	LO
PROSPECT STREET	0.19	1,002.10	32	1,469.81	96.69	3	Defer Maintenance	\$0.00	LO
PARK STREET	0.21	1,134.75	26	787.22	97.44	3	Defer Maintenance	\$0.00	LO
SAND COURT	0.04	222.06	8	197.39	98.54	3	Defer Maintenance	\$0.00	LO
LEDGE COURT	0.04	225.27	23	575.70	3.55	1	Reconstruction	\$21,876.51	LO/CS/DE
HIGHLAND AVENUE	0.09	465.05	22	1,136.79	5.54	1	Reconstruction	\$43,197.91	LO/CS/DE
SIMON COURT	0.06	308.22	18	616.44	5.55	1	Reconstruction	\$23,424.71	LO/CS/DE
ASH STREET	0.07	393.49	14	612.10	8.53	1	Reconstruction	\$23,259.68	LO/CS/DE
LIBERTY STREET	0.03	143.64	16	255.36	8.55	1	Reconstruction	\$9,703.87	LO/CS/DE
RIGBY PLACE	0.04	209.78	12	279.71	10.55	1	Reconstruction	\$10,628.95	LO/CS/DE
HIGHLAND STREET	0.03	163.55	23	399.78	12.20	1	Reconstruction	\$174,154.60	LO/CS/DE
BATTISTA COURT	0.05	248.53	12	331.38	16.53	1	Reconstruction	\$12,592.32	LO/CS/DE
RUSSELL PLACE	0.03	179.52	18	359.04	17.55	1	Reconstruction	\$13,643.40	LO/CS/DE
FLAGG STREET	0.03	141.27	22	345.34	19.58	1	Reconstruction	\$131,766.55	LO/CS/DE
LAKESIDE AVENUE	0.07	343.30	22	839.18	26.77	1	Reclamation	\$49,367.54	LO/CS/DE
EAST STREET	0.05	271.89	21	785.46	27.62	1	Reclamation	\$95,048.15	LO/CS/DE
NORTH WALNUT STREET	0.07	346.05	17	653.65	28.55	1	Reclamation	\$15,687.54	LO/CS/DE
LONGEDGE ROAD	0.25	1,319.97	18	2,639.94	32.54	1	Reclamation	\$63,358.45	LO/CS/DE
WATSON PLACE	0.04	218.17	18	436.34	32.55	1	Reclamation	\$10,472.26	LO/CS/DE
HARBOR STREET	0.08	400.45	16	711.91	33.33	1	Reclamation	\$38,069.30	LO/CS/DE
KITTREDGE PLACE	0.07	347.11	12	462.81	35.54	1	Reclamation	\$11,107.45	LO/CS/DE
MYRTLE STREET	0.04	226.00	16	401.79	35.55	1	Reclamation	\$9,642.86	LO/CS/DE
VIEW STREET	0.09	454.36	22	1,110.65	36.54	1	Reclamation	\$26,655.66	LO/CS/DE
FRENCH TERRACE	0.05	258.64	14	402.32	38.53	1	Reclamation	\$9,655.79	LO/CS/DE

Name	Length (Miles)	Length (Feet)	Avg. Width	Sqr. Yards	RSR	Rank	Overall Repair	Estimated Cost	Functional Class
PALMER COURT	0.07	346.54	18	693.08	46.55	1	Reclamation	\$16,633.91	LO/CS/DE
FAIRMOUNT STREET	0.03	139.24	20	309.42	48.63	1	Reclamation	\$38,534.86	LO/CS/DE
PINE STREET	0.13	701.64	22	1,403.28	52.01	2	Mill and Overlay	\$62,208.23	LO/CS/DE
CATHERINE STREET	0.07	389.93	20	866.51	55.54	2	Mill and Overlay	\$13,864.18	LO/CS/DE
WORCESTER STREET	0.21	1,129.25	22	2,760.40	58.35	2	Mill and Overlay	\$64,108.00	LO/CS/DE
UNION STREET	0.09	474.94	39	1,899.76	65.70	2	Mill and Overlay	\$170,128.39	LO/CS/DE
PINE STREET EXTENSION	0.12	658.15	12	877.53	72.55	2	Surface Treatment	\$7,020.24	LO/CS/DE
RICHARDSON PLACE	0.05	264.25	18	528.49	73.53	2	Surface Treatment	\$4,227.93	LO/CS/DE
ROGERS FIELD WAY	0.18	965.39	16	1,716.25	74.55	2	Surface Treatment	\$13,730.00	LO/CS/DE
GROVE STREET	0.25	1,307.08	23	2,614.17	81.31	3	Crack Seal	\$3,082.51	LO/CS/DE
STONEBRIDGE CIRCLE	0.13	688.95	26	1,990.29	83.55	3	Crack Seal	\$796.12	LO/CS/DE
HASTING COURT	0.05	242.81	13	350.73	87.55	3	Crack Seal	\$140.29	LO/CS/DE

Town of Clinton, Massachusetts

Sidewalk Management Program

Sidewalk Location and Length Summary

Sidewalk Location	Length (Miles)
Town	
Even	1.08
Odd	1.08
Odd/Even	12.89
Total:	15.04
Total:	15.04

Town of Clinton, Massachusetts

Sidewalk Management Program

Sidewalk Backlog and Condition Summary By - Material Type

Condition	Rank	Length (Miles)	Unit Cost Linear Foot	Estimated Cost
Asphalt				
Replace	0	0.38	\$75.00	\$150,225.00
Poor	1	0.98	\$50.00	\$258,750.00
Fair	1	1.80	\$25.00	\$237,800.00
Good	2	0.86	\$15.00	\$68,295.00
Excellent	3	0.08	\$0.00	\$0.00
		4.11		\$715,070.00
Concrete				
Poor	1	0.16	\$75.00	\$65,250.00
Fair	1	1.05	\$50.00	\$277,150.00
Good	2	1.55	\$15.00	\$122,535.00
Excellent	3	2.42	\$0.00	\$0.00
		5.18		\$464,935.00
Mix				
Replace	0	0.13	\$75.00	\$51,600.00
Poor	1	0.91	\$50.00	\$240,700.00
Fair	1	3.27	\$25.00	\$431,225.00
Good	2	1.16	\$15.00	\$92,100.00
Excellent	3	0.29	\$0.00	\$0.00
		5.76		\$815,625.00
Total		15.04		\$1,995,630.00

Town of Clinton, Massachusetts

Sidewalk Management Program

Sidewalk Condition Summary

	From	To	Side	Length	Width	Material	Condition	Rank
ALLEN STREET								
ALLEN ST-03	STONE ST	MAIN ST	Even	497.00	4	Concrete	Excellent	3
				Total Length:	497.00			
BEACON STREET								
BEACON ST-01	MAIN ST	CLINTON ST	Even	654.00	4	Mix	Poor	1
BEACON ST-01	MAIN ST	CLINTON ST	Odd	327.00	4	Asphalt	Replace	0
				Total Length:	981.00			
BELMONT AVENUE								
BELMONT AVE	LAWRENCE ST	HIGHLAND ST	Even	464.00	3	Mix	Fair	1
BELMONT AVE	LAWRENCE ST	HIGHLAND ST	Odd	321.00	3	Concrete	Fair	1
				Total Length:	785.00			
BROOK STREET								
BROOK ST-07	CLARK ST	MAIN ST	Odd	244.00	5	Mix	Fair	1
BROOK ST-08	MAIN ST	PARKER ST	Even	127.00	4	Concrete	Excellent	3
BROOK ST-08	MAIN ST	PARKER ST	Odd	506.00	4	Asphalt	Fair	1
BROOK ST-09	PARKER ST	MARSHALL ST	Even	48.00	4	Asphalt	Excellent	3
BROOK ST-09	PARKER ST	MARSHALL ST	Odd	240.00	4	Concrete	Poor	1
BROOK ST-10	MARSHALL ST	GREELEY ST	Even	215.00	4	Mix	Good	2
BROOK ST-10	MARSHALL ST	GREELEY ST	Odd	715.00	4	Asphalt	Poor	1
BROOK ST-111	GREELEY ST	STERLING ST	Odd	474.00	5	Asphalt	Replace	0
				Total Length:	2,569.00			
BURDETT STREET								
BURDETT ST-02	NORMAN ST	PLEASANT ST	Even	275.00	4	Concrete	Poor	1
				Total Length:	275.00			
CHESTNUT STREET								
CHESTNUT ST-04	MECHANIC ST	PARKING LOT	Even	353.00	5	Concrete	Good	2
CHESTNUT ST-04	MECHANIC ST	PARKING LOT	Odd	353.00	4	Asphalt	Fair	1
CHESTNUT ST-05	PARKING LOT	UNION ST	Even	329.00	5	Concrete	Excellent	3
CHESTNUT ST-05	PARKING LOT	UNION ST	Odd	329.00	5	Asphalt	Good	2
CHESTNUT ST-07	CHURCH ST	PROSPECT ST	Even	794.00	4	Concrete	Good	2
CHESTNUT ST-07	CHURCH ST	PROSPECT ST	Odd	556.00	3	Asphalt	Replace	0
CHESTNUT ST-08	PROSPECT ST	WATER ST	Even	584.00	4	Mix	Fair	1
CHESTNUT ST-08	PROSPECT ST	WATER ST	Odd	175.00	4	Mix	Fair	1
CHESTNUT ST-09	WATER ST	LEIGHTON AVE	Even	161.00	4	Concrete	Good	2

	From	To	Side	Length	Width	Material	Condition	Rank
CHESTNUT ST-09	WATER ST	LEIGHTON AVE	Odd	94.00	4	Concrete	Fair	1
Total Length:				3,728.00				
CHURCH STREET								
CHURCH ST-02	PRESCOTT ST	CHESTNUT ST	Even	567.00	5	Mix	Fair	1
CHURCH ST-02	PRESCOTT ST	CHESTNUT ST	Odd	567.00	5	Mix	Fair	1
CHURCH ST-03	CHESTNUT ST	WALNUT ST	Even	432.00	5	Concrete	Excellent	3
CHURCH ST-03	CHESTNUT ST	WALNUT ST	Odd	432.00	5	Concrete	Excellent	3
CHURCH ST-04	WALNUT ST	HIGH ST	Even	439.00	5	Concrete	Good	2
CHURCH ST-04	WALNUT ST	HIGH ST	Odd	439.00	5	Concrete	Excellent	3
CHURCH ST-05	HIGH ST	COOLIDGE PL	Even	264.00	5	Mix	Good	2
CHURCH ST-05	HIGH ST	COOLIDGE PL	Odd	264.00	5	Concrete	Excellent	3
CHURCH ST-06	COOLIDGE PL	SCHOOL ST	Even	123.00	5	Concrete	Excellent	3
CHURCH ST-06	COOLIDGE PL	SCHOOL ST	Odd	123.00	5	Concrete	Excellent	3
CHURCH ST-07	SCHOOL ST	NELSON ST	Even	464.00	5	Concrete	Good	2
CHURCH ST-07	SCHOOL ST	NELSON ST	Odd	464.00	5	Concrete	Good	2
CHURCH ST-08	NELSON ST	MAIN ST	Even	177.00	4	Mix	Good	2
CHURCH ST-08	NELSON ST	MAIN ST	Odd	177.00	4	Concrete	Excellent	3
Total Length:				4,932.00				
CLARK STREET								
CLARK ST-01	MAIN ST	UNKNOWN	Even	173.00	6	Asphalt	Poor	1
CLARK ST-01	MAIN ST	UNKNOWN	Odd	173.00	5	Asphalt	Good	2
CLARK ST-03	BROOK ST	MAIN ST	Even	497.00	3	Mix	Poor	1
CLARK ST-03	BROOK ST	MAIN ST	Odd	746.00	4	Mix	Fair	1
Total Length:				1,589.00				
COACHLACE STREET								
COACHLACE ST-01	MAIN ST	COACHLACE ST-02	Even	97.00	4	Asphalt	Replace	0
COACHLACE ST-01	MAIN ST	COACHLACE ST-02	Odd	242.00	4	Asphalt	Replace	0
Total Length:				339.00				
DEPOT SQUARE								
DEPOT SQUARE-01	MAIN ST	STERLING ST	Even	217.00	4	Concrete	Excellent	3
DEPOT SQUARE-01	MAIN ST	STERLING ST	Odd	217.00	5	Concrete	Excellent	3
DEPOT SQUARE-02	STERLING ST	MAIN ST	Even	449.00	4	Concrete	Fair	1
DEPOT SQUARE-02	STERLING ST	MAIN ST	Odd	449.00	4	Concrete	Good	2
Total Length:				1,332.00				
DEWEY STREET								
DEWEY ST-01	GREELEY ST	BELMONT AVE	Even	186.00	4	Concrete	Good	2
DEWEY ST-01	GREELEY ST	BELMONT AVE	Odd	106.00	4	Concrete	Good	2
Total Length:				292.00				
FITCH ROAD								
FITCH RD-01	WOODLAWN ST	LAKESIDE AVE	Odd	703.00	4	Asphalt	Fair	1

	From	To	Side	Length	Width	Material	Condition	Rank
FITCH RD-02	LAKESIDE AVE	WILKATE PL	Even	428.00	3	Asphalt	Fair	1
				Total Length:	1,131.00			
FLAGG STREET								
FLAGG ST-01	GREELEY ST	FOREST AVE	Even	375.00	4	Asphalt	Poor	1
FLAGG ST-01	GREELEY ST	FOREST AVE	Odd	750.00	4	Mix	Poor	1
FLAGG ST-02	FOREST AVE	ADAMS ST	Odd	83.00	4	Asphalt	Poor	1
				Total Length:	1,208.00			
FRANKLIN STREET								
FRANKLIN ST-01	MAIN ST	BURDETT ST	Even	39.00	4	Concrete	Excellent	3
FRANKLIN ST-01	MAIN ST	BURDETT ST	Odd	157.00	4	Asphalt	Poor	1
				Total Length:	196.00			
FULLER STREET								
FULLER ST-01	MAIN ST	MARTIN ST	Even	337.00	4	Concrete	Good	2
				Total Length:	337.00			
GREELEY STREET								
GREELEY ST-01	RIGBY ST	STERLING ST	Even	524.00	5	Asphalt	Poor	1
GREELEY ST-01	RIGBY ST	STERLING ST	Odd	524.00	5	Concrete	Good	2
GREELEY ST-02	STERLING ST	BROOK ST	Odd	321.00	4	Concrete	Excellent	3
GREELEY ST-03	BROOK ST	LAWRENCE ST	Even	71.00	3	Asphalt	Good	2
GREELEY ST-03	BROOK ST	LAWRENCE ST	Odd	306.00	4	Concrete	Fair	1
GREELEY ST-04	LAWRENCE ST	FLAGG ST	Even	98.00	4	Concrete	Poor	1
GREELEY ST-04	LAWRENCE ST	FLAGG ST	Odd	326.00	4	Asphalt	Good	2
GREELEY ST-05	FLAGG ST	VIEW ST	Even	130.00	4	Mix	Good	2
GREELEY ST-05	FLAGG ST	VIEW ST	Odd	261.00	4	Mix	Fair	1
GREELEY ST-06	VIEW ST	HIGHLAND ST	Even	207.00	6	Asphalt	Poor	1
GREELEY ST-08	UNKNOWN	DEWEY ST	Even	309.00	4	Mix	Good	2
GREELEY ST-08	UNKNOWN	DEWEY ST	Odd	257.00	4	Asphalt	Good	2
GREELEY ST-09	DEWEY ST	LANCASTER TL	Even	478.00	3	Mix	Fair	1
GREELEY ST-09	DEWEY ST	LANCASTER TL	Odd	96.00	3	Asphalt	Poor	1
				Total Length:	3,908.00			
GROVE STREET								
GROVE ST-01	MECHANIC ST	PLEASANT ST	Even	170.00	4	Concrete	Poor	1
GROVE ST-01	MECHANIC ST	PLEASANT ST	Odd	85.00	4	Concrete	Fair	1
				Total Length:	255.00			
HIGH STREET								
HIGH ST-01	UNION ST	CHURCH ST	Even	508.00	8	Concrete	Excellent	3
HIGH ST-01	UNION ST	CHURCH ST	Odd	508.00	8	Concrete	Excellent	3
HIGH ST-02	CHURCH ST	PIERCE PL	Even	400.00	5	Mix	Excellent	3
HIGH ST-02	CHURCH ST	PIERCE PL	Odd	400.00	5	Concrete	Excellent	3
HIGH ST-03	PIERCE PL	PROSPECT ST	Even	334.00	5	Concrete	Excellent	3

	From	To	Side	Length	Width	Material	Condition	Rank
HIGH ST-03	PIERCE PL	PROSPECT ST	Odd	334.00	4	Concrete	Excellent	3
HIGH ST-04	PROSPECT ST	BATTISTA CT	Even	349.00	4	Concrete	Excellent	3
HIGH ST-04	PROSPECT ST	BATTISTA CT	Odd	174.00	4	Concrete	Good	2
HIGH ST-05	BATTISTA CT	WATER ST	Even	260.00	4	Concrete	Good	2
HIGH ST-05	BATTISTA CT	WATER ST	Odd	260.00	4	Concrete	Good	2
HIGH ST-06	WATER ST	BROOK ST	Even	807.00	4	Asphalt	Fair	1
HIGH ST-06	WATER ST	BROOK ST	Odd	323.00	4	Mix	Fair	1
Total Length:				4,657.00				

HIGHLAND STREET

HIGHLAND ST-02	HIGHLAND AVE	HARKINS ST	Even	289.00	3	Asphalt	Fair	1
HIGHLAND ST-03	HARKINS ST	BRISTOL AVE	Even	226.00	7	Asphalt	Good	2
HIGHLAND ST-03	HARKINS ST	BRISTOL AVE	Odd	97.00	3	Asphalt	Poor	1
HIGHLAND ST-04	BRISTOL AVE	BELMONT AVE	Even	168.00	3	Asphalt	Poor	1
HIGHLAND ST-05	BELMONT AVE	GREELEY ST	Even	278.00	3	Asphalt	Good	2
HIGHLAND ST-05	BELMONT AVE	GREELEY ST	Odd	278.00	3	Asphalt	Excellent	3
HIGHLAND ST-07	BROADWAY	DEAD END	Even	164.00	4	Concrete	Excellent	3
Total Length:				1,500.00				

LAKESIDE AVENUE

LAKESIDE AVE-01	FITCH RD	ISLAND	Even	498.00	4	Asphalt	Fair	1
LAKESIDE AVE-01	FITCH RD	ISLAND	Odd	498.00	4	Asphalt	Fair	1
LAKESIDE AVE-02	ISLAND	CUL DE SAC	Even	343.00	4	Mix	Fair	1
LAKESIDE AVE-02	ISLAND	CUL DE SAC	Odd	343.00	4	Mix	Fair	1
Total Length:				1,682.00				

LAUREL STREET

LAUREL ST-02	GOSS ST	MAIN ST	Even	320.00	4	Mix	Poor	1
LAUREL ST-02	GOSS ST	MAIN ST	Odd	38.00	4	Asphalt	Fair	1
Total Length:				358.00				

LAWRENCE STREET

LAWRENCE ST-02	PARKER ST	FOREST AVE	Odd	192.00	4	Asphalt	Fair	1
LAWRENCE ST-03	FOREST AVE	MARSHALL ST	Odd	143.00	3	Mix	Poor	1
LAWRENCE ST-04	MARSHALL ST	GREELEY ST	Odd	106.00	4	Mix	Good	2
LAWRENCE ST-05	GREELEY ST	STERLING ST	Even	123.00	3	Asphalt	Fair	1
Total Length:				564.00				

LEWIS STREET

LEWIS ST	FLAGG ST	LAWRENCE ST	Even	231.00	5	Asphalt	Fair	1
Total Length:				231.00				

LONGEDGE ROAD

LONGEDGE RD	BROADWAY	DEAD END	Even	528.00	4	Mix	Fair	1
LONGEDGE RD	BROADWAY	DEAD END	Odd	66.00	3	Asphalt	Poor	1
Total Length:				594.00				

	From	To	Side	Length	Width	Material	Condition	Rank
MAIN STREET								
MAIN ST-01	LANCASTER TL	JEWETT CT	Even	256.00	4	Mix	Good	2
MAIN ST-01	LANCASTER TL	JEWETT CT	Odd	383.00	3	Mix	Good	2
MAIN ST-02	JEWETT CT	ALLEN ST	Even	776.00	4	Mix	Excellent	3
MAIN ST-02	JEWETT CT	ALLEN ST	Odd	913.00	3	Mix	Good	2
MAIN ST-03	ALLEN ST	FULLER ST	Even	149.00	3	Mix	Replace	0
MAIN ST-03	ALLEN ST	FULLER ST	Odd	149.00	5	Concrete	Excellent	3
MAIN ST-04	FULLER ST	OLIVE ST	Even	827.00	5	Mix	Good	2
MAIN ST-04	FULLER ST	OLIVE ST	Odd	331.00	3	Mix	Excellent	3
MAIN ST-05	OLIVE ST	ROMA ST	Even	247.00	5	Asphalt	Good	2
MAIN ST-05	OLIVE ST	ROMA ST	Odd	247.00	4	Concrete	Good	2
MAIN ST-06	ROMA ST	LAUREL ST	Even	418.00	4	Mix	Fair	1
MAIN ST-06	ROMA ST	LAUREL ST	Odd	418.00	4	Mix	Good	2
MAIN ST-07	LAUREL ST	PLAIN ST	Even	430.00	5	Concrete	Fair	1
MAIN ST-07	LAUREL ST	PLAIN ST	Odd	430.00	4	Concrete	Fair	1
MAIN ST-08	PLAIN ST	CLARK ST	Even	417.00	5	Concrete	Excellent	3
MAIN ST-08	PLAIN ST	CLARK ST	Odd	417.00	5	Concrete	Good	2
MAIN ST-09	CLARK ST	BROOK ST	Even	610.00	5	Mix	Fair	1
MAIN ST-09	CLARK ST	BROOK ST	Odd	610.00	4	Concrete	Fair	1
MAIN ST-10	BROOK ST	CLARK ST	Even	483.00	4	Concrete	Excellent	3
MAIN ST-10	BROOK ST	CLARK ST	Odd	690.00	5	Mix	Poor	1
MAIN ST-11	CLARK ST	WATER ST	Even	156.00	4	Concrete	Excellent	3
MAIN ST-11	CLARK ST	WATER ST	Odd	156.00	5	Concrete	Excellent	3
MAIN ST-12	WATER ST	DEPOT SQUARE	Even	190.00	5	Concrete	Excellent	3
MAIN ST-12	WATER ST	DEPOT SQUARE	Odd	190.00	5	Concrete	Good	2
MAIN ST-13	DEPOT SQUARE	ASH ST	Even	381.00	5	Concrete	Good	2
MAIN ST-13	DEPOT SQUARE	ASH ST	Odd	381.00	5	Concrete	Good	2
MAIN ST-14	ASH ST	CHURCH ST	Even	304.00	5	Concrete	Excellent	3
MAIN ST-14	ASH ST	CHURCH ST	Odd	468.00	5	Mix	Good	2
MAIN ST-15	CHURCH ST	UNION ST	Even	603.00	5	Mix	Fair	1
MAIN ST-15	CHURCH ST	UNION ST	Odd	422.00	5	Mix	Good	2
MAIN ST-16	UNION ST	PLEASANT ST	Even	480.00	5	Asphalt	Fair	1
MAIN ST-16	UNION ST	PLEASANT ST	Odd	480.00	5	Mix	Fair	1
MAIN ST-17	PLEASANT ST	NEW HARBOR RD	Even	545.00	5	Mix	Good	2
MAIN ST-17	PLEASANT ST	NEW HARBOR RD	Odd	545.00	3	Asphalt	Poor	1
MAIN ST-18	NEW HARBOR RD	COACHLACE ST	Even	169.00	5	Concrete	Good	2
MAIN ST-18	NEW HARBOR RD	COACHLACE ST	Odd	169.00	3	Asphalt	Good	2
MAIN ST-19	COACHLACE ST	BEACON ST	Even	116.00	4	Asphalt	Fair	1
MAIN ST-19	COACHLACE ST	BEACON ST	Odd	116.00	4	Asphalt	Excellent	3
MAIN ST-20	BEACON ST	SUMMIT ST	Even	320.00	4	Mix	Fair	1
MAIN ST-20	BEACON ST	SUMMIT ST	Odd	128.00	4	Asphalt	Good	2
MAIN ST-21	SUMMIT ST	FRONT ST	Even	255.00	4	Asphalt	Fair	1
MAIN ST-21	SUMMIT ST	FRONT ST	Odd	255.00	4	Asphalt	Good	2

	From	To	Side	Length	Width	Material	Condition	Rank
MAIN ST-22	FRONT ST	ARTHUR ST	Even	78.00	5	Concrete	Fair	1
MAIN ST-22	FRONT ST	ARTHUR ST	Odd	259.00	4	Asphalt	Fair	1
MAIN ST-23	ARTHUR ST	WINTER ST	Even	259.00	4	Mix	Fair	1
MAIN ST-23	ARTHUR ST	WINTER ST	Odd	259.00	4	Mix	Fair	1
MAIN ST-24	WINTER ST	WINTHROP ST	Even	584.00	4	Mix	Fair	1
MAIN ST-24	WINTER ST	WINTHROP ST	Odd	584.00	4	Asphalt	Good	2
MAIN ST-25	WINTHROP ST	MAIN ST SOUTH	Even	219.00	4	Asphalt	Poor	1
MAIN ST-25	WINTHROP ST	MAIN ST SOUTH	Odd	243.00	4	Asphalt	Good	2

Total Length: 18,515.00

MAPLE STREET

MAPLE ST	WASHINGTON ST	STERLING ST	Even	178.00	4	Asphalt	Good	2
MAPLE ST	WASHINGTON ST	STERLING ST	Odd	416.00	4	Asphalt	Fair	1

Total Length: 594.00

MARSHALL STREET

MARSHALL ST	BROOK ST	LAWRENCE ST	Even	247.00	3	Asphalt	Fair	1
-------------	----------	-------------	------	--------	---	---------	------	---

Total Length: 247.00

MECHANIC STREET

MECHANIC ST	CHESTNUT ST	UNION ST	Even	1,127.00	3	Mix	Fair	1
MECHANIC ST	CHESTNUT ST	UNION ST	Odd	563.00	5	Concrete	Excellent	3

Total Length: 1,690.00

NELSON STREET

NELSON ST	CHURCH ST	UNION ST	Even	588.00	4	Concrete	Good	2
NELSON ST	CHURCH ST	UNION ST	Odd	353.00	4	Mix	Poor	1

Total Length: 941.00

NEW HARBOR ROAD

NEW HARBOR RD-01	HARBOR ST	RIVERSIDE DR	Even	238.00	4	Asphalt	Fair	1
NEW HARBOR RD-02	RIVERSIDE DR	BRIDGE	Even	43.00	4	Asphalt	Fair	1
NEW HARBOR RD-03	BRIDGE	COACHLACE ST	Even	335.00	4	Asphalt	Fair	1
NEW HARBOR RD-04	COACHLACE ST	MAIN ST	Even	181.00	4	Asphalt	Fair	1

Total Length: 797.00

PARKER STREET

PARKER ST-01	LAWRENCE ST	GRADY ST	Even	50.00	3	Concrete	Fair	1
PARKER ST-01	LAWRENCE ST	GRADY ST	Odd	99.00	6	Concrete	Fair	1
PARKER ST-03	BROOK ST	STERLING ST	Even	74.00	4	Asphalt	Fair	1

Total Length: 223.00

PLEASANT STREET

PLEASANT ST	GROVE ST	PARKING LOT ENTRANCE	Even	344.00	4	Concrete	Excellent	3
PLEASANT ST-02	PARKING LOT ENTRANCE	SCHOOL ST	Even	648.00	4	Concrete	Excellent	3
PLEASANT ST-02	PARKING LOT ENTRANCE	SCHOOL ST	Odd	486.00	4	Asphalt	Poor	1

	From	To	Side	Length	Width	Material	Condition	Rank
PLEASANT ST-03	SCHOOL ST	BURDETT ST	Odd	352.00	4	Concrete	Fair	1
PLEASANT ST-04	BURDETT ST	MAIN ST	Even	296.00	4	Mix	Fair	1
PLEASANT ST-04	BURDETT ST	MAIN ST	Odd	99.00	3	Concrete	Good	2

Total Length: 2,225.00

PROSPECT STREET

PROSPECT ST-01	CHESTNUT ST	WALNUT ST	Even	413.00	3	Concrete	Fair	1
PROSPECT ST-01	CHESTNUT ST	WALNUT ST	Odd	413.00	4	Mix	Fair	1
PROSPECT ST-02	WALNUT ST	WHITE CT	Odd	282.00	3	Mix	Fair	1
PROSPECT ST-03	WHITE CT	HIGH ST	Even	77.00	2	Asphalt	Fair	1
PROSPECT ST-03	WHITE CT	HIGH ST	Odd	307.00	3	Asphalt	Replace	0

Total Length: 1,492.00

RIGBY STREET

RIGBY ST-01	WOODLAWN ST	GREELEY ST	Odd	331.00	4	Asphalt	Good	2
-------------	-------------	------------	-----	--------	---	---------	------	---

Total Length: 331.00

SCHOOL STREET

SCHOOL ST-01	CHURCH ST	UNION ST	Even	577.00	4	Mix	Fair	1
SCHOOL ST-01	CHURCH ST	UNION ST	Odd	577.00	5	Mix	Fair	1
SCHOOL ST-02	UNION ST	PLEASANT ST	Even	153.00	5	Asphalt	Good	2
SCHOOL ST-02	UNION ST	PLEASANT ST	Odd	508.00	5	Concrete	Fair	1
SCHOOL ST-03	PLEASANT ST	NORMAN ST	Even	56.00	4	Concrete	Good	2
SCHOOL ST-03	PLEASANT ST	NORMAN ST	Odd	280.00	5	Mix	Poor	1

Total Length: 2,151.00

STERLING STREET

STERLING ST-01	LANCASTER TL	HIGHLAND ST	Even	44.00	3	Asphalt	Fair	1
STERLING ST-01	LANCASTER TL	HIGHLAND ST	Odd	292.00	3	Asphalt	Poor	1
STERLING ST-02	HIGHLAND ST	WILLOW ST	Even	823.00	3	Mix	Fair	1
STERLING ST-02	HIGHLAND ST	WILLOW ST	Odd	760.00	4	Mix	Fair	1
STERLING ST-03	WILLOW ST	BROOK ST	Odd	327.00	4	Mix	Poor	1
STERLING ST-04	BROOK ST	GREELEY ST	Even	501.00	4	Concrete	Fair	1
STERLING ST-05	GREELEY ST	WASHINGTON ST	Even	73.00	6	Asphalt	Good	2
STERLING ST-05	GREELEY ST	WASHINGTON ST	Odd	181.00	3	Asphalt	Fair	1
STERLING ST-06	WASHINGTON ST	MAPLE ST	Odd	539.00	6	Mix	Replace	0
STERLING ST-08	PARKER ST	RAILROAD TRACKS	Even	315.00	4	Concrete	Excellent	3
STERLING ST-08	PARKER ST	RAILROAD TRACKS	Odd	315.00	5	Concrete	Excellent	3

Total Length: 4,170.00

SUMMIT STREET

SUMMIT STREET-01	MAIN ST	GAGE ST	Even	384.00	5	Mix	Poor	1
------------------	---------	---------	------	--------	---	-----	------	---

Total Length: 384.00

UNION STREET

UNION ST-01	MAIN ST	NELSON ST	Even	273.00	4	Concrete	Fair	1
-------------	---------	-----------	------	--------	---	----------	------	---

	From	To	Side	Length	Width	Material	Condition	Rank
UNION ST-01	MAIN ST	NELSON ST	Odd	273.00	4	Asphalt	Good	2
UNION ST-02	NELSON ST	SCHOOL ST	Even	408.00	4	Concrete	Fair	1
UNION ST-02	NELSON ST	SCHOOL ST	Odd	408.00	4	Concrete	Excellent	3
UNION ST-03	SCHOOL ST	HIGH ST	Even	538.00	6	Concrete	Excellent	3
UNION ST-04	HIGH ST	MECHANIC ST	Even	91.00	5	Concrete	Good	2
UNION ST-04	HIGH ST	MECHANIC ST	Odd	59.00	4	Concrete	Excellent	3
UNION ST-05	MECHANIC ST	WALNUT ST	Even	259.00	4	Asphalt	Good	2
UNION ST-05	MECHANIC ST	WALNUT ST	Odd	259.00	6	Concrete	Excellent	3
UNION ST-06	WALNUT ST	CHESTNUT ST	Even	418.00	4	Concrete	Excellent	3
UNION ST-06	WALNUT ST	CHESTNUT ST	Odd	418.00	6	Concrete	Good	2

Total Length: 3,404.00

VIEW STREET

VIEW ST	GREELEY ST	DEAD END	Even	136.00	4	Concrete	Fair	1
VIEW ST	GREELEY ST	DEAD END	Odd	318.00	4	Asphalt	Poor	1

Total Length: 454.00

WALNUT STREET

WALNUT ST-04	WATER ST	PROSPECT ST	Even	555.00	4	Mix	Fair	1
WALNUT ST-04	WATER ST	PROSPECT ST	Odd	416.00	4	Mix	Poor	1
WALNUT ST-05	PROSPECT ST	CHURCH ST	Even	798.00	4	Mix	Fair	1
WALNUT ST-05	PROSPECT ST	CHURCH ST	Odd	798.00	4	Mix	Fair	1
WALNUT ST-06	CHURCH ST	UNION ST	Even	496.00	6	Mix	Good	2
WALNUT ST-06	CHURCH ST	UNION ST	Odd	50.00	6	Mix	Good	2

Total Length: 3,113.00

WASHINGTON STREET

WASHINGTON ST-01	BROOK ST	MAPLE ST	Odd	16.00	5	Concrete	Excellent	3
------------------	----------	----------	-----	-------	---	----------	-----------	---

Total Length: 16.00

WATER STREET

WATER ST-01	MAIN ST	WEST ST	Even	682.00	4	Concrete	Excellent	3
WATER ST-01	MAIN ST	WEST ST	Odd	682.00	4	Mix	Fair	1
WATER ST-02	WEST ST	HIGH ST	Even	161.00	5	Concrete	Good	2
WATER ST-02	WEST ST	HIGH ST	Odd	161.00	4	Mix	Good	2
WATER ST-07	CHESTNUT ST	HAMMOND ST	Even	273.00	4	Asphalt	Poor	1
WATER ST-07	CHESTNUT ST	HAMMOND ST	Odd	273.00	4	Asphalt	Poor	1

Total Length: 2,232.00

WEST BOLYSTON STREET

WEST BOLYSTON ST-01	MAIN ST SOUTH	CURRAN ST	Odd	561.00	5	Asphalt	Fair	1
WEST BOLYSTON ST-02	CURRAN ST	FIELD PARKING LOT	Odd	1,339.00	5	Asphalt	Fair	1

Total Length: 1,900.00

WILLOW STREET

WILLOW ST-03	WILLOW ST-02	STERLING ST	Even	108.00	3	Asphalt	Poor	1
--------------	--------------	-------------	------	--------	---	---------	------	---

	From	To	Side	Length	Width	Material	Condition	Rank
WILLOW ST-03	WILLOW ST-02	STERLING ST	Odd	405.00	4	Mix	Fair	1
Total Length:				513.00				
WINTER STREET								
WINTER ST-01	MAIN ST	SPRING ST	Even	87.00	4	Concrete	Poor	1
Total Length:				87.00				

Town of Clinton, Massachusetts

Ramp Totals By Street

Street	Number of Ramps
ALLEN STREET	3
ARTHUR STREET	2
ASH STREET	2
BATTISTA COURT	2
BEACON STREET	4
BELMONT AVENUE	1
BROOK STREET	10
BURDETT STREET	2
CATHERINE STREET	2
CHESTNUT STREET	19
CHURCH STREET	18
CLARK STREET	5
COACHLACE STREET	2
DEPOT SQUARE	5
DOGGET COURT	2
FAIRMOUNT STREET	2
FITCH ROAD	2
FOREST AVENUE	2
FRANKLIN STREET	2
FRONT STREET	2
GOSS STREET	1
GREELEY STREET	2
GREEN STREET	2
GROVE STREET	1
HARKINS STREET	1
HIGH STREET	11
HIGHLAND STREET	1
JEWITT COURT	2
LAKESIDE AVENUE	2
LAUREL STREET	2
LAWRENCE STREET	2
MAIN STREET	8
MAIN STREET SOUTH	1
MAPLE STREET	1
MARSHALL STREET	1
MECHANIC STREET	1
NASHUA STREET	3

Street	Number of Ramps
NELSON STREET	2
NEW HARBOR ROAD	2
NORMAN STREET	1
OLIVE STREET	1
PARK STREET	5
PARKER STREET	3
PEARL STREET	4
PIERCE PLACE	2
PLAIN STREET	5
PLEASANT STREET	2
POND COURT	4
PROSPECT STREET	8
RICHARDSON PLACE	1
RICHMAN STREET	1
RING STREET	2
ROMA STREET	2
SAND COURT	1
SCHOOL STREET	6
STERLING STREET	8
SUMMIT STREET	3
UNION STREET	14
VIEW STREET	1
WALNUT STREET	6
WASHINGTON STREET	1
WATER STREET	6
WEST BOYLSTON STREET	3
WHITE COURT	2
WINTER STREET	2
WINTHROP STREET	2
WORCESTER STREET	2
WWTP Entrance	4
Total:	237.00

Town of Clinton, Massachusetts

Ramp Totals By Street With Inspection Data

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
ALLEN STREET		3 Ramps					
At MAIN STREET		2 Ramps					
2-6-1	No	Yes	Yes	Yes	No	Asphalt	No
2-6-2	No	Yes	Yes	No	No	Concrete	No
At STONE STREET		1 Ramps					
2-16-1	No	Yes	Yes	Yes	No	Asphalt	No
ARTHUR STREET		2 Ramps					
At MAIN STREET		2 Ramps					
16-38-1	No	No	Yes	Yes	No	Asphalt	No
16-38-2	No	No	Yes	Yes	No	Asphalt	No
ASH STREET		2 Ramps					
At MAIN STREET		2 Ramps					
11-73-1	No	No	Yes	Yes	No	Concrete	No
11-73-2	No	Yes	Yes	Yes	No	Mix Materials	No
BATTISTA COURT		2 Ramps					
At HIGH STREET		2 Ramps					
11-63-1	No	No	Yes	Yes	No	Concrete	No
11-63-2	No	Yes	Yes	Yes	No	Concrete	No
BEACON STREET		4 Ramps					
At MAIN STREET		2 Ramps					
11-51-1	No	Yes	Yes	Yes	No	Asphalt	No
11-51-2	No	No	Yes	Yes	No	Asphalt	No
At PARK STREET		2 Ramps					
16-31-3	No	Yes	Yes	Yes	No	Asphalt	No
16-31-4	No	Yes	Yes	Yes	No	Concrete	Yes
BELMONT AVENUE		1 Ramps					
At HIGHLAND STREET		1 Ramps					
5-17-1	No	Yes	Yes	Yes	No	Asphalt	No
BROOK STREET		10 Ramps					
At FOREST STREET		1 Ramps					
6-2-1	No	No	Yes	Yes	No	Asphalt	No
At HIGH STREET		3 Ramps					
6-4-1	No	No	Yes	Yes	No	Asphalt	No
6-4-2	No	No	Yes	No	No	Asphalt	No
6-4-3	No	Yes	Yes	Yes	No	Asphalt	No
At MAIN STREET		4 Ramps					
6-1-2	No	Yes	Yes	Yes	No	Concrete	No
6-1-3	Yes	Yes	Yes	No	No	Concrete	No
6-1-4	No	Yes	Yes	No	No	Concrete	No

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
6-1-5	No	Yes	Yes	Yes	No	Concrete	No
At WEST STREET		2 Ramps					
6-5-1	No	No	Yes	Yes	No	Asphalt	No
6-5-2	No	No	Yes	Yes	No	Asphalt	No
BURDETT STREET		2 Ramps					
At PLEASANT STREET		2 Ramps					
11-48-1	Yes	Yes	Yes	Yes	Yes	Concrete	No
11-48-2	No	No	Yes	No	No	Asphalt	No
CATHERINE STREET		2 Ramps					
At GREELEY STREET		2 Ramps					
5-11-1	No	No	Yes	Yes	No	Asphalt	No
5-11-2	No	No	Yes	Yes	No	Asphalt	No
CHESTNUT STREET		19 Ramps					
At APARTMENT COMPLEX		4 Ramps					
11-21-1	No	Yes	Yes	Yes	No	Concrete	No
11-21-2	No	No	Yes	Yes	No	Asphalt	No
11-21-3	No	Yes	No	No	No	Concrete	No
11-21-4	No	No	Yes	Yes	No	Asphalt	No
At CHURCH STREET		4 Ramps					
11-13-1	No	Yes	Yes	Yes	No	Concrete	No
11-13-4	No	Yes	Yes	Yes	No	Concrete	No
11-13-5	No	No	Yes	Yes	No	Asphalt	No
11-13-6	No	No	Yes	Yes	No	Asphalt	No
At GREEN STREET		2 Ramps					
16-53-3	No	No	Yes	Yes	No	Asphalt	No
16-53-4	No	No	Yes	Yes	No	Asphalt	No
At LEIGTON AVENUE		1 Ramps					
11-67-1	No	No	Yes	Yes	No	Concrete	No
At MECHANIC STREET		2 Ramps					
11-26-1	No	No	Yes	Yes	No	Concrete	No
11-26-2	No	No	Yes	Yes	No	Asphalt	No
At NASHUA STREET		2 Ramps					
16-51-3	No	Yes	Yes	Yes	No	Concrete	No
16-51-4	No	Yes	Yes	Yes	No	Concrete	No
At PEARL STREET		1 Ramps					
6-20-1	No	No	Yes	Yes	No	Asphalt	No
At PRIVATE DRIVE		2 Ramps					
11-45-1	No	Yes	No	No	No	Asphalt	No
11-45-2	No	Yes	No	No	No	Asphalt	No
At UNION STREET		1 Ramps					
11-49-3	No	No	Yes	Yes	No	Concrete	No
CHURCH STREET		18 Ramps					

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
At CHESTNUT STREET		2 Ramps					
11-13-2	No	No	Yes	Yes	No	Concrete	No
11-13-3	No	Yes	Yes	Yes	No	Concrete	No
At COOLIDGE PL		2 Ramps					
11-18-1	No	No	Yes	Yes	No	Concrete	No
11-18-2	No	Yes	Yes	Yes	No	Concrete	No
At HIGH STREET		4 Ramps					
11-10-2	No	Yes	Yes	Yes	No	Concrete	No
11-10-3	No	Yes	Yes	Yes	No	Concrete	No
11-10-6	No	Yes	Yes	Yes	No	Concrete	No
11-10-7	No	No	Yes	Yes	No	Concrete	No
At PRESCOTT STREET		1 Ramps					
11-3-1	No	No	Yes	Yes	No	Asphalt	No
At SCHOOL STREET		5 Ramps					
11-20-1	No	No	Yes	No	No	Concrete	No
11-20-2	No	No	Yes	No	No	Concrete	No
11-20-5	No	Yes	Yes	No	No	Concrete	No
11-20-6	No	Yes	Yes	No	No	Concrete	No
11-20-7	No	Yes	Yes	Yes	No	Concrete	No
At WALNUT STREET		4 Ramps					
11-16-2	No	Yes	Yes	Yes	No	Concrete	No
11-16-3	No	Yes	Yes	Yes	No	Concrete	No
11-16-4	No	Yes	Yes	Yes	No	Concrete	No
11-16-5	No	Yes	Yes	Yes	No	Concrete	No
CLARK STREET		5 Ramps					
At MAIN STREET		4 Ramps					
6-21-1	No	No	No	No	No	Concrete	No
6-21-2	No	No	Yes	Yes	No	Asphalt	No
6-51-1	No	Yes	Yes	Yes	No	Concrete	No
6-51-2	No	Yes	Yes	Yes	No	Concrete	No
At NONE		1 Ramps					
6-51-3	No	Yes	Yes	Yes	No	Asphalt	No
COACHLACE STREET		2 Ramps					
At COACHLACE STREET		1 Ramps					
11-46-1	No	No	Yes	Yes	No	Asphalt	No
At MAIN STREET		1 Ramps					
11-41-1	No	No	Yes	Yes	No	Concrete	No
DEPOT SQUARE		5 Ramps					
At MAIN STREET		3 Ramps					
11-54-5	No	Yes	Yes	Yes	No	Concrete	No
11-59-1	No	No	No	No	No	Concrete	No
11-59-2	No	No	No	Yes	No	Concrete	No

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
At STERLING STREET		2 Ramps					
6-14-1	No	No	No	Yes	No	Concrete	No
6-14-2	No	No	No	Yes	No	Concrete	No
DOGGET COURT		2 Ramps					
At HIGH STREET		2 Ramps					
11-14-3	No	Yes	Yes	Yes	No	Concrete	No
11-14-4	No	Yes	Yes	Yes	No	Concrete	No
FAIRMOUNT STREET		2 Ramps					
At PARK STREET		2 Ramps					
16-61-1	No	No	Yes	Yes	No	Concrete	No
16-61-2	No	Yes	Yes	Yes	No	Concrete	No
FITCH ROAD		2 Ramps					
At LAKESIDE AVENUE		2 Ramps					
10-4-1	No	No	Yes	Yes	No	Asphalt	No
10-4-2	No	Yes	Yes	Yes	No	Asphalt	No
FOREST AVENUE		2 Ramps					
At FLAGG STREET		2 Ramps					
6-63-1	No	No	Yes	Yes	No	Asphalt	No
6-63-2	No	Yes	Yes	Yes	No	Asphalt	No
FRANKLIN STREET		2 Ramps					
At PARK STREET		1 Ramps					
11-32-1	No	No	Yes	Yes	No	Asphalt	No
At SCHOOL STREET		1 Ramps					
11-34-1	No	No	Yes	Yes	No	Asphalt	No
FRONT STREET		2 Ramps					
At MAIN STREET		2 Ramps					
16-33-1	No	No	Yes	Yes	No	Asphalt	No
16-33-2	No	No	Yes	Yes	No	Asphalt	No
GOSS STREET		1 Ramps					
At ROMA STREET		1 Ramps					
6-41-1	No	Yes	Yes	Yes	No	Concrete	No
GREELEY STREET		2 Ramps					
At DEWEY STREET		1 Ramps					
5-5-1	No	Yes	Yes	Yes	No	Asphalt	No
At RIGBY STREET		1 Ramps					
11-52-1	No	No	Yes	Yes	No	Asphalt	No
GREEN STREET		2 Ramps					
At CHESTNUT STREET		2 Ramps					
16-53-1	No	Yes	Yes	Yes	No	Concrete	No
16-53-2	No	No	Yes	Yes	No	Asphalt	No
GROVE STREET		1 Ramps					
At MECHANIC STREET		1 Ramps					

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
11-33-1	No	No	Yes	Yes	No	Asphalt	No
HARKINS STREET		1 Ramps					
At HIGHLAND STREET		1 Ramps					
5-19-1	No	Yes	Yes	Yes	No	Asphalt	No
HIGH STREET		11 Ramps					
At CHURCH STREET		4 Ramps					
11-10-1	No	Yes	Yes	Yes	No	Concrete	No
11-10-4	No	Yes	Yes	Yes	No	Concrete	No
11-10-5	No	Yes	Yes	Yes	No	Concrete	No
11-10-8	No	Yes	Yes	Yes	No	Concrete	No
At DOGGET COURT		2 Ramps					
11-14-1	No	Yes	Yes	Yes	No	Concrete	No
11-14-2	No	Yes	Yes	Yes	No	Concrete	No
At HAMILTON STREET		1 Ramps					
6-37-1	No	Yes	Yes	No	No	Concrete	No
At WATER STREET		4 Ramps					
11-56-1	No	Yes	Yes	Yes	No	Concrete	No
11-56-4	No	Yes	Yes	Yes	No	Concrete	No
11-56-5	No	Yes	Yes	Yes	No	Concrete	No
11-56-8	No	Yes	Yes	Yes	No	Concrete	No
HIGHLAND STREET		1 Ramps					
At GREELEY STREET		1 Ramps					
5-2-1	No	Yes	Yes	Yes	No	Asphalt	No
JEWITT COURT		2 Ramps					
At MAIN STREET		2 Ramps					
2-3-1	No	No	Yes	Yes	No	Asphalt	No
2-3-2	No	No	Yes	Yes	No	Asphalt	No
LAKESIDE AVENUE		2 Ramps					
At LAKESIDE AVE-01		2 Ramps					
10-7-1	No	No	No	Yes	No	Concrete	No
10-7-2	No	No	Yes	Yes	No	Concrete	No
LAUREL STREET		2 Ramps					
At MAIN STREET		1 Ramps					
6-47-1	No	No	Yes	Yes	No	Concrete	No
At STONE STREET		1 Ramps					
6-31-1	No	No	No	No	No	Asphalt	No
LAWRENCE STREET		2 Ramps					
At GREELEY STREET		1 Ramps					
6-62-1	No	No	Yes	Yes	No	Asphalt	No
At STERLING STREET		1 Ramps					
5-7-1	No	No	No	Yes	No	Asphalt	No
MAIN STREET		8 Ramps					

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
At BROOK STREET		2 Ramps					
6-1-1	No	Yes	Yes	Yes	No	Concrete	No
6-1-6	No	Yes	Yes	Yes	No	Concrete	No
At CHURCH STREET		2 Ramps					
11-27-1	No	Yes	Yes	Yes	No	Concrete	No
11-27-2	No	Yes	Yes	Yes	No	Concrete	No
At DEPOT SQUARE		2 Ramps					
11-54-4	No	Yes	Yes	Yes	No	Concrete	No
11-54-6	No	Yes	Yes	Yes	No	Concrete	No
At UNION STREET		1 Ramps					
11-25-1	No	No	Yes	No	No	Concrete	No
At WATER STREET		1 Ramps					
11-54-3	No	Yes	Yes	Yes	No	Concrete	No
MAIN STREET SOUTH		1 Ramps					
At MAIN STREET		1 Ramps					
15-8-1	No	Yes	Yes	Yes	No	Asphalt	No
MAPLE STREET		1 Ramps					
At STERLING STREET		1 Ramps					
6-24-1	No	Yes	Yes	Yes	No	Asphalt	No
MARSHALL STREET		1 Ramps					
At LAWRENCE STREET		1 Ramps					
6-52-1	No	No	Yes	No	No	Asphalt	No
MECHANIC STREET		1 Ramps					
At CHESTNUT STREET		1 Ramps					
11-38-1	No	No	Yes	Yes	No	Concrete	No
NASHUA STREET		3 Ramps					
At CHESTNUT STREET		2 Ramps					
16-51-1	No	Yes	Yes	Yes	No	Concrete	No
16-51-2	No	Yes	Yes	Yes	No	Concrete	No
At GROVE STREET		1 Ramps					
16-13-1	No	No	Yes	Yes	No	Asphalt	No
NELSON STREET		2 Ramps					
At CHURCH STREET		2 Ramps					
11-23-1	No	No	Yes	Yes	No	Concrete	No
11-23-2	No	No	Yes	No	No	Concrete	No
NEW HARBOR ROAD		2 Ramps					
At MAIN STREET		1 Ramps					
11-44-1	No	No	Yes	Yes	No	Concrete	No
At WATSON PLACE		1 Ramps					
11-8-1	No	No	Yes	Yes	No	Asphalt	No
NORMAN STREET		1 Ramps					
At SCHOOL STREET		1 Ramps					

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
11-43-1	No	No	Yes	Yes	No	Asphalt	No
OLIVE STREET		1 Ramps					
At MAIN STREET		1 Ramps					
6-45-1	No	No	Yes	Yes	No	Concrete	No
PARK STREET		5 Ramps					
At BEACON STREET		2 Ramps					
16-31-1	No	Yes	Yes	Yes	No	Concrete	No
16-31-2	No	Yes	Yes	Yes	No	Asphalt	No
At FRONT STREET		1 Ramps					
16-56-1	No	Yes	Yes	Yes	No	Asphalt	No
At SUMMIT STREET		2 Ramps					
16-32-1	No	No	No	Yes	No	Concrete	No
16-32-2	No	No	Yes	Yes	No	Asphalt	No
PARKER STREET		3 Ramps					
At BROOK STREET		1 Ramps					
6-7-1	No	No	Yes	Yes	No	Asphalt	No
At LAWRENCE STREET		2 Ramps					
6-64-1	No	Yes	Yes	Yes	No	Concrete	No
6-64-2	No	No	Yes	Yes	No	Asphalt	No
PEARL STREET		4 Ramps					
At WALNUT STREET		2 Ramps					
6-44-1	No	No	Yes	Yes	No	Asphalt	No
6-44-2	No	Yes	Yes	Yes	No	Concrete	No
At WATER STREET		2 Ramps					
11-57-1	No	No	Yes	Yes	No	Asphalt	No
11-57-2	No	No	Yes	Yes	No	Asphalt	No
PIERCE PLACE		2 Ramps					
At HIGH STREET		2 Ramps					
11-53-1	No	Yes	Yes	Yes	No	Concrete	No
11-53-2	No	Yes	Yes	Yes	No	Concrete	No
PLAIN STREET		5 Ramps					
At EAST STREET		1 Ramps					
6-56-1	No	No	Yes	No	No	Asphalt	No
At HIGH STREET		3 Ramps					
6-57-1	No	Yes	No	No	No	Asphalt	No
6-57-2	No	Yes	Yes	Yes	No	Asphalt	No
6-57-3	No	No	Yes	Yes	No	Asphalt	No
At MAIN STREET		1 Ramps					
6-59-1	Yes	No	Yes	Yes	No	Concrete	No
PLEASANT STREET		2 Ramps					
At SCHOOL STREET		2 Ramps					
11-37-3	No	Yes	No	No	No	Concrete	No

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
11-37-4	No	Yes	Yes	Yes	No	Concrete	No
POND COURT		4 Ramps					
At HIGH STREET		4 Ramps					
11-70-1	No	Yes	Yes	Yes	No	Concrete	No
11-70-2	No	Yes	Yes	Yes	No	Concrete	No
11-71-1	No	Yes	Yes	Yes	No	Concrete	No
11-71-2	No	No	Yes	Yes	No	Concrete	No
PROSPECT STREET		8 Ramps					
At CHESTNUT STREET		2 Ramps					
11-66-1	No	Yes	Yes	Yes	No	Concrete	No
11-66-2	No	Yes	Yes	Yes	No	Concrete	No
At HIGH STREET		2 Ramps					
11-79-1	No	No	Yes	Yes	No	Concrete	No
11-79-2	No	Yes	Yes	Yes	No	Concrete	No
At WALNUT STREET		4 Ramps					
11-72-2	No	Yes	Yes	Yes	No	Mix Materials	No
11-72-3	No	No	Yes	Yes	No	Mix Materials	No
11-72-4	No	Yes	Yes	Yes	No	Asphalt	No
11-72-5	No	Yes	Yes	Yes	No	Asphalt	No
RICHARDSON PLACE		1 Ramps					
At HIGH STREET		1 Ramps					
11-68-1	No	Yes	Yes	Yes	No	Concrete	No
RICHMAN STREET		1 Ramps					
At FAIRMOUNT STREET		1 Ramps					
16-20-1	No	Yes	Yes	Yes	No	Concrete	No
RING STREET		2 Ramps					
At HIGH STREET		2 Ramps					
11-78-1	No	Yes	Yes	Yes	No	Concrete	No
11-78-2	No	No	Yes	Yes	No	Concrete	No
ROMA STREET		2 Ramps					
At MAIN STREET		2 Ramps					
6-42-1	No	No	Yes	Yes	No	Mix Materials	No
6-42-2	No	Yes	Yes	Yes	No	Concrete	No
SAND COURT		1 Ramps					
At LAWRENCE STREET		1 Ramps					
5-8-1	No	Yes	Yes	Yes	No	Asphalt	No
SCHOOL STREET		6 Ramps					
At CHURCH STREET		2 Ramps					
11-20-3	No	No	Yes	Yes	No	Concrete	No
11-20-4	No	Yes	No	No	No	Concrete	No
At PLEASANT STREET		2 Ramps					
11-37-1	No	Yes	Yes	Yes	No	Concrete	No

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
11-37-2	No	Yes	Yes	Yes	No	Concrete	No
At UNION STREET		2 Ramps					
11-2-1	No	Yes	Yes	Yes	No	Concrete	No
11-2-2	No	No	Yes	Yes	No	Asphalt	No
STERLING STREET		8 Ramps					
At BROOK STREET		2 Ramps					
5-13-1	No	Yes	Yes	Yes	No	Concrete	No
5-13-2	No	Yes	Yes	Yes	No	Concrete	No
At GREELEY STREET		2 Ramps					
6-29-1	No	Yes	Yes	Yes	No	Mix Materials	No
6-29-2	No	No	Yes	Yes	No	Asphalt	No
At RR CROSSING		4 Ramps					
6-27-1	No	Yes	Yes	Yes	No	Concrete	No
6-27-2	No	Yes	Yes	Yes	No	Concrete	No
6-27-3	No	Yes	Yes	Yes	No	Concrete	No
6-27-4	No	Yes	Yes	Yes	No	Concrete	No
SUMMIT STREET		3 Ramps					
At MAIN STREET		2 Ramps					
11-30-1	No	No	Yes	Yes	No	Asphalt	No
11-30-2	No	No	Yes	Yes	No	Asphalt	No
At PARK STREET		1 Ramps					
16-32-3	No	No	Yes	Yes	No	Concrete	No
UNION STREET		14 Ramps					
At CHESTNUT STREET		3 Ramps					
11-49-1	No	Yes	No	No	No	Concrete	No
11-49-2	No	No	Yes	Yes	No	Concrete	No
11-49-4	No	Yes	Yes	Yes	No	Asphalt	No
At HIGH STREET		4 Ramps					
11-5-1	No	Yes	Yes	Yes	No	Concrete	No
11-5-2	No	Yes	Yes	Yes	No	Concrete	No
11-5-3	No	Yes	Yes	Yes	No	Concrete	No
11-5-4	No	No	Yes	Yes	No	Concrete	No
At MAIN STREET		1 Ramps					
11-25-2	No	No	No	No	No	Concrete	No
At SCHOOL STREET		3 Ramps					
11-2-3	No	Yes	Yes	Yes	No	Asphalt	Yes
11-2-4	No	Yes	Yes	No	No	Concrete	No
11-2-5	No	Yes	Yes	Yes	No	Concrete	No
At WALNUT STREET		3 Ramps					
11-15-1	No	Yes	Yes	Yes	No	Concrete	No
11-15-2	No	No	Yes	Yes	No	Concrete	No
11-15-5	No	No	No	No	No	Concrete	No

VIEW STREET		1 Ramps						
At GREELEY STREET		1 Ramps						
5-20-1	No	No	Yes	Yes	No	Asphalt	No	
WALNUT STREET		6 Ramps						
At CHURCH STREET		2 Ramps						
11-16-1	No	Yes	Yes	Yes	No	Concrete	No	
11-16-6	No	Yes	Yes	Yes	No	Concrete	No	
At PROSPECT STREET		2 Ramps						
11-72-1	No	Yes	Yes	Yes	No	Mix Materials	No	
11-72-6	No	Yes	Yes	Yes	No	Asphalt	No	
At UNION STREET		2 Ramps						
11-15-3	No	Yes	Yes	Yes	No	Concrete	No	
11-15-4	No	No	Yes	Yes	No	Concrete	No	
WASHINGTON STREET		1 Ramps						
At BROOK STREET		1 Ramps						
6-6-1	No	No	Yes	Yes	No	Asphalt	No	
WATER STREET		6 Ramps						
At HIGH STREET		4 Ramps						
11-56-2	No	Yes	Yes	Yes	No	Concrete	No	
11-56-3	No	Yes	Yes	Yes	No	Concrete	No	
11-56-6	No	Yes	Yes	Yes	No	Concrete	No	
11-56-7	No	Yes	Yes	Yes	No	Concrete	No	
At MAIN STREET		2 Ramps						
11-54-1	No	No	Yes	Yes	No	Concrete	No	
11-54-2	No	Yes	Yes	Yes	No	Concrete	No	
WEST BOYLSTON STREET		3 Ramps						
At SCHOOL PARKING LOT		3 Ramps						
15-18-1	No	Yes	Yes	Yes	No	Asphalt	No	
15-18-2	No	Yes	No	Yes	No	Concrete	No	
15-18-3	No	Yes	Yes	Yes	No	Asphalt	No	
WHITE COURT		2 Ramps						
At PROSPECT STREET		2 Ramps						
11-76-1	Yes	Yes	Yes	Yes	Yes	Concrete	No	
11-76-2	No	No	Yes	Yes	No	Asphalt	No	
WINTER STREET		2 Ramps						
At MAIN STREET		2 Ramps						
15-3-1	No	Yes	Yes	Yes	No	Asphalt	No	
15-3-2	No	Yes	Yes	Yes	No	Asphalt	No	
WINTHROP STREET		2 Ramps						
At MAIN STREET		2 Ramps						
15-7-1	No	No	Yes	Yes	No	Asphalt	No	
15-7-2	No	Yes	Yes	Yes	No	Asphalt	No	

	Det. Warning Panel	Slope Pass	Opening Width Pass	Landing With Pass	Overall Pass	Ramp Material	Obstructions
WORCESTER STREET		2 Ramps					
At HIGH STREET		2 Ramps					
6-37-2	No	Yes	Yes	Yes	No	Asphalt	No
6-37-3	No	Yes	Yes	Yes	No	Asphalt	No
WWTP Entrance		4 Ramps					
At HIGH STREET		4 Ramps					
2-10-1	No	Yes	Yes	Yes	No	Asphalt	No
2-10-2	No	Yes	Yes	Yes	No	Asphalt	No
2-17-1	No	Yes	Yes	Yes	No	Asphalt	No
2-17-2	No	Yes	Yes	Yes	No	Asphalt	No

Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	2-16-1
Street:	ALLEN STREET
Intersecting Street:	STONE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	4.3
Opening Width:	64
Landing Width:	54
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	2-6-1
Street:	ALLEN STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	1.2
Opening Width:	86
Landing Width:	66
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	2-6-2
Street:	ALLEN STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.4
Opening Width:	50
Landing Width:	47
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-38-1
Street:	ARTHUR STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11
Opening Width:	57
Landing Width:	55
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-38-2
Street:	ARTHUR STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	9.5
Opening Width:	54
Landing Width:	53
Condition:	Fair
Ramp Compliance:	No




Ramp ID:	11-73-1
Street:	ASH STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	13.7
Opening Width:	64
Landing Width:	66
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-73-2
Street:	ASH STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Mix Materials
Det. Warning Panel:	No
Ramp Slope:	0.7
Opening Width:	68
Landing Width:	69
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-63-1
Street:	BATTISTA COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	-4.6
Opening Width:	69
Landing Width:	69
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-63-2
Street:	BATTISTA COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.1
Opening Width:	61
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-51-1
Street:	BEACON STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	8.1
Opening Width:	71
Landing Width:	77
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-51-2
Street:	BEACON STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.8
Opening Width:	86
Landing Width:	51
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-31-3
Street:	BEACON STREET
Intersecting Street:	PARK STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	0.7
Opening Width:	69
Landing Width:	69
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-31-4
Street:	BEACON STREET
Intersecting Street:	PARK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.2
Opening Width:	65
Landing Width:	65
Condition:	Good
Ramp Compliance:	No



Ramp ID:	5-17-1
Street:	BELMONT AVENUE
Intersecting Street:	HIGHLAND STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	6.3
Opening Width:	60
Landing Width:	60
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-1-2
Street:	BROOK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.7
Opening Width:	60
Landing Width:	60
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-1-3
Street:	BROOK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	Yes
Ramp Slope:	4.4
Opening Width:	61
Landing Width:	36
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-1-4
Street:	BROOK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.1
Opening Width:	58
Landing Width:	45
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-1-5
Street:	BROOK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.1
Opening Width:	62
Landing Width:	63
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-2-1
Street:	BROOK STREET
Intersecting Street:	FOREST STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.8
Opening Width:	80
Landing Width:	80
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-4-1
Street:	BROOK STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	23.6
Opening Width:	69
Landing Width:	69
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-4-2
Street:	BROOK STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	12.9
Opening Width:	64
Landing Width:	47
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-4-3
Street:	BROOK STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	8.2
Opening Width:	68
Landing Width:	64
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-5-1
Street:	BROOK STREET
Intersecting Street:	WEST STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.9
Opening Width:	63
Landing Width:	52
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-5-2
Street:	BROOK STREET
Intersecting Street:	WEST STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	16.4
Opening Width:	70
Landing Width:	56
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-48-1
Street:	BURDETT STREET
Intersecting Street:	PLEASANT STREET
Ramp Material:	Concrete
Det. Warning Panel:	Yes
Ramp Slope:	1.4
Opening Width:	62
Landing Width:	62
Condition:	Fair
Ramp Compliance:	Yes



Ramp ID:	11-48-2
Street:	BURDETT STREET
Intersecting Street:	PLEASANT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10.6
Opening Width:	80
Landing Width:	38
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	5-11-1
Street:	CATHERINE STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	-5.6
Opening Width:	57
Landing Width:	50
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	5-11-2
Street:	CATHERINE STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	13.8
Opening Width:	54
Landing Width:	69
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-13-1
Street:	CHESTNUT STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.7
Opening Width:	77
Landing Width:	53
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-13-4
Street:	CHESTNUT STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.3
Opening Width:	60
Landing Width:	55
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-13-5
Street:	CHESTNUT STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	30.9
Opening Width:	120
Landing Width:	86
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-13-6
Street:	CHESTNUT STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	17.1
Opening Width:	61
Landing Width:	76
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-21-1
Street:	CHESTNUT STREET
Intersecting Street:	APARTMENT COMPLEX
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.4
Opening Width:	81
Landing Width:	81
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-21-2
Street:	CHESTNUT STREET
Intersecting Street:	APARTMENT COMPLEX
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	15.3
Opening Width:	68
Landing Width:	53
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-21-3
Street:	CHESTNUT STREET
Intersecting Street:	APARTMENT COMPLEX
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.2
Opening Width:	47
Landing Width:	47
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-21-4
Street:	CHESTNUT STREET
Intersecting Street:	APARTMENT COMPLEX
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	17.6
Opening Width:	64
Landing Width:	55
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-26-1
Street:	CHESTNUT STREET
Intersecting Street:	MECHANIC STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	10.2
Opening Width:	109
Landing Width:	81
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-26-2
Street:	CHESTNUT STREET
Intersecting Street:	MECHANIC STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	16.9
Opening Width:	49
Landing Width:	49
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-45-1
Street:	CHESTNUT STREET
Intersecting Street:	PRIVATE DRIVE
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	0
Opening Width:	0
Landing Width:	0
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-45-2
Street:	CHESTNUT STREET
Intersecting Street:	PRIVATE DRIVE
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	0
Opening Width:	0
Landing Width:	0
Condition:	Poor
Ramp Compliance:	No

Ramp ID:	11-49-3
Street:	CHESTNUT STREET
Intersecting Street:	UNION STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.7
Opening Width:	62
Landing Width:	87
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-67-1
Street:	CHESTNUT STREET
Intersecting Street:	LEIGTON AVENUE
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	-9
Opening Width:	73
Landing Width:	73
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-51-3
Street:	CHESTNUT STREET
Intersecting Street:	NASHUA STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.6
Opening Width:	61
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-51-4
Street:	CHESTNUT STREET
Intersecting Street:	NASHUA STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.3
Opening Width:	66
Landing Width:	58
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-53-3
Street:	CHESTNUT STREET
Intersecting Street:	GREEN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.6
Opening Width:	96
Landing Width:	96
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-53-4
Street:	CHESTNUT STREET
Intersecting Street:	GREEN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.8
Opening Width:	68
Landing Width:	68
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-20-1
Street:	CHESTNUT STREET
Intersecting Street:	PEARL STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	21.1
Opening Width:	50
Landing Width:	56
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-10-2
Street:	CHURCH STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.9
Opening Width:	85
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-10-3
Street:	CHURCH STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7
Opening Width:	107
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-10-6
Street:	CHURCH STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.4
Opening Width:	60
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-10-7
Street:	CHURCH STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.2
Opening Width:	94
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-13-2
Street:	CHURCH STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	12.4
Opening Width:	50
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-13-3
Street:	CHURCH STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.9
Opening Width:	52
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-16-2
Street:	CHURCH STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.4
Opening Width:	50
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-16-3
Street:	CHURCH STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.7
Opening Width:	82
Landing Width:	68
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-16-4
Street:	CHURCH STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3
Opening Width:	81
Landing Width:	72
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-16-5
Street:	CHURCH STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7
Opening Width:	50
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-18-1
Street:	CHURCH STREET
Intersecting Street:	COOLIDGE PL
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	21.6
Opening Width:	81
Landing Width:	51
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-18-2
Street:	CHURCH STREET
Intersecting Street:	COOLIDGE PL
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.9
Opening Width:	60
Landing Width:	60
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-20-1
Street:	CHURCH STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	12
Opening Width:	81
Landing Width:	37
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-20-2
Street:	CHURCH STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	12.5
Opening Width:	69
Landing Width:	29
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-20-5
Street:	CHURCH STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.2
Opening Width:	49
Landing Width:	36
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-20-6
Street:	CHURCH STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.1
Opening Width:	49
Landing Width:	46
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-20-7
Street:	CHURCH STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.5
Opening Width:	72
Landing Width:	72
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-3-1
Street:	CHURCH STREET
Intersecting Street:	PRESCOTT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10.8
Opening Width:	59
Landing Width:	59
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-21-1
Street:	CLARK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	14.9
Opening Width:	41
Landing Width:	32
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-21-2
Street:	CLARK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.8
Opening Width:	84
Landing Width:	84
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-51-1
Street:	CLARK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.4
Opening Width:	84
Landing Width:	84
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-51-2
Street:	CLARK STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7
Opening Width:	62
Landing Width:	66
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-51-3
Street:	CLARK STREET
Intersecting Street:	NONE
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	5.2
Opening Width:	87
Landing Width:	58
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-41-1
Street:	COACHLACE STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	11
Opening Width:	65
Landing Width:	50
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-46-1
Street:	COACHLACE STREET
Intersecting Street:	COACHLACE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10.9
Opening Width:	65
Landing Width:	65
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-54-5
Street:	DEPOT SQUARE
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.8
Opening Width:	62
Landing Width:	84
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-59-1
Street:	DEPOT SQUARE
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.8
Opening Width:	40
Landing Width:	39
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-59-2
Street:	DEPOT SQUARE
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	10.7
Opening Width:	41
Landing Width:	80
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-14-1
Street:	DEPOT SQUARE
Intersecting Street:	STERLING STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.8
Opening Width:	43
Landing Width:	66
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-14-2
Street:	DEPOT SQUARE
Intersecting Street:	STERLING STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.3
Opening Width:	40
Landing Width:	72
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-14-3
Street:	DOGGET COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.6
Opening Width:	102
Landing Width:	102
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-14-4
Street:	DOGGET COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.4
Opening Width:	120
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-61-1
Street:	FAIRMOUNT STREET
Intersecting Street:	PARK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	-3.2
Opening Width:	72
Landing Width:	63
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-61-2
Street:	FAIRMOUNT STREET
Intersecting Street:	PARK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.3
Opening Width:	61
Landing Width:	51
Condition:	Good
Ramp Compliance:	No



Ramp ID:	10-4-1
Street:	FITCH ROAD
Intersecting Street:	LAKESIDE AVENUE
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.1
Opening Width:	62
Landing Width:	66
Condition:	Good
Ramp Compliance:	No



Ramp ID:	10-4-2
Street:	FITCH ROAD
Intersecting Street:	LAKESIDE AVENUE
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	4.8
Opening Width:	96
Landing Width:	70
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-63-1
Street:	FOREST AVENUE
Intersecting Street:	FLAGG STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	-4.9
Opening Width:	60
Landing Width:	60
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-63-2
Street:	FOREST AVENUE
Intersecting Street:	FLAGG STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	1.3
Opening Width:	69
Landing Width:	76
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-32-1
Street:	FRANKLIN STREET
Intersecting Street:	PARK STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	23
Opening Width:	48
Landing Width:	50
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-34-1
Street:	FRANKLIN STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	12.5
Opening Width:	120
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-33-1
Street:	FRONT STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	17
Opening Width:	64
Landing Width:	56
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-33-2
Street:	FRONT STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10.4
Opening Width:	56
Landing Width:	60
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-41-1
Street:	GOSS STREET
Intersecting Street:	ROMA STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.1
Opening Width:	59
Landing Width:	49
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-52-1
Street:	GREELEY STREET
Intersecting Street:	RIGBY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	9.5
Opening Width:	71
Landing Width:	73
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	5-5-1
Street:	GREELEY STREET
Intersecting Street:	DEWEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	6.4
Opening Width:	51
Landing Width:	62
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-53-1
Street:	GREEN STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.6
Opening Width:	62
Landing Width:	58
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-53-2
Street:	GREEN STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	16.6
Opening Width:	82
Landing Width:	71
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-33-1
Street:	GROVE STREET
Intersecting Street:	MECHANIC STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	13
Opening Width:	69
Landing Width:	69
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	5-19-1
Street:	HARKINS STREET
Intersecting Street:	HIGHLAND STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	7.2
Opening Width:	120
Landing Width:	100
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-10-1
Street:	HIGH STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.6
Opening Width:	59
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-10-4
Street:	HIGH STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.6
Opening Width:	60
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-10-5
Street:	HIGH STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.5
Opening Width:	62
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-10-8
Street:	HIGH STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7.1
Opening Width:	60
Landing Width:	120
Condition:	Good
Ramp Compliance:	No




Ramp ID:	11-14-1
Street:	HIGH STREET
Intersecting Street:	DOGGET COURT
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.4
Opening Width:	60
Landing Width:	53
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-14-2
Street:	HIGH STREET
Intersecting Street:	DOGGET COURT
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4
Opening Width:	58
Landing Width:	58
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-56-1
Street:	HIGH STREET
Intersecting Street:	WATER STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.8
Opening Width:	67
Landing Width:	63
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-56-4
Street:	HIGH STREET
Intersecting Street:	WATER STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.2
Opening Width:	60
Landing Width:	51
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-56-5
Street:	HIGH STREET
Intersecting Street:	WATER STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.7
Opening Width:	57
Landing Width:	49
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-56-8
Street:	HIGH STREET
Intersecting Street:	WATER STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2
Opening Width:	60
Landing Width:	62
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-37-1
Street:	HIGH STREET
Intersecting Street:	HAMILTON STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.8
Opening Width:	112
Landing Width:	47
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	5-2-1
Street:	HIGHLAND STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	1.8
Opening Width:	120
Landing Width:	120
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	2-3-1
Street:	JEWITT COURT
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	8.4
Opening Width:	70
Landing Width:	58
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	2-3-2
Street:	JEWITT COURT
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	13
Opening Width:	60
Landing Width:	54
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	10-7-1
Street:	LAKESIDE AVENUE
Intersecting Street:	LAKESIDE AVE-01
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	10.6
Opening Width:	45
Landing Width:	98
Condition:	Good
Ramp Compliance:	No




Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture


Ramp ID:	10-7-2
Street:	LAKESIDE AVENUE
Intersecting Street:	LAKESIDE AVE-01
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.5
Opening Width:	62
Landing Width:	62
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-31-1
Street:	LAUREL STREET
Intersecting Street:	STONE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	9
Opening Width:	43
Landing Width:	45
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-47-1
Street:	LAUREL STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	13
Opening Width:	56
Landing Width:	56
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	5-7-1
Street:	LAWRENCE STREET
Intersecting Street:	STERLING STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10.5
Opening Width:	46
Landing Width:	51
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-62-1
Street:	LAWRENCE STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	9.3
Opening Width:	99
Landing Width:	86
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-25-1
Street:	MAIN STREET
Intersecting Street:	UNION STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.7
Opening Width:	52
Landing Width:	37
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-27-1
Street:	MAIN STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.7
Opening Width:	63
Landing Width:	62
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-27-2
Street:	MAIN STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.2
Opening Width:	82
Landing Width:	78
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture


Ramp ID:	11-54-3
Street:	MAIN STREET
Intersecting Street:	WATER STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.5
Opening Width:	59
Landing Width:	59
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-54-4
Street:	MAIN STREET
Intersecting Street:	DEPOT SQUARE
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.1
Opening Width:	58
Landing Width:	57
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-54-6
Street:	MAIN STREET
Intersecting Street:	DEPOT SQUARE
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.3
Opening Width:	60
Landing Width:	58
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-1-1
Street:	MAIN STREET
Intersecting Street:	BROOK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7
Opening Width:	65
Landing Width:	65
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-1-6
Street:	MAIN STREET
Intersecting Street:	BROOK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.7
Opening Width:	64
Landing Width:	63
Condition:	Good
Ramp Compliance:	No



Ramp ID:	15-8-1
Street:	MAIN STREET SOUTH
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	3.9
Opening Width:	77
Landing Width:	77
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-24-1
Street:	MAPLE STREET
Intersecting Street:	STERLING STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	7.4
Opening Width:	95
Landing Width:	95
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-52-1
Street:	MARSHALL STREET
Intersecting Street:	LAWRENCE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	9.7
Opening Width:	50
Landing Width:	34
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-38-1
Street:	MECHANIC STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.6
Opening Width:	61
Landing Width:	74
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-13-1
Street:	NASHUA STREET
Intersecting Street:	GROVE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	20.7
Opening Width:	120
Landing Width:	81
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-51-1
Street:	NASHUA STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.8
Opening Width:	61
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Ramp ID:	16-51-2
Street:	NASHUA STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.6
Opening Width:	60
Landing Width:	60
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-23-1
Street:	NELSON STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.4
Opening Width:	55
Landing Width:	74
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-23-2
Street:	NELSON STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	17.9
Opening Width:	51
Landing Width:	39
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-44-1
Street:	NEW HARBOR ROAD
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	11.4
Opening Width:	72
Landing Width:	62
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-8-1
Street:	NEW HARBOR ROAD
Intersecting Street:	WATSON PLACE
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	-7.7
Opening Width:	58
Landing Width:	53
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-43-1
Street:	NORMAN STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	17.9
Opening Width:	77
Landing Width:	94
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-45-1
Street:	OLIVE STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	11.4
Opening Width:	49
Landing Width:	59
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-31-1
Street:	PARK STREET
Intersecting Street:	BEACON STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.4
Opening Width:	50
Landing Width:	64
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-31-2
Street:	PARK STREET
Intersecting Street:	BEACON STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	6
Opening Width:	120
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-32-1
Street:	PARK STREET
Intersecting Street:	SUMMIT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	10.5
Opening Width:	22
Landing Width:	51
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-32-2
Street:	PARK STREET
Intersecting Street:	SUMMIT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	16.3
Opening Width:	70
Landing Width:	64
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	16-56-1
Street:	PARK STREET
Intersecting Street:	FRONT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	4
Opening Width:	73
Landing Width:	68
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-64-1
Street:	PARKER STREET
Intersecting Street:	LAWRENCE STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.3
Opening Width:	120
Landing Width:	52
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-64-2
Street:	PARKER STREET
Intersecting Street:	LAWRENCE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	8.9
Opening Width:	67
Landing Width:	67
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-7-1
Street:	PARKER STREET
Intersecting Street:	BROOK STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	8.5
Opening Width:	103
Landing Width:	77
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-57-1
Street:	PEARL STREET
Intersecting Street:	WATER STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	-4.6
Opening Width:	52
Landing Width:	63
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-57-2
Street:	PEARL STREET
Intersecting Street:	WATER STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	15.7
Opening Width:	53
Landing Width:	53
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-44-1
Street:	PEARL STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	12.3
Opening Width:	61
Landing Width:	67
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-44-2
Street:	PEARL STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.7
Opening Width:	50
Landing Width:	50
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-53-1
Street:	PIERCE PLACE
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.6
Opening Width:	84
Landing Width:	84
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-53-2
Street:	PIERCE PLACE
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.2
Opening Width:	72
Landing Width:	72
Condition:	Fair
Ramp Compliance:	No




Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture


Ramp ID:	6-56-1
Street:	PLAIN STREET
Intersecting Street:	EAST STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.5
Opening Width:	59
Landing Width:	47
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-57-1
Street:	PLAIN STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	6.9
Opening Width:	34
Landing Width:	36
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-57-2
Street:	PLAIN STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	7.7
Opening Width:	69
Landing Width:	56
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-57-3
Street:	PLAIN STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	16.4
Opening Width:	67
Landing Width:	64
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-59-1
Street:	PLAIN STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	Yes
Ramp Slope:	9.9
Opening Width:	77
Landing Width:	77
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-37-3
Street:	PLEASANT STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0
Opening Width:	0
Landing Width:	0
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-37-4
Street:	PLEASANT STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.9
Opening Width:	48
Landing Width:	48
Condition:	Good
Ramp Compliance:	No

Ramp ID:	11-70-1
Street:	POND COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.9
Opening Width:	90
Landing Width:	90
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-70-2
Street:	POND COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7.9
Opening Width:	82
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-71-1
Street:	POND COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.5
Opening Width:	81
Landing Width:	81
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-71-2
Street:	POND COURT
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	16.7
Opening Width:	79
Landing Width:	79
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-66-1
Street:	PROSPECT STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.8
Opening Width:	60
Landing Width:	60
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-66-2
Street:	PROSPECT STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.3
Opening Width:	60
Landing Width:	60
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-72-2
Street:	PROSPECT STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Mix Materials
Det. Warning Panel:	No
Ramp Slope:	7.9
Opening Width:	60
Landing Width:	60
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-72-3
Street:	PROSPECT STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Mix Materials
Det. Warning Panel:	No
Ramp Slope:	18.7
Opening Width:	120
Landing Width:	54
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-72-4
Street:	PROSPECT STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	2.4
Opening Width:	75
Landing Width:	75
Condition:	Fair
Ramp Compliance:	No




Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-72-5
Street:	PROSPECT STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	2
Opening Width:	66
Landing Width:	66
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-79-1
Street:	PROSPECT STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	11.8
Opening Width:	48
Landing Width:	81
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-79-2
Street:	PROSPECT STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7.8
Opening Width:	82
Landing Width:	51
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-68-1
Street:	RICHARDSON PLACE
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.5
Opening Width:	64
Landing Width:	64
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-20-1
Street:	RICHMAN STREET
Intersecting Street:	FAIRMOUNT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.9
Opening Width:	57
Landing Width:	57
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-78-1
Street:	RING STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.7
Opening Width:	64
Landing Width:	64
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-78-2
Street:	RING STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	10.5
Opening Width:	72
Landing Width:	72
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-42-1
Street:	ROMA STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Mix Materials
Det. Warning Panel:	No
Ramp Slope:	20.9
Opening Width:	51
Landing Width:	51
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-42-2
Street:	ROMA STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.5
Opening Width:	71
Landing Width:	71
Condition:	Good
Ramp Compliance:	No



Ramp ID:	5-8-1
Street:	SAND COURT
Intersecting Street:	LAWRENCE STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	4
Opening Width:	55
Landing Width:	50
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-20-3
Street:	SCHOOL STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.7
Opening Width:	58
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-20-4
Street:	SCHOOL STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.4
Opening Width:	45
Landing Width:	36
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-2-1
Street:	SCHOOL STREET
Intersecting Street:	UNION STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.2
Opening Width:	60
Landing Width:	69
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-2-2
Street:	SCHOOL STREET
Intersecting Street:	UNION STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	17
Opening Width:	63
Landing Width:	63
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-37-1
Street:	SCHOOL STREET
Intersecting Street:	PLEASANT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.2
Opening Width:	48
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-37-2
Street:	SCHOOL STREET
Intersecting Street:	PLEASANT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.2
Opening Width:	48
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Ramp ID:	5-13-1
Street:	STERLING STREET
Intersecting Street:	BROOK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.8
Opening Width:	120
Landing Width:	120
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	5-13-2
Street:	STERLING STREET
Intersecting Street:	BROOK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.4
Opening Width:	66
Landing Width:	60
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-27-1
Street:	STERLING STREET
Intersecting Street:	RR CROSSING
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.1
Opening Width:	60
Landing Width:	60
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-27-2
Street:	STERLING STREET
Intersecting Street:	RR CROSSING
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7.2
Opening Width:	66
Landing Width:	66
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-27-3
Street:	STERLING STREET
Intersecting Street:	RR CROSSING
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.4
Opening Width:	70
Landing Width:	66
Condition:	Good
Ramp Compliance:	No



Ramp ID:	6-27-4
Street:	STERLING STREET
Intersecting Street:	RR CROSSING
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3
Opening Width:	68
Landing Width:	72
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	6-29-1
Street:	STERLING STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Mix Materials
Det. Warning Panel:	No
Ramp Slope:	7.1
Opening Width:	107
Landing Width:	74
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	6-29-2
Street:	STERLING STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10
Opening Width:	77
Landing Width:	77
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-30-1
Street:	SUMMIT STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	10.7
Opening Width:	80
Landing Width:	109
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-30-2
Street:	SUMMIT STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	11.8
Opening Width:	98
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	16-32-3
Street:	SUMMIT STREET
Intersecting Street:	PARK STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	-4.7
Opening Width:	67
Landing Width:	72
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-15-1
Street:	UNION STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	7.7
Opening Width:	48
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-15-2
Street:	UNION STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	9.4
Opening Width:	48
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-15-5
Street:	UNION STREET
Intersecting Street:	WALNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	10.9
Opening Width:	47
Landing Width:	47
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-2-3
Street:	UNION STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	7.9
Opening Width:	53
Landing Width:	53
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-2-4
Street:	UNION STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.9
Opening Width:	58
Landing Width:	45
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-2-5
Street:	UNION STREET
Intersecting Street:	SCHOOL STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.3
Opening Width:	95
Landing Width:	78
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-25-2
Street:	UNION STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.9
Opening Width:	40
Landing Width:	36
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-49-1
Street:	UNION STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.5
Opening Width:	46
Landing Width:	46
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-49-2
Street:	UNION STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.7
Opening Width:	50
Landing Width:	49
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-49-4
Street:	UNION STREET
Intersecting Street:	CHESTNUT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	0.8
Opening Width:	78
Landing Width:	78
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-5-1
Street:	UNION STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.9
Opening Width:	60
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-5-2
Street:	UNION STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.5
Opening Width:	63
Landing Width:	63
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-5-3
Street:	UNION STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	6.6
Opening Width:	97
Landing Width:	100
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-5-4
Street:	UNION STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	11.9
Opening Width:	120
Landing Width:	120
Condition:	Good
Ramp Compliance:	No



Ramp ID:	5-20-1
Street:	VIEW STREET
Intersecting Street:	GREELEY STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	9.6
Opening Width:	97
Landing Width:	97
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-15-3
Street:	WALNUT STREET
Intersecting Street:	UNION STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	0.4
Opening Width:	51
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-15-4
Street:	WALNUT STREET
Intersecting Street:	UNION STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.6
Opening Width:	49
Landing Width:	48
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-16-1
Street:	WALNUT STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	3.1
Opening Width:	50
Landing Width:	52
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-16-6
Street:	WALNUT STREET
Intersecting Street:	CHURCH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.9
Opening Width:	50
Landing Width:	50
Condition:	Poor
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-72-1
Street:	WALNUT STREET
Intersecting Street:	PROSPECT STREET
Ramp Material:	Mix Materials
Det. Warning Panel:	No
Ramp Slope:	7
Opening Width:	48
Landing Width:	48
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	11-72-6
Street:	WALNUT STREET
Intersecting Street:	PROSPECT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	3.6
Opening Width:	66
Landing Width:	66
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-6-1
Street:	WASHINGTON STREET
Intersecting Street:	BROOK STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	15.7
Opening Width:	76
Landing Width:	60
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	11-54-1
Street:	WATER STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	8.6
Opening Width:	60
Landing Width:	58
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-54-2
Street:	WATER STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.9
Opening Width:	60
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-56-2
Street:	WATER STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.2
Opening Width:	60
Landing Width:	58
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-56-3
Street:	WATER STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	5.4
Opening Width:	61
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Ramp ID:	11-56-6
Street:	WATER STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	2.2
Opening Width:	60
Landing Width:	60
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-56-7
Street:	WATER STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	1.4
Opening Width:	61
Landing Width:	61
Condition:	Good
Ramp Compliance:	No



Ramp ID:	15-18-1
Street:	WEST BOYLSTON STREET
Intersecting Street:	SCHOOL PARKING LOT
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	2.8
Opening Width:	83
Landing Width:	78
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	15-18-2
Street:	WEST BOYLSTON STREET
Intersecting Street:	SCHOOL PARKING LOT
Ramp Material:	Concrete
Det. Warning Panel:	No
Ramp Slope:	4.6
Opening Width:	46
Landing Width:	55
Condition:	Good
Ramp Compliance:	No



Ramp ID:	15-18-3
Street:	WEST BOYLSTON STREET
Intersecting Street:	SCHOOL PARKING LOT
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	5.1
Opening Width:	120
Landing Width:	120
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	11-76-1
Street:	WHITE COURT
Intersecting Street:	PROSPECT STREET
Ramp Material:	Concrete
Det. Warning Panel:	Yes
Ramp Slope:	3.3
Opening Width:	49
Landing Width:	49
Condition:	Fair
Ramp Compliance:	Yes



Ramp ID:	11-76-2
Street:	WHITE COURT
Intersecting Street:	PROSPECT STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	-8.4
Opening Width:	52
Landing Width:	52
Condition:	Poor
Ramp Compliance:	No



Ramp ID:	15-3-1
Street:	WINTER STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	2.4
Opening Width:	51
Landing Width:	51
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	15-3-2
Street:	WINTER STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	7.9
Opening Width:	86
Landing Width:	71
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	15-7-1
Street:	WINTHROP STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	14.5
Opening Width:	63
Landing Width:	58
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	15-7-2
Street:	WINTHROP STREET
Intersecting Street:	MAIN STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	8
Opening Width:	48
Landing Width:	52
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-37-2
Street:	WORCESTER STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	2.8
Opening Width:	74
Landing Width:	74
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	6-37-3
Street:	WORCESTER STREET
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	4.5
Opening Width:	120
Landing Width:	120
Condition:	Fair
Ramp Compliance:	No



Town of Clinton, Massachusetts

Ramp Inspection Program - Ramp Inspection Data and Picture

Ramp ID:	2-10-1
Street:	WWTP Entrance
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	0.1
Opening Width:	84
Landing Width:	65
Condition:	Good
Ramp Compliance:	No



Ramp ID:	2-10-2
Street:	WWTP Entrance
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	0.9
Opening Width:	100
Landing Width:	75
Condition:	Fair
Ramp Compliance:	No



Ramp ID:	2-17-1
Street:	WWTP Entrance
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	6.3
Opening Width:	89
Landing Width:	68
Condition:	Good
Ramp Compliance:	No



Ramp ID:	2-17-2
Street:	WWTP Entrance
Intersecting Street:	HIGH STREET
Ramp Material:	Asphalt
Det. Warning Panel:	No
Ramp Slope:	5.7
Opening Width:	103
Landing Width:	80
Condition:	Good
Ramp Compliance:	No



Town of Clinton, Massachusetts

Sign Totals By Street

Street	Number of Signs
ALLEN STREET	4
ASH STREET	6
BEACON COURT	1
BEACON STREET	4
BELMONT AVENUE	2
BROADWAY	3
BROOK STREET	17
CHESTNUT STREET	33
CHURCH STREET	29
CLARK STREET	5
DEPOT SQUARE	5
EAST STREET	6
FAIRMOUNT STREET	1
FITCH ROAD	4
FLAGG STREET	3
FOREST AVENUE	3
FOREST STREET	4
FRANKLIN STREET	2
FULLER STREET	3
GREELEY STREET	9
GROVE STREET	14
HAMILTON STREET	1
HARBOR STREET	3
HIGH STREET	52
HIGHLAND AVENUE	1
HIGHLAND STREET	12
LAKESIDE AVENUE	8
LAUREL STREET	2
LAWRENCE STREET	11
LEWIS STREET	1
LONGEDGE ROAD	1
LOWE STREET	1
MAIN STREET	100
MAPLE STREET	1
MECHANIC STREET	5
MORGAN AVENUE	4

Street	Number of Signs
NASHUA STREET	3
NELSON STREET	3
NEW HARBOR ROAD	6
NORMAN STREET	1
NORTH WALNUT STREET	1
PALMER COURT	2
PARK STREET	1
PARKER STREET	7
PEARL STREET	6
PIERCE PLACE	2
PINE STREET	5
PINE STREET EXTENSION	3
PLAIN STREET	4
PLEASANT STREET	12
POND COURT	2
PROSPECT STREET	2
RICHMAN STREET	1
RIGBY LANE	1
RIGBY STREET	1
RIVERSIDE DRIVE	1
SCHOOL STREET	13
SIMON COURT	1
SOUTH MEADOW ROAD	8
SPRAGUE ROAD	5
STERLING STREET	18
STONE STREET	5
SUMMIT STREET	2
UNION STREET	23
VIEW STREET	1
WALNUT STREET	11
WASHINGTON STREET	2
WATER STREET	16
WATSON PLACE	1
WEST STREET	4
WHITE COURT	4
WILKATE PLACE	1
WILLOW STREET	1
WILLOW STREET EXTENSION	1

Street	Number of Signs
WOODLAWN STREET	3
WORCESTER STREET	7
Total:	552

Town of Clinton, Massachusetts

Sign Totals By Street With Description and MUTCD Compliance - Total 552

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
ALLEN STREET		4 Signs		
2-1	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
2-2	Regulatory Sign	No Parking Anytime	Engineering Grade	No
2-3	Regulatory Sign	Stop	HI Prismatic	Yes
2-9	Regulatory Sign	Stop	HI Prismatic	Yes
ASH STREET		6 Signs		
11-136	Warning Sign	Dead End	Engineering Grade	No
11-137	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-138	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-168	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-169	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-170	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
BEACON COURT		1 Signs		
16-23	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
BEACON STREET		4 Signs		
11-172	Unlisted Sign	Caution Handicapped Child	HI Prismatic	No
16-1	Regulatory Sign	Stop	Engineering Grade	No
16-22	Regulatory Sign	Do Not Enter	HI Prismatic	Yes
16-24	Unlisted Sign	One Way Do Not Enter	Engineering Grade	No
BELMONT AVENUE		2 Signs		
5-23	Unlisted Sign	Children	Engineering Grade	No
5-24	Unlisted Sign	Children	Engineering Grade	No
BROADWAY		3 Signs		
5-26	Warning Sign	Dead End	Engineering Grade	No
5-27	Warning Sign	Dead End	Engineering Grade	No
5-28	Regulatory Sign	Stop	HI Prismatic	No
BROOK STREET		17 Signs		
5-6	Guide Sign	Destination Sign	HI Prismatic	Yes
6-115	Regulatory Sign	Stop	HI Prismatic	Yes
6-116	Regulatory Sign	Stop	HI Prismatic	Yes
6-19.A	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic	Yes
6-19.B	Guide Sign	Route Sign	DG Prismatic	No
6-20	Guide Sign	Route Sign	DG Prismatic	No
6-21	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic	Yes
6-22	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
6-23	Unlisted Sign	Children	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
6-24.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
6-24.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
6-28	Guide Sign	Route Sign	DG Prismatic	No
6-29	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
6-30	Regulatory Sign	Stop	HI Prismatic	Yes
6-83	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
6-84	Regulatory Sign	Stop	HI Prismatic	Yes
6-85	Guide Sign	Route Sign	DG Prismatic	No
CHESTNUT STREET		33 Signs		
11-156	Regulatory Sign	Stop	HI Prismatic	Yes
11-157	Regulatory Sign	Van Accessible (blue background)	Engineering Grade	No
11-158	Unlisted Sign	Slow Elderly	Engineering Grade	No
11-173.A	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic	Yes
11-173.B	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic	Yes
11-174	Warning Sign	Cross Road	Engineering Grade	No
11-175	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
11-176	Regulatory Sign	Keep Right (symbol)	Engineering Grade	No
11-177	Regulatory Sign	Stop	Engineering Grade	No
11-178	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-192	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-193.A	Guide Sign	Route Sign	Engineering Grade	No
11-193.B	Guide Sign	Route Sign	Engineering Grade	No
11-194	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-195	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-196	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-197	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-200	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-201	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-202	Unlisted Sign	Slow Elderly	Engineering Grade	No
11-203	Unlisted Sign	Caution Deaf Child	Engineering Grade	No
11-204	Warning Sign	Pedestrian	DG Prismatic	Yes
11-205	Warning Sign	Stop Ahead (symbol)	Engineering Grade	No
11-206	Regulatory Sign	Stop	HI Prismatic	Yes
11-207.A	Regulatory Sign	Stop	HI Prismatic	Yes
11-207.B	Unlisted Sign	Stop Line	Engineering Grade	No
11-208	Unlisted Sign	No Thru Trucks	Engineering Grade	No
11-209.A	Guide Sign	Route Sign	DG Prismatic	Yes
11-209.B	Guide Sign	Route Sign	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
11-209.C	Guide Sign	Route Sign	DG Prismatic	Yes
11-221	Regulatory Sign	No Parking Any Time	Engineering Grade	No
16-25	Warning Sign	Pedestrian Crossing	DG Prismatic	Yes
16-26	Warning Sign	Pedestrian Crossing	DG Prismatic	Yes

CHURCH STREET 29 Signs

11-108	School Sign	School Speed Limit	Engineering Grade	No
11-109	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-110	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-111	Regulatory Sign	Van Accessible (blue background)	HI Prismatic	No
11-112	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-113.A	Regulatory Sign	Stop	Engineering Grade	No
11-113.B	Regulatory Sign	No Trucks (symbol)	Engineering Grade	No
11-114	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-115	Regulatory Sign	Stop	HI Prismatic	Yes
11-116	Regulatory Sign	Van Accessible (blue background)	HI Prismatic	No
11-117	Regulatory Sign	Stop	HI Prismatic	Yes
11-118	Unlisted Sign	No Commercial Vehicle Parking	Engineering Grade	No
11-119	Warning Sign	Stop Ahead (symbol)	HI Prismatic	Yes
11-120	Regulatory Sign	Stop	HI Prismatic	Yes
11-121	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-130	Regulatory Sign	Stop	HI Prismatic	Yes
11-131	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-132	Regulatory Sign	Stop	Engineering Grade	No
11-133	Unlisted Sign	No Trucks Allowed	Engineering Grade	No
11-134	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-135	School Sign	School Speed Limit	DG Prismatic	Yes
11-139	Warning Sign	Signal Ahead (symbol)	HI Prismatic	Yes
11-140	Unlisted Sign	Do Not Block Driveway	Engineering Grade	No
11-141.A	Regulatory Sign	No Turn On Red (4 line)	HI Prismatic	Yes
11-141.B	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
11-141.C	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
11-142	Regulatory Sign	No Turn On Red (3 line)	HI Prismatic	Yes
11-93	Unlisted Sign	Hidden Driveway	HI Prismatic	No
11-94	School Sign	School Speed Limit	DG Prismatic	Yes

CLARK STREET 5 Signs

6-117	Regulatory Sign	Stop	HI Prismatic	Yes
6-118	Unlisted Sign	Children	Engineering Grade	No
6-54	Regulatory Sign	Stop	HI Prismatic	Yes

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
6-55	Unlisted Sign	Children	Engineering Grade	No
6-56	Regulatory Sign	Stop	HI Prismatic	Yes
DEPOT SQUARE		5 Signs		
11-67.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
11-67.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
11-68	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic	No
6-35	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic	No
6-36	Regulatory Sign	No Parking Anytime	Engineering Grade	No
EAST STREET		6 Signs		
6-103	Regulatory Sign	Stop	HI Prismatic	Yes
6-104	Unlisted Sign	Children	Engineering Grade	No
6-105	Regulatory Sign	Stop	HI Prismatic	Yes
6-106	Regulatory Sign	Stop	Engineering Grade	No
6-107	Regulatory Sign	Stop	Engineering Grade	No
6-108	Warning Sign	Dead End	Engineering Grade	No
FAIRMOUNT STREET		1 Signs		
16-5	Warning Sign	Dead End	Engineering Grade	No
FITCH ROAD		4 Signs		
10-3	Unlisted Sign	Children	Engineering Grade	No
10-4	Unlisted Sign	Blind Driveway (Ahead)	Engineering Grade	No
10-5	Unlisted Sign	Deaf Person Area	Engineering Grade	No
10-9	Regulatory Sign	Stop	Engineering Grade	No
FLAGG STREET		3 Signs		
6-46	Unlisted Sign	No Thru Trucks	Engineering Grade	No
6-47	Regulatory Sign	No Trucks	Engineering Grade	No
6-48	Unlisted Sign	No Thru Traffic	Engineering Grade	No
FOREST AVENUE		3 Signs		
6-50	Regulatory Sign	One Way (arrow)	Engineering Grade	No
6-51	Unlisted Sign	Caution Deaf Child	Engineering Grade	No
6-52	Regulatory Sign	Do Not Enter	Engineering Grade	No
FOREST STREET		4 Signs		
6-109	Unlisted Sign	Children	Engineering Grade	No
6-110	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-111	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-114	Unlisted Sign	Children	Engineering Grade	No
FRANKLIN STREET		2 Signs		
11-171	Regulatory Sign	Stop	HI Prismatic	Yes
11-210	School Sign	School Speed Limit	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
FULLER STREET		3 Signs		
2-4	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
2-5	Regulatory Sign	No Parking Anytime	Engineering Grade	No
2-6	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
GREELEY STREET		9 Signs		
1-1	Unlisted Sign	Children	Engineering Grade	No
11-23	Regulatory Sign	Stop	Engineering Grade	No
5-3	Unlisted Sign	Children	Engineering Grade	No
6-10	Regulatory Sign	Stop	Engineering Grade	No
6-11	Unlisted Sign	No Trucks Except Hospital Delivery	Engineering Grade	No
6-26	Regulatory Sign	Stop	HI Prismatic	No
6-27	Regulatory Sign	Stop	HI Prismatic	Yes
6-8	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
6-9	Regulatory Sign	Stop	HI Prismatic	Yes
GROVE STREET		14 Signs		
11-160	Regulatory Sign	Stop	Engineering Grade	No
11-212	Regulatory Sign	No Parking Any Time	HI Prismatic	Yes
16-10	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
16-11	Regulatory Sign	No Parking Any Time	HI Prismatic	Yes
16-12	Warning Sign	Dead End	Engineering Grade	No
16-13	Unlisted Sign	Children	Engineering Grade	No
16-14	Unlisted Sign	Handicap Access Do Not Block Or Vehicle Will Be Towed	Engineering Grade	No
16-15	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
16-16	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
16-17	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
16-18	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
16-8	Regulatory Sign	No Parking Any Time	HI Prismatic	Yes
16-9.A	Unlisted Sign	Children	HI Prismatic	No
16-9.B	Regulatory Sign	No Parking Any Time	HI Prismatic	Yes
HAMILTON STREET		1 Signs		
6-102	Regulatory Sign	Stop	HI Prismatic	Yes
HARBOR STREET		3 Signs		
10-24	Warning Sign	Dead End	Engineering Grade	No
10-25.A	Guide Sign	Mile Marker	Engineering Grade	No
10-25.B	Unlisted Sign	No Walking of Dogs	Engineering Grade	No
HIGH STREET		52 Signs		
11-16	Regulatory Sign	Van Accessible (blue background)	HI Prismatic	No
11-17	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
11-18	Regulatory Sign	Reserved Parking For Handicapped	Engineering Grade	No
11-19	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-2	Guide Sign	Destination Sign	HI Prismatic	Yes
11-20	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-21	Regulatory Sign	No Parking Loading Zone	HI Prismatic	Yes
11-22.A	Guide Sign	Route Sign	Engineering Grade	No
11-22.B	Guide Sign	Route Sign	Engineering Grade	No
11-22.C	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-3	Guide Sign	Destination Sign	HI Prismatic	Yes
11-32	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-33.A	Regulatory Sign	Stop	Engineering Grade	No
11-33.B	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-34.A	Guide Sign	Destination Sign	HI Prismatic	Yes
11-34.B	Guide Sign	Destination Sign	HI Prismatic	Yes
11-4	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-46	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-47	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-48	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-49	Regulatory Sign	No Parking Loading Zone	HI Prismatic	Yes
11-5	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-50	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-51	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-52	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-53	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-6	Regulatory Sign	Van Accessible (blue background)	HI Prismatic	No
11-69	Unlisted Sign	Parking For Senior Citizen Center	Engineering Grade	No
11-70	Unlisted Sign	Parking For Senior Citizen Center	Engineering Grade	No
11-71	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-72	Guide Sign	Destination Sign	HI Prismatic	Yes
2-13	Guide Sign	State Route	DG Prismatic	No
2-14	No Sign	No Sign	0	No
2-15.A	Unlisted Sign	Danger Road Entering Right	Engineering Grade	No
2-15.B	Regulatory Sign	Speed Limit	Engineering Grade	No
2-16	Guide Sign	State Route	DG Prismatic	No
2-17	Unlisted Sign	Thickly Settled 30 MPH	Engineering Grade	No
2-18	Warning Sign	No Passing Zone	DG Prismatic	No
2-19	Warning Sign	No Passing Zone	DG Prismatic	No
6-12.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
6-12.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
6-127	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic	No
6-128	Warning Sign	Pedestrian Crossing	DG Prismatic	Yes
6-129	Warning Sign	Pedestrian Crossing	DG Prismatic	Yes
6-13	Guide Sign	Destination Sign	HI Prismatic	Yes
6-130	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic	No
6-131	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic	No
6-38	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-39	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic	No
6-72	Unlisted Sign	Hospital	Engineering Grade	No
6-73	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
6-74	Regulatory Sign	No Parking Anytime	Engineering Grade	No

HIGHLAND AVENUE 1 Signs

5-22	Warning Sign	Dead End (plaque)	Engineering Grade	No
------	--------------	-------------------	-------------------	----

HIGHLAND STREET 12 Signs

5-13	Regulatory Sign	No Trucks (symbol)	Engineering Grade	No
5-14	Unlisted Sign	Children	Engineering Grade	No
5-15	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
5-16	Regulatory Sign	Stop	HI Prismatic	Yes
5-17	Regulatory Sign	Stop	HI Prismatic	Yes
5-18	Regulatory Sign	No Trucks	Engineering Grade	No
5-19	Regulatory Sign	Stop	Engineering Grade	No
5-20	Unlisted Sign	Children	Engineering Grade	No
5-21	Regulatory Sign	Stop	Engineering Grade	No
6-42	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-43	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-44	Unlisted Sign	No Trucks Allowed	Engineering Grade	No

LAKESIDE AVENUE 8 Signs

10-10	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-11	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-12	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-13	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-14	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-15	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-6	Regulatory Sign	Tow-Away Zone	Engineering Grade	No
10-7	Regulatory Sign	Stop	HI Prismatic	Yes

LAUREL STREET 2 Signs

6-45.A	Unlisted Sign	Children	Engineering Grade	No
--------	---------------	----------	-------------------	----

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
6-45.B	Unlisted Sign	No Truck Parking	Engineering Grade	No
LAWRENCE STREET		11 Signs		
5-29	Unlisted Sign	No Thru Trucks	Engineering Grade	No
5-30	Unlisted Sign	No Thru Trucks	Engineering Grade	No
5-32	Regulatory Sign	Stop	Engineering Grade	No
6-57.A	Regulatory Sign	Stop	Engineering Grade	No
6-57.B	Regulatory Sign	No Trucks (symbol)	Engineering Grade	No
6-62	Regulatory Sign	No Parking Anytime	Engineering Grade	No
6-63	Unlisted Sign	No Truck Parking	Engineering Grade	No
6-64	Regulatory Sign	Stop	Engineering Grade	No
6-65	Unlisted Sign	No Thru Trucks	Engineering Grade	No
6-66	Regulatory Sign	Stop	Engineering Grade	No
6-67	Regulatory Sign	No Trucks (symbol)	Engineering Grade	No
LEWIS STREET		1 Signs		
6-49	Regulatory Sign	Stop	Engineering Grade	No
LONGEDGE ROAD		1 Signs		
2-7	Unlisted Sign	No Dumping	Engineering Grade	No
LOWE STREET		1 Signs		
6-113	Unlisted Sign	No Dumping	Engineering Grade	No
MAIN STREET		100 Signs		
11-11	Warning Sign	Object Marker	Engineering Grade	No
11-12.A	Guide Sign	Destination Sign	HI Prismatic	Yes
11-12.B	Guide Sign	Destination Sign	HI Prismatic	Yes
11-122	Guide Sign	Route Sign	DG Prismatic	No
11-123	Unlisted Sign	Hospital	Engineering Grade	No
11-13	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-14	Warning Sign	Low Clearance	Engineering Grade	No
11-144	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-145	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-146	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-147	Warning Sign	Low Clearance	DG Prismatic	No
11-148	Warning Sign	Signal Ahead (symbol)	HI Prismatic	Yes
11-149	Guide Sign	Destination Sign	HI Prismatic	Yes
11-15	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-150	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-151	Regulatory Sign	Left Lane Must Turn Left	DG Prismatic	Yes
11-152	Regulatory Sign	Left Lane Must Turn Left	DG Prismatic	Yes
11-166	Warning Sign	Object Marker	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
11-167.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
11-167.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
11-198.A	Regulatory Sign	One Way (arrow)	HI Prismatic	Yes
11-198.B	Regulatory Sign	Yield	HI Prismatic	Yes
11-198.C	Regulatory Sign	Do Not Enter	HI Prismatic	Yes
11-199.A	Regulatory Sign	One Way (arrow)	HI Prismatic	Yes
11-199.B	Regulatory Sign	Yield	HI Prismatic	Yes
11-199.C	Regulatory Sign	Do Not Enter	HI Prismatic	Yes
11-24	Warning Sign	Signal Ahead (symbol)	HI Prismatic	Yes
11-25	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-26	Regulatory Sign	Left Lane Must Turn Left	Engineering Grade	No
11-27.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
11-27.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
11-28	Regulatory Sign	Stop Here On Red (non-curved arrow)	HI Prismatic	Yes
11-29	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-30	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic	Yes
11-31.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
11-31.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
11-41	Regulatory Sign	Left Turn Yield On Green (ball)	HI Prismatic	Yes
11-42	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-43	Guide Sign	Route Sign	HI Prismatic	Yes
11-44	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-45.A	Guide Sign	Destination Sign	HI Prismatic	Yes
11-45.B	Guide Sign	Destination Sign	HI Prismatic	Yes
11-59	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-60	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-61	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-62	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-63	Regulatory Sign	No Parking Anytime	Engineering Grade	No
11-64	Guide Sign	Destination Sign	HI Prismatic	Yes
11-65	Unlisted Sign	Thickly Settled	Engineering Grade	No
11-66	Unlisted Sign	Do Not Block Driveway	Engineering Grade	No
14-1	Unlisted Sign	Caution Slow Moving Vehicles Entering And Exiting	Engineering Grade	No
14-2	Regulatory Sign	Speed Limit	Engineering Grade	No
14-3	Warning Sign	Advisory Speed (plaque)	Engineering Grade	No
14-4	Guide Sign	Route Sign	DG Prismatic	No
14-5	Unlisted Sign	Caution Slow Moving Vehicles Entering And Exiting	Engineering Grade	No
14-6	Warning Sign	Pedestrian	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
15-10	School Sign	School	Engineering Grade	No
15-11	School Sign	School Speed Limit	DG Prismatic	Yes
15-12	Regulatory Sign	No Parking Anytime	Engineering Grade	No
15-13	Regulatory Sign	No Parking Anytime	Engineering Grade	No
15-14	Warning Sign	No Passing Zone	Engineering Grade	No
15-15.A	Warning Sign	Horizontal Alignment	Engineering Grade	No
15-15.B	Unlisted Sign	Children	Engineering Grade	No
15-16	Unlisted Sign	Thickly Settled	Engineering Grade	No
15-2	Unlisted Sign	Blind Driveway	Engineering Grade	No
15-3	Warning Sign	Pedestrian	DG Prismatic	Yes
15-4	Warning Sign	No Passing Zone	Engineering Grade	No
15-5	Unlisted Sign	Radar In Use	Engineering Grade	No
15-6	School Sign	School Speed Limit	DG Prismatic	Yes
15-7	Warning Sign	No Passing Zone	Engineering Grade	No
15-8	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
15-9	School Sign	End School Zone	Engineering Grade	No
2-8.A	Unlisted Sign	Thickly Settled 30 MPH	Engineering Grade	No
2-8.B	Regulatory Sign	In-Street Pedestrian Crossing (stop)	Engineering Grade	No
6-1	Guide Sign	Route Sign	DG Prismatic	Yes
6-14	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-15	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic	Yes
6-16.A	Guide Sign	Route Sign	Engineering Grade	No
6-16.B	Guide Sign	Route Sign	Engineering Grade	No
6-17.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
6-17.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
6-18	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic	Yes
6-2.A	Unlisted Sign	No Passing On Right	Engineering Grade	No
6-2.B	Unlisted Sign	Hospital	Engineering Grade	No
6-25	Regulatory Sign	Left Turn Signal	DG Prismatic	Yes
6-3	Guide Sign	Route Sign	DG Prismatic	No
6-4	No Sign	No Sign	No Sign	No
6-5.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
6-5.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
6-58	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-59.A	Guide Sign	Destination Sign	HI Prismatic	Yes
6-59.B	Guide Sign	Destination Sign	HI Prismatic	Yes
6-6	Guide Sign	Destination Sign	HI Prismatic	Yes
6-60	Unlisted Sign	Hospital	HI Prismatic	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
6-61	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic	Yes
6-68	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic	Yes
6-69	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
6-7	Unlisted Sign	Hospital	Engineering Grade	No
6-70	Regulatory Sign	No Parking Anytime	Engineering Grade	No
6-71	Regulatory Sign	No Parking Anytime	Engineering Grade	No
MAPLE STREET		1 Signs		
6-80	Regulatory Sign	Stop	Engineering Grade	No
MECHANIC STREET		5 Signs		
11-129.A	Regulatory Sign	Keep Right (symbol)	Engineering Grade	No
11-129.B	Regulatory Sign	Keep Right (symbol)	Engineering Grade	No
11-159	Unlisted Sign	Hospital	HI Prismatic	No
11-161	Regulatory Sign	Keep Right (symbol)	Engineering Grade	No
11-162	Regulatory Sign	Stop	HI Prismatic	Yes
MORGAN AVENUE		4 Signs		
15-1	Unlisted Sign	No Parking No Trespassing	Engineering Grade	No
15-19	Unlisted Sign	Children	Engineering Grade	No
15-20.A	Unlisted Sign	Keep Out No Parking	Engineering Grade	No
15-20.B	Warning Sign	Dead End	Engineering Grade	No
NASHUA STREET		3 Signs		
16-19	Regulatory Sign	Stop	HI Prismatic	Yes
16-20	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
16-21	Regulatory Sign	Stop	Engineering Grade	No
NELSON STREET		3 Signs		
11-189	Unlisted Sign	Children	Engineering Grade	No
11-190	Regulatory Sign	Do Not Enter	Engineering Grade	No
11-191	Regulatory Sign	Do Not Enter	Engineering Grade	No
NEW HARBOR ROAD		6 Signs		
11-100	Regulatory Sign	Stop	HI Prismatic	Yes
11-95	Warning Sign	Stop Ahead (symbol)	Engineering Grade	No
11-96	Regulatory Sign	Stop	Engineering Grade	No
11-97	Warning Sign	Stop Ahead (symbol)	Engineering Grade	No
11-98	Warning Sign	Curve	HI Prismatic	Yes
11-99	Unlisted Sign	Thickly Settled	Engineering Grade	No
NORMAN STREET		1 Signs		
11-211	Regulatory Sign	Stop	HI Prismatic	Yes
NORTH WALNUT STREET		1 Signs		
6-112	Regulatory Sign	Stop	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
PALMER COURT		2 Signs		
11-219	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-220	Warning Sign	Dead End	Engineering Grade	No
PARK STREET		1 Signs		
16-6	No Sign	No Sign	0	No
PARKER STREET		7 Signs		
6-75.A	Guide Sign	Destination Sign	Engineering Grade	No
6-75.B	Guide Sign	Destination Sign	Engineering Grade	No
6-76	Unlisted Sign	All Truck Traffic Bear Right	Engineering Grade	No
6-77.A	Regulatory Sign	Stop	Engineering Grade	No
6-77.B	Unlisted Sign	Adams Rd Truck Entrance	HI Prismatic	No
6-78	Regulatory Sign	Stop	Engineering Grade	No
6-79	Regulatory Sign	Stop	HI Prismatic	Yes
PEARL STREET		6 Signs		
11-217	Regulatory Sign	Stop	Engineering Grade	No
6-122	Unlisted Sign	Children	Engineering Grade	No
6-123	Unlisted Sign	Children	Engineering Grade	No
6-124	Regulatory Sign	Stop	Engineering Grade	No
6-125	Regulatory Sign	Stop	Engineering Grade	No
6-126	Regulatory Sign	Stop	Engineering Grade	No
PIERCE PLACE		2 Signs		
11-125	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-126	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
PINE STREET		5 Signs		
10-16	Regulatory Sign	Stop	Engineering Grade	No
10-17	Regulatory Sign	Speed Limit	Engineering Grade	No
10-18	Unlisted Sign	City Mills Historical Cemetery	Engineering Grade	No
10-22	Regulatory Sign	Stop	HI Prismatic	Yes
10-23	Warning Sign	Curve	HI Prismatic	Yes
PINE STREET EXTENSION		3 Signs		
10-19	Warning Sign	Wheelchair	Engineering Grade	No
10-20	Unlisted Sign	Children	Engineering Grade	No
10-21	Regulatory Sign	Stop	Engineering Grade	No
PLAIN STREET		4 Signs		
6-53	Regulatory Sign	Stop	HI Prismatic	Yes
6-93	Regulatory Sign	Stop	Engineering Grade	No
6-94	Regulatory Sign	Stop	HI Prismatic	Yes
6-95	No Sign	No Sign	0	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
PLEASANT STREET		12 Signs		
11-10	Unlisted Sign	Slow	Engineering Grade	No
11-35	Regulatory Sign	No Trucks (symbol)	Engineering Grade	No
11-36.A	Unlisted Sign	Children	Engineering Grade	No
11-36.B	Unlisted Sign	Slow Handicapped	Engineering Grade	No
11-37.A	Warning Sign	Stop Ahead (symbol)	Engineering Grade	No
11-37.B	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
11-38	Regulatory Sign	Stop	Engineering Grade	No
11-7.A	Warning Sign	Stop Ahead (symbol)	Engineering Grade	No
11-7.B	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
11-8	Regulatory Sign	Stop	Engineering Grade	No
11-9.A	Unlisted Sign	Slow Handicapped	Engineering Grade	No
11-9.B	Unlisted Sign	Deaf Child	Engineering Grade	No
POND COURT		2 Signs		
11-127	Unlisted Sign	Walking Of Dogs Prohibited	Engineering Grade	No
11-128	Unlisted Sign	Walking Of Dogs Prohibited	Engineering Grade	No
PROSPECT STREET		2 Signs		
11-104	Regulatory Sign	Stop	Engineering Grade	No
11-105	Regulatory Sign	Stop	Engineering Grade	No
RICHMAN STREET		1 Signs		
16-7	Unlisted Sign	Children	Engineering Grade	No
RIGBY LANE		1 Signs		
5-2	Regulatory Sign	Stop	HI Prismatic	Yes
RIGBY STREET		1 Signs		
5-1	Unlisted Sign	Children	Engineering Grade	No
RIVERSIDE DRIVE		1 Signs		
10-26	Unlisted Sign	Children	Engineering Grade	No
SCHOOL STREET		13 Signs		
11-163	Regulatory Sign	Van Accessible (blue background)	Engineering Grade	No
11-164	Regulatory Sign	Stop	Engineering Grade	No
11-165	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-179	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-180	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-181	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-182	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-183	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-184	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-185	Regulatory Sign	No Parking (word legend)	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
11-186	Regulatory Sign	Stop	Engineering Grade	No
11-187	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-188	Regulatory Sign	No Trucks (symbol)	Engineering Grade	No
SIMON COURT		1 Signs		
16-3	Warning Sign	Dead End	Engineering Grade	No
SOUTH MEADOW ROAD		8 Signs		
14-10	Unlisted Sign	Trucks Entering	HI Prismatic	No
14-7	Regulatory Sign	Railroad Crossing	Engineering Grade	No
14-8	Unlisted Sign	Children	Engineering Grade	No
14-9	Unlisted Sign	Blind Driveway (Ahead)	Engineering Grade	No
15-17	Unlisted Sign	No Engine Brake	HI Prismatic	No
15-18	Regulatory Sign	Railroad Crossing	Engineering Grade	No
9-1	Unlisted Sign	No Trespassing or Loitering	Engineering Grade	No
9-2	Unlisted Sign	Children	Engineering Grade	No
SPRAGUE ROAD		5 Signs		
10-27	Warning Sign	Dead End	Engineering Grade	No
10-28	Unlisted Sign	No Trespassing Private Property	Engineering Grade	No
10-29	Unlisted Sign	No Trespassing	Engineering Grade	No
10-30	Unlisted Sign	Children	Engineering Grade	No
10-31	Unlisted Sign	Slow	Engineering Grade	No
STERLING STREET		18 Signs		
5-10	Regulatory Sign	Stop	Engineering Grade	No
5-31	No Sign	No Sign	No Sign	No
5-4.A	Unlisted Sign	Thickly Settled 30 MPH	Engineering Grade	No
5-4.B	Regulatory Sign	In-Street Pedestrian Crossing (stop)	Engineering Grade	No
5-5	Unlisted Sign	Children	Engineering Grade	No
5-7	Unlisted Sign	Caution Deaf Child	Engineering Grade	No
5-8	Guide Sign	Route Sign	DG Prismatic	No
5-9	Guide Sign	Destination Sign	HI Prismatic	Yes
6-31.A	Warning Sign	Stop Ahead (symbol)	Engineering Grade	No
6-31.B	Warning Sign	Stop Ahead (word legend)	Engineering Grade	No
6-32	Regulatory Sign	Stop	HI Prismatic	Yes
6-33.A	Regulatory Sign	Railroad Crossing	Engineering Grade	No
6-33.B	Regulatory Sign	Number of Tracks	Engineering Grade	No
6-34	No Sign	No Sign	No Sign	No
6-37.A	Regulatory Sign	Railroad Crossing	Engineering Grade	No
6-37.B	Regulatory Sign	Number of Tracks	Engineering Grade	No
6-40	Regulatory Sign	No Parking (word legend)	Engineering Grade	No

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
6-41	Regulatory Sign	Stop	HI Prismatic	Yes
STONE STREET		5 Signs		
2-10	Regulatory Sign	No Parking Any Time	Engineering Grade	No
2-11	Regulatory Sign	No Parking Any Time	Engineering Grade	No
2-12	Unlisted Sign	Trucks Entering	HI Prismatic	No
6-96	Unlisted Sign	Children	HI Prismatic	No
6-97	Regulatory Sign	Stop	Engineering Grade	No
SUMMIT STREET		2 Signs		
16-2	Regulatory Sign	Stop	Engineering Grade	No
16-4	Unlisted Sign	Children	Engineering Grade	No
UNION STREET		23 Signs		
11-39	Unlisted Sign	No Truck Parking	Engineering Grade	No
11-40.A	Guide Sign	Route Sign	DG Prismatic	No
11-40.B	Guide Sign	Route Sign	DG Prismatic	No
11-54	Unlisted Sign	Free Municipal Public Parking	Engineering Grade	No
11-55	Warning Sign	Pedestrian	Engineering Grade	No
11-56	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic	Yes
11-57.A	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic	Yes
11-57.B	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic	Yes
11-58	Regulatory Sign	Keep Right (symbol)	DG Prismatic	Yes
11-75	Regulatory Sign	Keep Right (symbol)	DG Prismatic	Yes
11-76	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-77	Regulatory Sign	Stop	Engineering Grade	No
11-78	Warning Sign	Bump	Engineering Grade	No
11-79	Regulatory Sign	Stop	Engineering Grade	No
11-80	Regulatory Sign	No Parking Anytime	HI Prismatic	Yes
11-81.A	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-81.B	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic	Yes
11-88	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-89	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic	Yes
11-90	Guide Sign	Route Sign	DG Prismatic	No
11-91	Regulatory Sign	Stop	HI Prismatic	Yes
11-92.A	Guide Sign	Destination Sign	HI Prismatic	Yes
11-92.B	Guide Sign	Destination Sign	HI Prismatic	Yes
VIEW STREET		1 Signs		
5-25	Unlisted Sign	No Dumping	Engineering Grade	No
WALNUT STREET		11 Signs		
11-101	Regulatory Sign	Stop	HI Prismatic	Yes

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
11-102	Regulatory Sign	Reserved Parking For Handicapped	Engineering Grade	No
11-103	Regulatory Sign	Stop	Engineering Grade	No
11-218	Regulatory Sign	Stop	HI Prismatic	Yes
11-73	Regulatory Sign	No Parking Anytime	DG Prismatic	No
11-82	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-83	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
11-84	Regulatory Sign	Stop	HI Prismatic	Yes
11-85	Unlisted Sign	No Trespassing	Engineering Grade	No
11-86	Unlisted Sign	No Trespassing After Dark	Engineering Grade	No
11-87	Regulatory Sign	Van Accessible (blue background)	Engineering Grade	No
WASHINGTON STREET		2 Signs		
6-81	Regulatory Sign	Stop	Engineering Grade	No
6-82	Regulatory Sign	Stop	Engineering Grade	No
WATER STREET		16 Signs		
11-143	Unlisted Sign	Do Not Block Driveway	Engineering Grade	No
11-153.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
11-153.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic	Yes
11-154	Guide Sign	Destination Sign	HI Prismatic	Yes
11-155.A	Warning Sign	Signal Ahead (symbol)	DG Prismatic	No
11-155.B	Warning Sign	Signal Ahead (word legend)	DG Prismatic	No
11-213	Regulatory Sign	No Parking Any Time	DG Prismatic	No
11-214	Regulatory Sign	Right Lane Must Turn Right	Engineering Grade	No
11-215	Guide Sign	State Route	DG Prismatic	No
11-216.A	Guide Sign	Destination	DG Prismatic	Yes
11-216.B	Guide Sign	Destination	DG Prismatic	Yes
6-119	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
6-120.A	Unlisted Sign	Slow Elderly	Engineering Grade	No
6-120.B	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade	No
6-121.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic	No
6-121.B	Regulatory Sign	Bicycle Signal Actuation	HI Prismatic	Yes
WATSON PLACE		1 Signs		
11-74	Warning Sign	Dead End	HI Prismatic	Yes
WEST STREET		4 Signs		
6-100	Regulatory Sign	Stop	HI Prismatic	Yes
6-101	Regulatory Sign	Stop	HI Prismatic	Yes
6-98	Unlisted Sign	Children	Engineering Grade	No
6-99	Regulatory Sign	Stop	Engineering Grade	No
WHITE COURT		4 Signs		

Sign ID	MUTCD Sign Type	Sign	Material	Compliance
11-106	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-107	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-124.A	Regulatory Sign	No Parking (word legend)	Engineering Grade	No
11-124.B	Unlisted Sign	Tenant Parking Only	Engineering Grade	No
WILKATE PLACE		1 Signs		
10-8	Regulatory Sign	Stop	HI Prismatic	Yes
WILLOW STREET		1 Signs		
5-11	Unlisted Sign	Children	Engineering Grade	No
WILLOW STREET EXTENSION		1 Signs		
5-12	Warning Sign	Dead End	Engineering Grade	No
WOODLAWN STREET		3 Signs		
10-1	Unlisted Sign	Thickly Settled	Engineering Grade	No
10-2	Unlisted Sign	No Trucks Allowed Beyond This Point	Engineering Grade	No
11-1	Unlisted Sign	Owners of Unleashed Dogs Subject to Fines	Engineering Grade	No
WORCESTER STREET		7 Signs		
6-86	Regulatory Sign	Stop	HI Prismatic	Yes
6-87	Regulatory Sign	One Way (arrow)	Engineering Grade	No
6-88	Unlisted Sign	Do Not Park Here	Engineering Grade	No
6-89	Regulatory Sign	Van Accessible (white background)	Engineering Grade	No
6-90	Regulatory Sign	Stop	HI Prismatic	Yes
6-91	Regulatory Sign	Do Not Enter	Engineering Grade	No
6-92	Regulatory Sign	Do Not Enter	Engineering Grade	No

Town of Clinton, Massachusetts

Sign Totals By Number of Signs and MUTCD Type

Sign Description	Sign Type	Sign Total
Stop	Regulatory Sign	93
No Parking (word legend)	Regulatory Sign	47
Children	Unlisted Sign	34
(Hour/Minute) Parking (time limit)	Regulatory Sign	30
No Parking Anytime	Regulatory Sign	28
Destination Sign	Guide Sign	22
Route Sign	Guide Sign	22
Dead End	Warning Sign	13
Bicycle Stop On Line For Green	Unlisted Sign	12
Bicycle Sign Actuation	Regulatory Sign	10
Left Lane Must Turn Left	Regulatory Sign	8
Do Not Enter	Regulatory Sign	8
Tow-Away Zone	Regulatory Sign	8
No Parking Any Time	Regulatory Sign	8
Stop Ahead (word legend)	Warning Sign	8
Van Accessible (blue background)	Regulatory Sign	7
Stop Ahead (symbol)	Warning Sign	7
No Sign	No Sign	6
Keep Right (symbol)	Regulatory Sign	6
No Trucks (symbol)	Regulatory Sign	6
In-Street Pedestrian Crossing (yield)	Regulatory Sign	6
School Speed Limit	School Sign	6
Hospital	Unlisted Sign	6
Right Lane Must Turn Right	Regulatory Sign	5
No Thru Trucks	Unlisted Sign	5
No Passing Zone	Warning Sign	5
One Way (arrow)	Regulatory Sign	4
Railroad Crossing	Regulatory Sign	4
Stop For Pedestrian In Crosswalk	Unlisted Sign	4
Thickly Settled	Unlisted Sign	4
Pedestrian	Warning Sign	4
Pedestrian Crossing	Warning Sign	4
Signal Ahead (symbol)	Warning Sign	4
State Route	Guide Sign	3
Speed Limit	Regulatory Sign	3
No Dumping	Unlisted Sign	3

Sign Description	Sign Type	Sign Total
Do Not Block Driveway	Unlisted Sign	3
Slow Elderly	Unlisted Sign	3
No Truck Parking	Unlisted Sign	3
Thickly Settled 30 MPH	Unlisted Sign	3
Caution Deaf Child	Unlisted Sign	3
Destination	Guide Sign	2
In-Street Pedestrian Crossing (stop)	Regulatory Sign	2
Reserved Parking For Handicapped	Regulatory Sign	2
Number of Tracks	Regulatory Sign	2
No Parking Loading Zone	Regulatory Sign	2
No Trucks	Regulatory Sign	2
Yield	Regulatory Sign	2
Blind Driveway (Ahead)	Unlisted Sign	2
Caution Slow Moving Vehicles Entering And Exiting	Unlisted Sign	2
Slow Handicapped	Unlisted Sign	2
Walking Of Dogs Prohibited	Unlisted Sign	2
Trucks Entering	Unlisted Sign	2
Slow	Unlisted Sign	2
Parking For Senior Citizen Center	Unlisted Sign	2
No Trucks Allowed	Unlisted Sign	2
No Trespassing	Unlisted Sign	2
Curve	Warning Sign	2
Low Clearance	Warning Sign	2
Object Marker	Warning Sign	2
Mile Marker	Guide Sign	1
Left Turn Signal	Regulatory Sign	1
Stop Here On Red (non-curved arrow)	Regulatory Sign	1
No Turn On Red (4 line)	Regulatory Sign	1
Left Turn Yield On Green (ball)	Regulatory Sign	1
No Turn On Red (3 line)	Regulatory Sign	1
Van Accessible (white background)	Regulatory Sign	1
Bicycle Signal Actuation	Regulatory Sign	1
End School Zone	School Sign	1
School	School Sign	1
No Thru Traffic	Unlisted Sign	1
Tenant Parking Only	Unlisted Sign	1
Stop Line	Unlisted Sign	1
Radar In Use	Unlisted Sign	1

Sign Description	Sign Type	Sign Total
Owners of Unleashed Dogs Subject to Fines	Unlisted Sign	1
One Way Do Not Enter	Unlisted Sign	1
No Walking of Dogs	Unlisted Sign	1
No Trucks Except Hospital Delivery	Unlisted Sign	1
No Trucks Allowed Beyond This Point	Unlisted Sign	1
No Trespassing Private Property	Unlisted Sign	1
Deaf Person Area	Unlisted Sign	1
No Trespassing After Dark	Unlisted Sign	1
Adams Rd Truck Entrance	Unlisted Sign	1
No Passing On Right	Unlisted Sign	1
No Parking No Trespassing	Unlisted Sign	1
Danger Road Entering Right	Unlisted Sign	1
All Truck Traffic Bear Right	Unlisted Sign	1
Blind Driveway	Unlisted Sign	1
No Trespassing or Loitering	Unlisted Sign	1
City Mills Historical Cemetery	Unlisted Sign	1
No Engine Brake	Unlisted Sign	1
Deaf Child	Unlisted Sign	1
Do Not Park Here	Unlisted Sign	1
Free Municipal Public Parking	Unlisted Sign	1
Handicap Access Do Not Block Or Vehicle Will Be Towe	Unlisted Sign	1
Hidden Driveway	Unlisted Sign	1
Keep Out No Parking	Unlisted Sign	1
No Commercial Vehicle Parking	Unlisted Sign	1
Caution Handicapped Child	Unlisted Sign	1
Wheelchair	Warning Sign	1
Advisory Speed (plaque)	Warning Sign	1
Bump	Warning Sign	1
Cross Road	Warning Sign	1
Dead End (plaque)	Warning Sign	1
Horizontal Alignment	Warning Sign	1
Signal Ahead (word legend)	Warning Sign	1
Total:		552

Town of Clinton, Massachusetts

Signs That Are MUTCD Compliant (Size, Condition, Mounting and Retroreflectivity) - Total: 155

Sign ID	MUTCD Sign Type	Sign	Material
ALLEN STREET		2 Signs	
2-3	Regulatory Sign	Stop	HI Prismatic
2-9	Regulatory Sign	Stop	HI Prismatic
BEACON STREET		1 Signs	
16-22	Regulatory Sign	Do Not Enter	HI Prismatic
BROOK STREET		8 Signs	
5-6	Guide Sign	Destination Sign	HI Prismatic
6-115	Regulatory Sign	Stop	HI Prismatic
6-116	Regulatory Sign	Stop	HI Prismatic
6-19.A	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic
6-21	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic
6-24.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
6-30	Regulatory Sign	Stop	HI Prismatic
6-84	Regulatory Sign	Stop	HI Prismatic
CHESTNUT STREET		10 Signs	
11-156	Regulatory Sign	Stop	HI Prismatic
11-173.A	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic
11-173.B	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic
11-204	Warning Sign	Pedestrian	DG Prismatic
11-206	Regulatory Sign	Stop	HI Prismatic
11-207.A	Regulatory Sign	Stop	HI Prismatic
11-209.A	Guide Sign	Route Sign	DG Prismatic
11-209.C	Guide Sign	Route Sign	DG Prismatic
16-25	Warning Sign	Pedestrian Crossing	DG Prismatic
16-26	Warning Sign	Pedestrian Crossing	DG Prismatic
CHURCH STREET		16 Signs	
11-110	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-112	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-114	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-115	Regulatory Sign	Stop	HI Prismatic
11-117	Regulatory Sign	Stop	HI Prismatic
11-119	Warning Sign	Stop Ahead (symbol)	HI Prismatic
11-120	Regulatory Sign	Stop	HI Prismatic
11-130	Regulatory Sign	Stop	HI Prismatic
11-131	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-134	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
11-135	School Sign	School Speed Limit	DG Prismatic
11-139	Warning Sign	Signal Ahead (symbol)	HI Prismatic
11-141.A	Regulatory Sign	No Turn On Red (4 line)	HI Prismatic
11-141.C	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
11-142	Regulatory Sign	No Turn On Red (3 line)	HI Prismatic
11-94	School Sign	School Speed Limit	DG Prismatic
CLARK STREET		3 Signs	
6-117	Regulatory Sign	Stop	HI Prismatic
6-54	Regulatory Sign	Stop	HI Prismatic
6-56	Regulatory Sign	Stop	HI Prismatic
DEPOT SQUARE		1 Signs	
11-67.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
EAST STREET		2 Signs	
6-103	Regulatory Sign	Stop	HI Prismatic
6-105	Regulatory Sign	Stop	HI Prismatic
FRANKLIN STREET		1 Signs	
11-171	Regulatory Sign	Stop	HI Prismatic
GREELEY STREET		2 Signs	
6-27	Regulatory Sign	Stop	HI Prismatic
6-9	Regulatory Sign	Stop	HI Prismatic
GROVE STREET		4 Signs	
11-212	Regulatory Sign	No Parking Any Time	HI Prismatic
16-11	Regulatory Sign	No Parking Any Time	HI Prismatic
16-8	Regulatory Sign	No Parking Any Time	HI Prismatic
16-9.B	Regulatory Sign	No Parking Any Time	HI Prismatic
HAMILTON STREET		1 Signs	
6-102	Regulatory Sign	Stop	HI Prismatic
HIGH STREET		15 Signs	
11-17	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-19	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-2	Guide Sign	Destination Sign	HI Prismatic
11-21	Regulatory Sign	No Parking Loading Zone	HI Prismatic
11-3	Guide Sign	Destination Sign	HI Prismatic
11-33.B	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-34.A	Guide Sign	Destination Sign	HI Prismatic
11-34.B	Guide Sign	Destination Sign	HI Prismatic
11-46	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-49	Regulatory Sign	No Parking Loading Zone	HI Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
11-72	Guide Sign	Destination Sign	HI Prismatic
6-12.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
6-128	Warning Sign	Pedestrian Crossing	DG Prismatic
6-129	Warning Sign	Pedestrian Crossing	DG Prismatic
6-13	Guide Sign	Destination Sign	HI Prismatic
HIGHLAND STREET		2 Signs	
5-16	Regulatory Sign	Stop	HI Prismatic
5-17	Regulatory Sign	Stop	HI Prismatic
LAKESIDE AVENUE		1 Signs	
10-7	Regulatory Sign	Stop	HI Prismatic
MAIN STREET		44 Signs	
11-12.A	Guide Sign	Destination Sign	HI Prismatic
11-12.B	Guide Sign	Destination Sign	HI Prismatic
11-144	Regulatory Sign	No Parking Anytime	HI Prismatic
11-145	Regulatory Sign	No Parking Anytime	HI Prismatic
11-146	Regulatory Sign	No Parking Anytime	HI Prismatic
11-148	Warning Sign	Signal Ahead (symbol)	HI Prismatic
11-149	Guide Sign	Destination Sign	HI Prismatic
11-151	Regulatory Sign	Left Lane Must Turn Left	DG Prismatic
11-152	Regulatory Sign	Left Lane Must Turn Left	DG Prismatic
11-167.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
11-198.A	Regulatory Sign	One Way (arrow)	HI Prismatic
11-198.B	Regulatory Sign	Yield	HI Prismatic
11-198.C	Regulatory Sign	Do Not Enter	HI Prismatic
11-199.A	Regulatory Sign	One Way (arrow)	HI Prismatic
11-199.B	Regulatory Sign	Yield	HI Prismatic
11-199.C	Regulatory Sign	Do Not Enter	HI Prismatic
11-24	Warning Sign	Signal Ahead (symbol)	HI Prismatic
11-25	Regulatory Sign	No Parking Anytime	HI Prismatic
11-27.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
11-28	Regulatory Sign	Stop Here On Red (non-curved arrow)	HI Prismatic
11-29	Regulatory Sign	No Parking Anytime	HI Prismatic
11-30	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic
11-31.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
11-41	Regulatory Sign	Left Turn Yield On Green (ball)	HI Prismatic
11-42	Regulatory Sign	No Parking Anytime	HI Prismatic
11-43	Guide Sign	Route Sign	HI Prismatic
11-44	Regulatory Sign	No Parking Anytime	HI Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
11-45.A	Guide Sign	Destination Sign	HI Prismatic
11-45.B	Guide Sign	Destination Sign	HI Prismatic
11-64	Guide Sign	Destination Sign	HI Prismatic
15-11	School Sign	School Speed Limit	DG Prismatic
15-3	Warning Sign	Pedestrian	DG Prismatic
15-6	School Sign	School Speed Limit	DG Prismatic
6-1	Guide Sign	Route Sign	DG Prismatic
6-15	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic
6-17.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
6-18	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic
6-25	Regulatory Sign	Left Turn Signal	DG Prismatic
6-5.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
6-59.A	Guide Sign	Destination Sign	HI Prismatic
6-59.B	Guide Sign	Destination Sign	HI Prismatic
6-6	Guide Sign	Destination Sign	HI Prismatic
6-61	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic
6-68	Regulatory Sign	Left Lane Must Turn Left	HI Prismatic
MECHANIC STREET		1 Signs	
11-162	Regulatory Sign	Stop	HI Prismatic
NASHUA STREET		1 Signs	
16-19	Regulatory Sign	Stop	HI Prismatic
NEW HARBOR ROAD		2 Signs	
11-100	Regulatory Sign	Stop	HI Prismatic
11-98	Warning Sign	Curve	HI Prismatic
NORMAN STREET		1 Signs	
11-211	Regulatory Sign	Stop	HI Prismatic
PARKER STREET		1 Signs	
6-79	Regulatory Sign	Stop	HI Prismatic
PINE STREET		2 Signs	
10-22	Regulatory Sign	Stop	HI Prismatic
10-23	Warning Sign	Curve	HI Prismatic
PLAIN STREET		2 Signs	
6-53	Regulatory Sign	Stop	HI Prismatic
6-94	Regulatory Sign	Stop	HI Prismatic
RIGBY LANE		1 Signs	
5-2	Regulatory Sign	Stop	HI Prismatic
STERLING STREET		3 Signs	
5-9	Guide Sign	Destination Sign	HI Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
6-32	Regulatory Sign	Stop	HI Prismatic
6-41	Regulatory Sign	Stop	HI Prismatic
UNION STREET		14 Signs	
11-56	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic
11-57.A	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic
11-57.B	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic
11-58	Regulatory Sign	Keep Right (symbol)	DG Prismatic
11-75	Regulatory Sign	Keep Right (symbol)	DG Prismatic
11-76	Regulatory Sign	No Parking Anytime	HI Prismatic
11-80	Regulatory Sign	No Parking Anytime	HI Prismatic
11-81.A	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-81.B	Regulatory Sign	In-Street Pedestrian Crossing (yield)	DG Prismatic
11-88	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-89	Regulatory Sign	(Hour/Minute) Parking (time limit)	HI Prismatic
11-91	Regulatory Sign	Stop	HI Prismatic
11-92.A	Guide Sign	Destination Sign	HI Prismatic
11-92.B	Guide Sign	Destination Sign	HI Prismatic
WALNUT STREET		3 Signs	
11-101	Regulatory Sign	Stop	HI Prismatic
11-218	Regulatory Sign	Stop	HI Prismatic
11-84	Regulatory Sign	Stop	HI Prismatic
WATER STREET		5 Signs	
11-153.B	Regulatory Sign	Bicycle Sign Actuation	HI Prismatic
11-154	Guide Sign	Destination Sign	HI Prismatic
11-216.A	Guide Sign	Destination	DG Prismatic
11-216.B	Guide Sign	Destination	DG Prismatic
6-121.B	Regulatory Sign	Bicycle Signal Actuation	HI Prismatic
WATSON PLACE		1 Signs	
11-74	Warning Sign	Dead End	HI Prismatic
WEST STREET		2 Signs	
6-100	Regulatory Sign	Stop	HI Prismatic
6-101	Regulatory Sign	Stop	HI Prismatic
WILKATE PLACE		1 Signs	
10-8	Regulatory Sign	Stop	HI Prismatic
WORCESTER STREET		2 Signs	
6-86	Regulatory Sign	Stop	HI Prismatic
6-90	Regulatory Sign	Stop	HI Prismatic

Town of Clinton, Massachusetts

Signs That Are Not MUTCD Compliant (Size, Condition, Mounting and Retroreflectivity) - Total: 391

Sign ID	MUTCD Sign Type	Sign	Material
ALLEN STREET		2 Signs	
2-1	Regulatory Sign	No Parking (word legend)	Engineering Grade
2-2	Regulatory Sign	No Parking Anytime	Engineering Grade
ASH STREET		6 Signs	
11-136	Warning Sign	Dead End	Engineering Grade
11-137	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-138	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-168	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-169	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-170	Regulatory Sign	No Parking (word legend)	Engineering Grade
BEACON COURT		1 Signs	
16-23	Regulatory Sign	Tow-Away Zone	Engineering Grade
BEACON STREET		3 Signs	
11-172	Unlisted Sign	Caution Handicapped Child	HI Prismatic
16-1	Regulatory Sign	Stop	Engineering Grade
16-24	Unlisted Sign	One Way Do Not Enter	Engineering Grade
BELMONT AVENUE		2 Signs	
5-23	Unlisted Sign	Children	Engineering Grade
5-24	Unlisted Sign	Children	Engineering Grade
BROADWAY		3 Signs	
5-26	Warning Sign	Dead End	Engineering Grade
5-27	Warning Sign	Dead End	Engineering Grade
5-28	Regulatory Sign	Stop	HI Prismatic
BROOK STREET		9 Signs	
6-19.B	Guide Sign	Route Sign	DG Prismatic
6-20	Guide Sign	Route Sign	DG Prismatic
6-22	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
6-23	Unlisted Sign	Children	Engineering Grade
6-24.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
6-28	Guide Sign	Route Sign	DG Prismatic
6-29	Warning Sign	Stop Ahead (word legend)	Engineering Grade
6-83	Warning Sign	Stop Ahead (word legend)	Engineering Grade
6-85	Guide Sign	Route Sign	DG Prismatic
CHESTNUT STREET		23 Signs	
11-157	Regulatory Sign	Van Accessible (blue background)	Engineering Grade
11-158	Unlisted Sign	Slow Elderly	Engineering Grade
11-174	Warning Sign	Cross Road	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
11-175	Warning Sign	Stop Ahead (word legend)	Engineering Grade
11-176	Regulatory Sign	Keep Right (symbol)	Engineering Grade
11-177	Regulatory Sign	Stop	Engineering Grade
11-178	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-192	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-193.A	Guide Sign	Route Sign	Engineering Grade
11-193.B	Guide Sign	Route Sign	Engineering Grade
11-194	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-195	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-196	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-197	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-200	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-201	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-202	Unlisted Sign	Slow Elderly	Engineering Grade
11-203	Unlisted Sign	Caution Deaf Child	Engineering Grade
11-205	Warning Sign	Stop Ahead (symbol)	Engineering Grade
11-207.B	Unlisted Sign	Stop Line	Engineering Grade
11-208	Unlisted Sign	No Thru Trucks	Engineering Grade
11-209.B	Guide Sign	Route Sign	Engineering Grade
11-221	Regulatory Sign	No Parking Any Time	Engineering Grade

CHURCH STREET 13 Signs

11-108	School Sign	School Speed Limit	Engineering Grade
11-109	Regulatory Sign	No Parking Anytime	Engineering Grade
11-111	Regulatory Sign	Van Accessible (blue background)	HI Prismatic
11-113.A	Regulatory Sign	Stop	Engineering Grade
11-113.B	Regulatory Sign	No Trucks (symbol)	Engineering Grade
11-116	Regulatory Sign	Van Accessible (blue background)	HI Prismatic
11-118	Unlisted Sign	No Commercial Vehicle Parking	Engineering Grade
11-121	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-132	Regulatory Sign	Stop	Engineering Grade
11-133	Unlisted Sign	No Trucks Allowed	Engineering Grade
11-140	Unlisted Sign	Do Not Block Driveway	Engineering Grade
11-141.B	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
11-93	Unlisted Sign	Hidden Driveway	HI Prismatic

CLARK STREET 2 Signs

6-118	Unlisted Sign	Children	Engineering Grade
6-55	Unlisted Sign	Children	Engineering Grade

DEPOT SQUARE 4 Signs

11-67.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
11-68	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
6-35	Regulatory Sign	Right Lane Must Turn Right	DG Prismatic
6-36	Regulatory Sign	No Parking Anytime	Engineering Grade
EAST STREET		4 Signs	
6-104	Unlisted Sign	Children	Engineering Grade
6-106	Regulatory Sign	Stop	Engineering Grade
6-107	Regulatory Sign	Stop	Engineering Grade
6-108	Warning Sign	Dead End	Engineering Grade
FAIRMOUNT STREET		1 Signs	
16-5	Warning Sign	Dead End	Engineering Grade
FITCH ROAD		4 Signs	
10-3	Unlisted Sign	Children	Engineering Grade
10-4	Unlisted Sign	Blind Driveway (Ahead)	Engineering Grade
10-5	Unlisted Sign	Deaf Person Area	Engineering Grade
10-9	Regulatory Sign	Stop	Engineering Grade
FLAGG STREET		3 Signs	
6-46	Unlisted Sign	No Thru Trucks	Engineering Grade
6-47	Regulatory Sign	No Trucks	Engineering Grade
6-48	Unlisted Sign	No Thru Traffic	Engineering Grade
FOREST AVENUE		3 Signs	
6-50	Regulatory Sign	One Way (arrow)	Engineering Grade
6-51	Unlisted Sign	Caution Deaf Child	Engineering Grade
6-52	Regulatory Sign	Do Not Enter	Engineering Grade
FOREST STREET		4 Signs	
6-109	Unlisted Sign	Children	Engineering Grade
6-110	Regulatory Sign	No Parking (word legend)	Engineering Grade
6-111	Regulatory Sign	No Parking (word legend)	Engineering Grade
6-114	Unlisted Sign	Children	Engineering Grade
FRANKLIN STREET		1 Signs	
11-210	School Sign	School Speed Limit	Engineering Grade
FULLER STREET		3 Signs	
2-4	Regulatory Sign	No Parking (word legend)	Engineering Grade
2-5	Regulatory Sign	No Parking Anytime	Engineering Grade
2-6	Regulatory Sign	No Parking (word legend)	Engineering Grade
GREELEY STREET		7 Signs	
1-1	Unlisted Sign	Children	Engineering Grade
11-23	Regulatory Sign	Stop	Engineering Grade
5-3	Unlisted Sign	Children	Engineering Grade
6-10	Regulatory Sign	Stop	Engineering Grade
6-11	Unlisted Sign	No Trucks Except Hospital Delivery	Engineering Grade
6-26	Regulatory Sign	Stop	HI Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
6-8	Warning Sign	Stop Ahead (word legend)	Engineering Grade
GROVE STREET		10 Signs	
11-160	Regulatory Sign	Stop	Engineering Grade
16-10	Regulatory Sign	No Parking (word legend)	Engineering Grade
16-12	Warning Sign	Dead End	Engineering Grade
16-13	Unlisted Sign	Children	Engineering Grade
16-14	Unlisted Sign	Handicap Access Do Not Block Or Vehicle Will Be Towed	Engineering Grade
16-15	Regulatory Sign	No Parking (word legend)	Engineering Grade
16-16	Regulatory Sign	No Parking (word legend)	Engineering Grade
16-17	Regulatory Sign	No Parking (word legend)	Engineering Grade
16-18	Regulatory Sign	No Parking (word legend)	Engineering Grade
16-9.A	Unlisted Sign	Children	HI Prismatic
HARBOR STREET		3 Signs	
10-24	Warning Sign	Dead End	Engineering Grade
10-25.A	Guide Sign	Mile Marker	Engineering Grade
10-25.B	Unlisted Sign	No Walking of Dogs	Engineering Grade
HIGH STREET		36 Signs	
11-16	Regulatory Sign	Van Accessible (blue background)	HI Prismatic
11-18	Regulatory Sign	Reserved Parking For Handicapped	Engineering Grade
11-20	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-22.A	Guide Sign	Route Sign	Engineering Grade
11-22.B	Guide Sign	Route Sign	Engineering Grade
11-22.C	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-32	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-33.A	Regulatory Sign	Stop	Engineering Grade
11-4	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-47	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-48	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-5	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-50	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-51	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-52	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-53	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-6	Regulatory Sign	Van Accessible (blue background)	HI Prismatic
11-69	Unlisted Sign	Parking For Senior Citizen Center	Engineering Grade
11-70	Unlisted Sign	Parking For Senior Citizen Center	Engineering Grade
11-71	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
2-13	Guide Sign	State Route	DG Prismatic
2-15.A	Unlisted Sign	Danger Road Entering Right	Engineering Grade
2-15.B	Regulatory Sign	Speed Limit	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
2-16	Guide Sign	State Route	DG Prismatic
2-17	Unlisted Sign	Thickly Settled 30 MPH	Engineering Grade
2-18	Warning Sign	No Passing Zone	DG Prismatic
2-19	Warning Sign	No Passing Zone	DG Prismatic
6-12.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
6-127	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic
6-130	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic
6-131	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic
6-38	Regulatory Sign	No Parking (word legend)	Engineering Grade
6-39	Unlisted Sign	Stop For Pedestrian In Crosswalk	HI Prismatic
6-72	Unlisted Sign	Hospital	Engineering Grade
6-73	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
6-74	Regulatory Sign	No Parking Anytime	Engineering Grade

HIGHLAND AVENUE 1 Signs

5-22	Warning Sign	Dead End (plaque)	Engineering Grade
------	--------------	-------------------	-------------------

HIGHLAND STREET 10 Signs

5-13	Regulatory Sign	No Trucks (symbol)	Engineering Grade
5-14	Unlisted Sign	Children	Engineering Grade
5-15	Warning Sign	Stop Ahead (word legend)	Engineering Grade
5-18	Regulatory Sign	No Trucks	Engineering Grade
5-19	Regulatory Sign	Stop	Engineering Grade
5-20	Unlisted Sign	Children	Engineering Grade
5-21	Regulatory Sign	Stop	Engineering Grade
6-42	Regulatory Sign	No Parking (word legend)	Engineering Grade
6-43	Regulatory Sign	No Parking (word legend)	Engineering Grade
6-44	Unlisted Sign	No Trucks Allowed	Engineering Grade

LAKESIDE AVENUE 7 Signs

10-10	Regulatory Sign	Tow-Away Zone	Engineering Grade
10-11	Regulatory Sign	Tow-Away Zone	Engineering Grade
10-12	Regulatory Sign	Tow-Away Zone	Engineering Grade
10-13	Regulatory Sign	Tow-Away Zone	Engineering Grade
10-14	Regulatory Sign	Tow-Away Zone	Engineering Grade
10-15	Regulatory Sign	Tow-Away Zone	Engineering Grade
10-6	Regulatory Sign	Tow-Away Zone	Engineering Grade

LAUREL STREET 2 Signs

6-45.A	Unlisted Sign	Children	Engineering Grade
6-45.B	Unlisted Sign	No Truck Parking	Engineering Grade

LAWRENCE STREET 11 Signs

5-29	Unlisted Sign	No Thru Trucks	Engineering Grade
5-30	Unlisted Sign	No Thru Trucks	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
5-32	Regulatory Sign	Stop	Engineering Grade
6-57.A	Regulatory Sign	Stop	Engineering Grade
6-57.B	Regulatory Sign	No Trucks (symbol)	Engineering Grade
6-62	Regulatory Sign	No Parking Anytime	Engineering Grade
6-63	Unlisted Sign	No Truck Parking	Engineering Grade
6-64	Regulatory Sign	Stop	Engineering Grade
6-65	Unlisted Sign	No Thru Trucks	Engineering Grade
6-66	Regulatory Sign	Stop	Engineering Grade
6-67	Regulatory Sign	No Trucks (symbol)	Engineering Grade
LEWIS STREET		1 Signs	
6-49	Regulatory Sign	Stop	Engineering Grade
LONGEDGE ROAD		1 Signs	
2-7	Unlisted Sign	No Dumping	Engineering Grade
LOWE STREET		1 Signs	
6-113	Unlisted Sign	No Dumping	Engineering Grade
MAIN STREET		55 Signs	
11-11	Warning Sign	Object Marker	Engineering Grade
11-122	Guide Sign	Route Sign	DG Prismatic
11-123	Unlisted Sign	Hospital	Engineering Grade
11-13	Regulatory Sign	No Parking Anytime	Engineering Grade
11-14	Warning Sign	Low Clearance	Engineering Grade
11-147	Warning Sign	Low Clearance	DG Prismatic
11-15	Regulatory Sign	No Parking Anytime	Engineering Grade
11-150	Regulatory Sign	No Parking Anytime	Engineering Grade
11-166	Warning Sign	Object Marker	Engineering Grade
11-167.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
11-26	Regulatory Sign	Left Lane Must Turn Left	Engineering Grade
11-27.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
11-31.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
11-59	Regulatory Sign	No Parking Anytime	Engineering Grade
11-60	Regulatory Sign	No Parking Anytime	Engineering Grade
11-61	Regulatory Sign	No Parking Anytime	Engineering Grade
11-62	Regulatory Sign	No Parking Anytime	Engineering Grade
11-63	Regulatory Sign	No Parking Anytime	Engineering Grade
11-65	Unlisted Sign	Thickly Settled	Engineering Grade
11-66	Unlisted Sign	Do Not Block Driveway	Engineering Grade
14-1	Unlisted Sign	Caution Slow Moving Vehicles Entering And Exiting	Engineering Grade
14-2	Regulatory Sign	Speed Limit	Engineering Grade
14-3	Warning Sign	Advisory Speed (plaque)	Engineering Grade
14-4	Guide Sign	Route Sign	DG Prismatic

Sign ID	MUTCD Sign Type	Sign	Material
15-19	Unlisted Sign	Children	Engineering Grade
15-20.A	Unlisted Sign	Keep Out No Parking	Engineering Grade
15-20.B	Warning Sign	Dead End	Engineering Grade
NASHUA STREET		2 Signs	
16-20	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
16-21	Regulatory Sign	Stop	Engineering Grade
NELSON STREET		3 Signs	
11-189	Unlisted Sign	Children	Engineering Grade
11-190	Regulatory Sign	Do Not Enter	Engineering Grade
11-191	Regulatory Sign	Do Not Enter	Engineering Grade
NEW HARBOR ROAD		4 Signs	
11-95	Warning Sign	Stop Ahead (symbol)	Engineering Grade
11-96	Regulatory Sign	Stop	Engineering Grade
11-97	Warning Sign	Stop Ahead (symbol)	Engineering Grade
11-99	Unlisted Sign	Thickly Settled	Engineering Grade
NORTH WALNUT STREET		1 Signs	
6-112	Regulatory Sign	Stop	Engineering Grade
PALMER COURT		2 Signs	
11-219	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-220	Warning Sign	Dead End	Engineering Grade
PARKER STREET		6 Signs	
6-75.A	Guide Sign	Destination Sign	Engineering Grade
6-75.B	Guide Sign	Destination Sign	Engineering Grade
6-76	Unlisted Sign	All Truck Traffic Bear Right	Engineering Grade
6-77.A	Regulatory Sign	Stop	Engineering Grade
6-77.B	Unlisted Sign	Adams Rd Truck Entrance	HI Prismatic
6-78	Regulatory Sign	Stop	Engineering Grade
PEARL STREET		6 Signs	
11-217	Regulatory Sign	Stop	Engineering Grade
6-122	Unlisted Sign	Children	Engineering Grade
6-123	Unlisted Sign	Children	Engineering Grade
6-124	Regulatory Sign	Stop	Engineering Grade
6-125	Regulatory Sign	Stop	Engineering Grade
6-126	Regulatory Sign	Stop	Engineering Grade
PIERCE PLACE		2 Signs	
11-125	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-126	Regulatory Sign	No Parking (word legend)	Engineering Grade
PINE STREET		3 Signs	
10-16	Regulatory Sign	Stop	Engineering Grade
10-17	Regulatory Sign	Speed Limit	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
10-18	Unlisted Sign	City Mills Historical Cemetery	Engineering Grade
PINE STREET EXTENSION		3 Signs	
10-19	Warning Sign	Wheelchair	Engineering Grade
10-20	Unlisted Sign	Children	Engineering Grade
10-21	Regulatory Sign	Stop	Engineering Grade
PLAIN STREET		1 Signs	
6-93	Regulatory Sign	Stop	Engineering Grade
PLEASANT STREET		12 Signs	
11-10	Unlisted Sign	Slow	Engineering Grade
11-35	Regulatory Sign	No Trucks (symbol)	Engineering Grade
11-36.A	Unlisted Sign	Children	Engineering Grade
11-36.B	Unlisted Sign	Slow Handicapped	Engineering Grade
11-37.A	Warning Sign	Stop Ahead (symbol)	Engineering Grade
11-37.B	Warning Sign	Stop Ahead (word legend)	Engineering Grade
11-38	Regulatory Sign	Stop	Engineering Grade
11-7.A	Warning Sign	Stop Ahead (symbol)	Engineering Grade
11-7.B	Warning Sign	Stop Ahead (word legend)	Engineering Grade
11-8	Regulatory Sign	Stop	Engineering Grade
11-9.A	Unlisted Sign	Slow Handicapped	Engineering Grade
11-9.B	Unlisted Sign	Deaf Child	Engineering Grade
POND COURT		2 Signs	
11-127	Unlisted Sign	Walking Of Dogs Prohibited	Engineering Grade
11-128	Unlisted Sign	Walking Of Dogs Prohibited	Engineering Grade
PROSPECT STREET		2 Signs	
11-104	Regulatory Sign	Stop	Engineering Grade
11-105	Regulatory Sign	Stop	Engineering Grade
RICHMAN STREET		1 Signs	
16-7	Unlisted Sign	Children	Engineering Grade
RIGBY STREET		1 Signs	
5-1	Unlisted Sign	Children	Engineering Grade
RIVERSIDE DRIVE		1 Signs	
10-26	Unlisted Sign	Children	Engineering Grade
SCHOOL STREET		13 Signs	
11-163	Regulatory Sign	Van Accessible (blue background)	Engineering Grade
11-164	Regulatory Sign	Stop	Engineering Grade
11-165	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-179	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-180	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-181	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-182	Regulatory Sign	No Parking (word legend)	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
11-183	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-184	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-185	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-186	Regulatory Sign	Stop	Engineering Grade
11-187	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-188	Regulatory Sign	No Trucks (symbol)	Engineering Grade

SIMON COURT 1 Signs

16-3	Warning Sign	Dead End	Engineering Grade
------	--------------	----------	-------------------

SOUTH MEADOW ROAD 8 Signs

14-10	Unlisted Sign	Trucks Entering	HI Prismatic
14-7	Regulatory Sign	Railroad Crossing	Engineering Grade
14-8	Unlisted Sign	Children	Engineering Grade
14-9	Unlisted Sign	Blind Driveway (Ahead)	Engineering Grade
15-17	Unlisted Sign	No Engine Brake	HI Prismatic
15-18	Regulatory Sign	Railroad Crossing	Engineering Grade
9-1	Unlisted Sign	No Trespassing or Loitering	Engineering Grade
9-2	Unlisted Sign	Children	Engineering Grade

SPRAGUE ROAD 5 Signs

10-27	Warning Sign	Dead End	Engineering Grade
10-28	Unlisted Sign	No Trespassing Private Property	Engineering Grade
10-29	Unlisted Sign	No Trespassing	Engineering Grade
10-30	Unlisted Sign	Children	Engineering Grade
10-31	Unlisted Sign	Slow	Engineering Grade

STERLING STREET 13 Signs

5-10	Regulatory Sign	Stop	Engineering Grade
5-4.A	Unlisted Sign	Thickly Settled 30 MPH	Engineering Grade
5-4.B	Regulatory Sign	In-Street Pedestrian Crossing (stop)	Engineering Grade
5-5	Unlisted Sign	Children	Engineering Grade
5-7	Unlisted Sign	Caution Deaf Child	Engineering Grade
5-8	Guide Sign	Route Sign	DG Prismatic
6-31.A	Warning Sign	Stop Ahead (symbol)	Engineering Grade
6-31.B	Warning Sign	Stop Ahead (word legend)	Engineering Grade
6-33.A	Regulatory Sign	Railroad Crossing	Engineering Grade
6-33.B	Regulatory Sign	Number of Tracks	Engineering Grade
6-37.A	Regulatory Sign	Railroad Crossing	Engineering Grade
6-37.B	Regulatory Sign	Number of Tracks	Engineering Grade
6-40	Regulatory Sign	No Parking (word legend)	Engineering Grade

STONE STREET 5 Signs

2-10	Regulatory Sign	No Parking Any Time	Engineering Grade
2-11	Regulatory Sign	No Parking Any Time	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
2-12	Unlisted Sign	Trucks Entering	HI Prismatic
6-96	Unlisted Sign	Children	HI Prismatic
6-97	Regulatory Sign	Stop	Engineering Grade
SUMMIT STREET		2 Signs	
16-2	Regulatory Sign	Stop	Engineering Grade
16-4	Unlisted Sign	Children	Engineering Grade
UNION STREET		9 Signs	
11-39	Unlisted Sign	No Truck Parking	Engineering Grade
11-40.A	Guide Sign	Route Sign	DG Prismatic
11-40.B	Guide Sign	Route Sign	DG Prismatic
11-54	Unlisted Sign	Free Municipal Public Parking	Engineering Grade
11-55	Warning Sign	Pedestrian	Engineering Grade
11-77	Regulatory Sign	Stop	Engineering Grade
11-78	Warning Sign	Bump	Engineering Grade
11-79	Regulatory Sign	Stop	Engineering Grade
11-90	Guide Sign	Route Sign	DG Prismatic
VIEW STREET		1 Signs	
5-25	Unlisted Sign	No Dumping	Engineering Grade
WALNUT STREET		8 Signs	
11-102	Regulatory Sign	Reserved Parking For Handicapped	Engineering Grade
11-103	Regulatory Sign	Stop	Engineering Grade
11-73	Regulatory Sign	No Parking Anytime	DG Prismatic
11-82	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-83	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
11-85	Unlisted Sign	No Trespassing	Engineering Grade
11-86	Unlisted Sign	No Trespassing After Dark	Engineering Grade
11-87	Regulatory Sign	Van Accessible (blue background)	Engineering Grade
WASHINGTON STREET		2 Signs	
6-81	Regulatory Sign	Stop	Engineering Grade
6-82	Regulatory Sign	Stop	Engineering Grade
WATER STREET		11 Signs	
11-143	Unlisted Sign	Do Not Block Driveway	Engineering Grade
11-153.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
11-155.A	Warning Sign	Signal Ahead (symbol)	DG Prismatic
11-155.B	Warning Sign	Signal Ahead (word legend)	DG Prismatic
11-213	Regulatory Sign	No Parking Any Time	DG Prismatic
11-214	Regulatory Sign	Right Lane Must Turn Right	Engineering Grade
11-215	Guide Sign	State Route	DG Prismatic
6-119	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
6-120.A	Unlisted Sign	Slow Elderly	Engineering Grade

Sign ID	MUTCD Sign Type	Sign	Material
6-120.B	Regulatory Sign	(Hour/Minute) Parking (time limit)	Engineering Grade
6-121.A	Unlisted Sign	Bicycle Stop On Line For Green	HI Prismatic
WEST STREET		2 Signs	
6-98	Unlisted Sign	Children	Engineering Grade
6-99	Regulatory Sign	Stop	Engineering Grade
WHITE COURT		4 Signs	
11-106	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-107	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-124.A	Regulatory Sign	No Parking (word legend)	Engineering Grade
11-124.B	Unlisted Sign	Tenant Parking Only	Engineering Grade
WILLOW STREET		1 Signs	
5-11	Unlisted Sign	Children	Engineering Grade
WILLOW STREET EXTENSION		1 Signs	
5-12	Warning Sign	Dead End	Engineering Grade
WOODLAWN STREET		3 Signs	
10-1	Unlisted Sign	Thickly Settled	Engineering Grade
10-2	Unlisted Sign	No Trucks Allowed Beyond This Point	Engineering Grade
11-1	Unlisted Sign	Owners of Unleashed Dogs Subject to Fines	Engineering Grade
WORCESTER STREET		5 Signs	
6-87	Regulatory Sign	One Way (arrow)	Engineering Grade
6-88	Unlisted Sign	Do Not Park Here	Engineering Grade
6-89	Regulatory Sign	Van Accessible (white background)	Engineering Grade
6-91	Regulatory Sign	Do Not Enter	Engineering Grade
6-92	Regulatory Sign	Do Not Enter	Engineering Grade